

E-COMMERCE · SHOPIFY

VIP Cohort Detector → WA Congrats

Nightly job ranks customers by 90-day LTV. New entrants to top 5% get a personal WhatsApp from the founder + a private discount code.

THE PROBLEM

Your best customers feel like wallets.

Top 5% of buyers drive 35-45% of revenue on most stores. They get the same auto-emails as everyone else. No acknowledgement, no thank-you, no human touch. Meanwhile your CAC keeps climbing while retention slips. A 30-second WhatsApp from the founder when someone crosses into VIP, with a code only they get, is the cheapest retention lever you have not pulled.

42%

REVENUE FROM TOP 5% OF BUYERS


30s

VOICE / TEXT WA FROM FOUNDER

Built for

- Shopify / WooCommerce stores with 6+ months of order data
- AOV \$50+, 100+ orders/mo (enough cohort signal)
- DTC brands chasing retention over acquisition

The flow



BUILD IT

Stack & setup

Tech stack

LAYER	TOOL	COST/MO
Orchestration	n8n	\$6-20
Order data	Shopify Admin API	\$0
VIP table	Postgres / Supabase free	\$0
Discount code	Shopify price-rules API	\$0
WA delivery	Twilio WhatsApp	\$0.005/msg
Total	—	\$8-25

Before you import

- Shopify Admin API access (custom app or private app token)
- Supabase project (free tier) for the vip_members table
- Twilio WhatsApp sender approved
- n8n instance
- Google Sheet vip_log: ts, customer_id, name, phone, ltv_90d, code, wa_sid
- Founder pre-recorded WA voice template OR a 2-line text template

Setup (60-90 min once Twilio WA is approved)

1. Create Supabase table vip_members (customer_id text primary key, first_seen_at timestampz, ltv_90d numeric)
2. Shopify Admin → Apps → Develop apps → create private app with read_orders + write_discounts scopes
3. n8n credentials: Shopify access token, Supabase service-role key, Twilio basic auth, Google Sheets OAuth
4. Workflows → Import → paste JSON from page 4 (cron set to 02:00 your TZ)
5. Replace REPLACE_ME_TWILIO_FROM, REPLACE_ME_SUPABASE_URL, REPLACE_ME_VIP_DISCOUNT_PREFIX

6. Manual execute once → verify Supabase fills with current top 5% (no WA sends on first run)

7. Activate. Tomorrow's run sends WA only to NEW entrants vs first run baseline

COPY + PASTE

n8n workflow JSON

**Copy from GitHub →**

One click. Opens raw file with native copy button.

SCAN ON
MOBILE

Or import the file 18-vip-cohort-detector-wa-congrats.json from the pack folder. In n8n: **Workflows** → **Import from Clipboard / File**.

```
{
  "name": "18 - VIP Cohort Detector WA Congrats",
  "nodes": [
    {
      "parameters": {
        "rule": {"interval": [{"field": "cronExpression", "expression": "0 2 * * *"}]}
      },
      "id": "cron-nightly",
      "name": "Nightly 02:00",
      "type": "n8n-nodes-base.scheduleTrigger",
      "typeVersion": 1.1,
      "position": [200, 300]
    },
    {
      "parameters": {
        "url": "https://{{ $env.SHOPIFY_STORE }}.myshopify.com/admin/api/2024-04/orders.json",
        "authentication": "genericCredentialType",
        "genericAuthType": "httpHeaderAuth",
        "sendQuery": true,
        "queryParameters": {
          "parameters": [
            {"name": "status", "value": "any"},
            {"name": "financial_status", "value": "paid"},
            {"name": "created_at_min", "value": "={{ $now.minus({days: 90}).toISO() }}"},
            {"name": "limit", "value": "250"}
          ]
        }
      },
      "options": {"pagination": {"pagination": {"paginationMode": "responseHeaderLink", "nextURL": "={{ $response.headers.link }}}"}},
      "id": "fetch-orders",
      "name": "Pull 90d paid orders",
      "type": "n8n-nodes-base.httpRequest",
      "typeVersion": 4.2,
      "position": [420, 300],
      "credentials": {
        "httpHeaderAuth": {"id": "REPLACE_ME_SHOPIFY", "name": "Shopify Admin Token"}
      }
    },
    {
      "parameters": {
        "jsCode": "const orders = $input.first().json.orders || [];\nconst byCustomer = {};\nfor (const o of orders) {\n  if (!o.customer) continue;\n  const id = String(o.customer.id);\n  if (!byCustomer[id]) {\n    byCustomer[id] = {\n      customer_id: id,\n      name: `${o.customer.first_name} ${o.customer.last_name} |\n      |`.trim(),\n      phone: o.customer.phone || o.shipping_address?.phone || '',\n      email: o.customer.email,\n      ltv_90d: 0,\n      order_count: 0\n    };\n    byCustomer[id].ltv_90d += parseFloat(o.total_price || 0);\n    byCustomer[id].order_count += 1;\n  }\n}\nconst ranked = Object.values(byCustomer).filter(c => c.phone).sort((a, b) => b.ltv_90d - a.ltv_90d);\nconst cutoff = Math.max(1, Math.floor(ranked.length * 0.05));\nconst topVips = ranked.slice(0, cutoff);\nreturn topVips.map(json => ({json}));"
```

WANT THIS BUILT FOR YOU?

Three ways forward

Most teams can wire this in an afternoon. Some can't — or shouldn't waste their best hour on it. If that's you:

Done-for-you build

I install + customize this exact flow on your n8n. 7-day delivery. 30-day fix-it warranty.

\$297-997

FIVERR

Free 20-min audit

I review your stack + name the 3 highest-leverage automations for your business. No pitch.

Free

EMAIL

Monthly retainer

Fractional ops engineer for your stack. Slack-first, 48h SLA. Agencies + 8-fig brands.

\$1.5K-5K

EMAIL

Waseem Nasir — Founder, SkynetLabs

skynetjoe.com · waseemnasir.com · github.com/waseemnasir2k26 · fiverr.com/agencies/skynetjoellc

waseem@skynetjoe.com