

THE AUTOPUBLISH BLUEPRINT · BUILD EDITION

Run Your Whole Content Pipeline From One Terminal.

The complete, copy-paste playbook: install it, wire the keys, run the prompts — and publish to every platform with one command. No fluff, every step included.

Claude Code

GoHighLevel MCP


ElevenLabs API

ffmpeg

GitHub host

The Pipeline at a Glance

One orchestrator drives six stages, then fans out to every platform from a single command. This is the whole system on one page — the rest of the PDF is just the how.



Read it like this: you set the rules once (the brain), and a single sentence flows top-to-bottom through all six stages, then fans out to every channel — images AND video, in real time.

0 • What You Need First

This is a real build. You need accounts + tools installed before step 1. Budget ~1 hour for first setup, then ~5–15 min per post forever.

Accounts (paid where noted)

Account	Why	Cost
Claude Code (Anthropic)	The brain that runs everything	Pro/Max plan
GoHighLevel	The 1-command publisher to all socials	Paid (sub-account ok)
ElevenLabs	Voiceover via API	Paid (Creator+ for cloning)
GitHub	Free public host for the asset URL	Free
Social accounts	Connected INSIDE GoHighLevel once	Free

Tools to install (Windows shown)

```
# 1. Node.js (LTS) – needed by Claude Code + MCP servers
winget install OpenJS.NodeJS.LTS

# 2. Claude Code CLI
npm install -g @anthropic-ai/claude-code

# 3. ffmpeg – the video engine
winget install Gyan.FFmpeg

# 4. Google Chrome – used headless to render designs to PNG/PDF
# (already installed on most machines)

# 5. Git – to push assets to GitHub
winget install Git.Git

# verify everything
node -v && claude --version && ffmpeg -version && git --version
```

Mac/Linux: swap `winget install X` for `brew install node ffmpeg git`. Everything else is identical.

Connect your socials (one time)

- ▶ In GoHighLevel → **Marketing** → **Social Planner** → **Settings**.
- ▶ Connect Instagram, Facebook, Pinterest, Google Business, LinkedIn, TikTok, YouTube.
- ▶ Note your **Location ID** (in the URL: `/location/<LOCATION_ID>/`). You'll need it.

1 • Wire the Keys & the MCP Bridge

MCP (Model Context Protocol) is how Claude Code reaches outside tools. You add GoHighLevel as an MCP server so Claude can publish posts directly.

Store your API keys

```
# keep keys out of code – use a secrets file or env vars
setx ELEVENLABS_API_KEY "sk_your_key_here"
setx GHL_API_TOKEN      "your_ghl_private_integration_token"
setx GHL_LOCATION_ID    "your_location_id"
```

- ▶ ElevenLabs key: **elevenlabs.io** → **Profile** → **API Keys**.
- ▶ GHL token: **Settings** → **Private Integrations** → **Create** (scope: Social Planner read/write).

Add the GoHighLevel MCP server to Claude Code

```
# registers GHL as a tool Claude can call
claude mcp add ghl --transport http \
  https://services.leadconnectorhq.com/mcp/ \
  --header "Authorization: Bearer $GHL_API_TOKEN"

# confirm it loaded
claude mcp list
```

After this, inside any Claude Code session you can say **"publish this video to all my socials via GHL"** and it calls the `create-post` tool for you. That is the magic line in the video.

Project folder layout

```
content-engine/
├ templates/      # your reusable HTML post designs
├ assets/         # rendered PNGs + MP4s
├ scripts/        # ffmpeg + render helpers
└ CLAUDE.md       # your brand voice + rules (Claude reads this)
```

CLAUDE.md — lock your brand so output is never generic

Paste into CLAUDE.md:

Brand: [YOUR BRAND]. Voice: contrarian hook → reframe → 3 arrow lines → one vulnerable beat → CTA + 5-8 hashtags. Colors: [HEX], [HEX]. Never use em-dashes-as-drama, never say "in today's fast-paced world". Always end posts with: DM "[KEYWORD]" for the blueprint. Handle: @[yourhandle].

2 · Generate the Post + Design

STEP 2A

Write the post (Claude Code)

Open the project folder, run `claude`, then prompt:

Prompt: Write today's post about [TOPIC] in my locked brand voice from CLAUDE.md. Give me the caption + 6 hashtags, and a 1-line design headline + sub-headline for the visual card.

STEP 2B

Design template (reusable HTML)

Make a simple `templates/card.html` with your colors and two placeholder slots. Claude fills it, then renders it to PNG headless — no Canva.

Prompt: Put the headline + sub-headline into `templates/card.html`, save as `assets/post.html`, then render it to `assets/post.png` with headless Chrome at 1080×1350.

The render command Claude runs for you:

```
# HTML -> PNG (uses a screenshot of the page)
chrome --headless --disable-gpu --screenshot=assets/post.png \
  --window-size=1080,1350 --default-background-color=0 \
  "file:///FULL/PATH/assets/post.html"
```

Gotcha: if Chrome exits with code 21, it's a profile lock. Add `--user-data-dir=.cprofile` to use a throwaway profile.

No video needed? Skip to **Step 5** — you can publish the PNG alone to all platforms. Video is only for reels/promos.

3-4 • Edit Video + Add Voiceover

STEP 3

Cut + brand the video (single ffmpeg pass)

Record your screen (any recorder). Then one ffmpeg command trims dead air, grades color, and adds text overlays. Example: keep 4–70s, scale to 1080p, add a hook caption.

```
# trim + grade + burn-in a hook caption, one encode
ffmpeg -i raw.mkv -ss 4 -to 70 \
  -vf "scale=1920:1080,eq=contrast=1.05:saturation=1.1,
  drawtext=text='I didn\'t touch the keyboard once':
  fontcolor=white:fontsize=54:x=(w-tw)/2:y=80:
  box=1:boxcolor=0x0F5C46@0.8:boxborderw=18" \
  -c:v libx264 -crf 18 -preset medium -c:a aac out.mp4
```

Faster on NVIDIA: swap `-c:v libx264` for `-c:v h264_nvenc` (needs GPU driver $\geq$ 570). One encode, never chain multiple — quality + speed.

STEP 4

Voiceover via ElevenLabs API

Claude calls the API with your script and saves an MP3, then mixes it under the video.

```
# script -> narration mp3 (curl)
curl -s -X POST \
  https://api.elevenlabs.io/v1/text-to-speech/VOICE_ID \
  -H "xi-api-key: $ELEVENLABS_API_KEY" \
  -H "Content-Type: application/json" \
  -d '{"text":"Your script here",
    "model_id":"eleven_multilingual_v2"}' \
  --output vo.mp3

# mix VO over the video + duck background music
ffmpeg -i out.mp4 -i vo.mp3 -i music.mp3 -filter_complex \
  "[2:a]volume=0.2[bg];[1:a][bg]amix=inputs=2[a]" \
  -map 0:v -map "[a]" -c:v copy -shortest FINAL.mp4
```

Default voice tip: pick one voice ID and lock it so every video sounds like the same brand person. (We use a UK male voice.)

5-6 • Host the Asset + Auto-Publish

STEP 5

Host on GitHub (free public URL)

Every platform needs one reachable URL for your image/video. Push to a public repo, use the `raw` link.

```
# one-time: make a public repo named social-assets on github.com
git clone https://github.com/USER/social-assets.git
cp FINAL.mp4 social-assets/videos/
cd social-assets && git add . && git commit -m "asset" && git push

# your public URL becomes:
https://raw.githubusercontent.com/USER/social-assets/main/videos/FINAL.mp4
```

STEP 6

Publish to EVERY platform — one command

Back in Claude Code (GHL MCP is wired from step 1). Just ask:

Prompt: *Using the GHL MCP create-post tool, publish this to all my connected accounts. Media URL: [your raw GitHub URL]. Caption: [paste caption]. Location: [GHL_LOCATION_ID]. Schedule for Tue 9pm my time.*

Claude fills the GHL `create-post` call with every account ID and fires it. Images AND video. Done.

X / Twitter: often not connectable in GHL — post that one manually. **Google Business:** weak video support — send a PNG there instead.

Make the DM hands-free: in GHL/ManyChat, set a keyword trigger ("PDF") → auto-reply with your blueprint link. Now the CTA in your post runs itself.

7 • Run-It Checklist & Fixes

The whole loop, every time (5–15 min)

#	Action	Tool
1	Prompt Claude for caption + design copy	Claude Code
2	Fill HTML template → render PNG	headless Chrome
3	(video only) trim + grade one pass	ffmpeg
4	(video only) generate VO + mix	ElevenLabs + ffmpeg
5	Push asset, copy raw URL	git + GitHub
6	"Publish to all socials via GHL"	Claude + GHL MCP

Troubleshooting

- ▶ **Chrome exit 21 / no PNG:** add `--user-data-dir=.tmp` (profile was locked).
- ▶ **ffmpeg hangs:** avoid combining `loudnorm` + `stream_loop` ; render once.
- ▶ **NVENC error:** GPU driver < 570 — fall back to `libx264` .
- ▶ **GHL post fails on YouTube:** token expired — reconnect that account in GHL.
- ▶ **Letterboxed reels:** render vertical 1080×1920 for IG/TikTok/FB, landscape for YouTube.
- ▶ **Generic-sounding posts:** your CLAUDE.md voice block is too thin — add real examples.

The one idea to keep: you are not learning 6 tools. You are teaching ONE orchestrator (Claude Code) to drive all 6. Write the rules once in CLAUDE.md, wire the keys once — then every future post is a single sentence.

Want it done for you?

If you'd rather skip the setup and have this pipeline built into your own brand + GHL, that's exactly what we do at SkynetLabs.

Get it built for your brand → DM @skynetlabs