Assertion Presentation

By: Wasfi Abdulhadi

```
1   ///<reference types= "cypress" />
2
3   describe('This tests to check the website', () => {
4       it('first check: Make sure the default currency is SAR', () => {
5           cy.visit("https://global.almosafer.com/ar")
6           cy.get('.cta_saudi').click()
7           cy.get('[data-testid="Header_CurrencySelector"]').should('contain', 'SAR')
8
9       });
10      it('Second check: make sure that the default langauge is Arabic ', () => {
11          cy.visit("https://global.almosafer.com/ar")
12          cy.get('.cta_saudi').click()
13          cy.get('[data-testid="Header_LanguageSwitch"]').should("not.contain","العربية")
14
15      });
16
17      it('Third check: make sure that the flight tab is clicked by default ', () => {
18          cy.visit("https://global.almosafer.com/ar")
19          cy.get('.cta_saudi').click()
20          cy.get('#uncontrolled-tab-example-tab-flights').should("have.class","active")
21
22
23      });
24  });
```

1)Cy.visit () : is a Cypress command that instructs the test runner to open a web page by navigating to a specified URL.

2) Cy.get : Used to Locate the element in the website, and I used it here to locate the button to choose the default currency (SAR),
.click() : I used it to click on that button.

3)I used this line to locate the Currency element in the web page, And I added this assertion (.should('contain', 'SAR')) to check if the value of this element contains "SAR" that means the default currency is SAR(Saudi Riyal)

4)I used this line, to locate the language element in the web page, And I added this assertion (.should("not.contain","العربية")) to check if the value doesn't contain "العربية", that's mean the default language is Arabic.

5)I used this line, to locate the flight element in the web page and I added the assertion (.should("have.class","active") to make sure that the button is active.

Assertions used :

1) Contain.text / not.contain.text :

This assertion is used to check if a DOM element contains a specific text or not.

2) Have.class , Active

These assertions are useful for verifying the state or styling of elements in your web application during end-to-end testing.

```
5    - assert expected
     <button.sc-bfYoXt.PRucU>
     to contain SAR
```

```
5    - assert expected <a.sc-
     gbOuXE.dofcUK> not to
     contain العربية
```

```
5    - assert expected
     <a#uncontrolled-tab-
     example-tab-flights.nav-
     item.nav-link.active> to
     have class active
```