DUBAI MUNICIPALITY AI PARK DESIGN CHALLENGE

Neighborhood Park Preliminary Design Masterplan

The plan at scale. Every room struck off the crescent's centre; every area the measured area of the drawn polygon.

02
OF 12 UPLOAD SLOTS

15,000 m²	144 m	2,595 m²	131
SITE AREA	CRESCENT ARC LENGTH	CANOPY AREA	TREES PLANTED

▶ EVERY FIGURE IN THIS FILE CAN BE CHECKED HERE

wasim437.github.io/AI_SAFA/

Mohamed Wasim · Individual Applicant wasimmisaw437@gmail.com

01 WHAT IS IN THIS FILE

Phase5 Masterplan Development Report	PLAN
Fig10 masterplan	PLAN
Planting	DRAWING

02 THE SCALE OF THE ANALYSIS BEHIND IT

39 years of climate normals (NCM, 1977–2015) rebuilt into an 8,760-hour modelled year

8,760 hours of sun position ray-traced against 131 trees for every hour of the year

15,000 one-metre ground cells modelled for shade and comfort, site-wide

4 models trained and tested for leakage — two of them decide what this document reports

41 checks run on every rebuild, so a wrong number fails loudly instead of shipping quietly

VERIFY THIS DOCUMENT

Every quantity in this file is regenerated from data by code. Nothing is typed by hand.

Repository	github.com/wasim437/AI_SAFA
Live portal	wasim437.github.io/AI_SAFA/
Produced by	CODE src/plan.py src/figures.py DATA data/raw/site_zoning_schedule.csv
Reproduce	`python run_analysis.py` · `python -m tests.test_pipeline`

Generated 2026-08-04 · reproducible with python tools/build_submission_pdfs.py

A ten-phase process, checked at every step

Nothing downstream is hand-drawn or hand-typed — change an input and every figure moves with it, or a test fails loudly.

01 THE TEN PHASES

P1 Site & Context Analysis

39 years of NCM normals rebuilt into an 8,760-hour year, verified back to within 0.39 °C; sun position for every hour via NREL/pvlib; shadow geometry; 7,640 residents inside a ten-minute walk

P2 Problem Definition

Phase 1 findings turned into problems and scored by severity rather than listed flat — thermal discomfort dominates everything else

P3 Opportunity & Objectives

The ranked problems converted into measurable targets, including the comfort-hours target the finished design is scored against

P4 Concept Development

Multiple plan forms generated and swept against the solar model; the crescent selected on hours-with-no-shade, not on mean coverage

P5 **Masterplan Development** THIS DOCUMENT

Every room struck off the crescent's centre; areas taken as the shoelace area of the drawn polygon, so the schedule closes on 15,000 m²

P6 Detailed Design

The canopy section solved against shadow geometry — 7 m walk, 18 m gridshell at 4.5 m, 3 m southern louvre; 131 trees at mature canopy

P7 Performance & Sustainability

Water balance, carbon, the canopy PV deficit, and ray-traced shade performance by zone

P8 User Experience & Activation

K-Means microclimate regimes and the hour-by-month comfort surface; programming targeted at late afternoon, spring and autumn

P9 AI Workflow & Visualisation

The four models and the anti-leakage discipline; drawings, boards, the analytics portal and the sixty-second film

P10 Submission Assembly

Every report and visual mapped onto the twelve upload slots, each with a manifest naming what produced it

02 THE CODE AND DATA BEHIND THIS DOCUMENT

Plan
src

Figures
src

Site zoning schedule
data/raw

03 REPRODUCE IT END TO END

```
pip install -r requirements.txt
python run_analysis.py           # data, models, figures
python -m src.drawings           # section, elevation, planting
python -m src.boards             # the presentation boards
python tools/build_submission_pdfs.py
python -m tests.test_pipeline    # 41 checks
```

UPLOAD SLOT 02 OF 12 · PRELIMINARY DESIGN MASTERPLAN

Preliminary Design Masterplan

The room schedule, and how 15,000 m² is allocated

> The masterplan is generated, not drawn. Every room is a box in the crescent's own polar frame, mapped to site metres and clipped to the boundary — so each area is the measured area of the polygon actually drawn, and the schedule closes on 15,000 m² without anyone reconciling a spreadsheet.

Al Safa 2 Park · **Falaj Al Safa** · 15,000 m² · Al Safa 2, Dubai · Mohamed Wasim, Individual Applicant · Issued 04 August 2026 · every quantity regenerated by `python run_analysis.py`

1. The organising geometry

One arc. A crescent of shade 141 m in radius sweeps across the site, bowing convex south so that its hollow opens to the north. A 0.9 m water channel runs beneath its northern drip line. Every room in the park is struck off the same centre, so no room is a rectangle and every room faces the crescent square-on.

The arc has a chord of 138 m and a sagitta of 18 m, giving a radius of 141.25 m and a true arc length of 144.2 m. Those four numbers generate everything else in this report.



Masterplan with the numbered room schedule. Technical drawing — to scale.

2. Room schedule

Room	Category	Area (m²)	% of site
Al Mamsha — the Crescent Walk	Circulation	871	5.81%
Al Falaj — the water channel	Water	105	0.70%

Room	Category	Area (m²)	% of site
Crescent Shade Margin (N)	Green	549	3.66%
Crescent Shade Margin (S)	Green	715	4.77%
West Gate Majlis	Arrival	439	2.93%
East Gate Majlis	Arrival	439	2.93%
Al Nakhil — the Oasis Basin	Green	1,140	7.60%
Quiet Contemplation Garden	Passive	708	4.72%
Children's Dune Play	Active	1,267	8.45%
Family Picnic Grove	Passive	1,267	8.45%
Outdoor Fitness Terrace	Active	908	6.06%
Native Planting / Biodiversity Wadi	Green	894	5.96%
Community Plaza & Event Lawn	Social	788	5.25%
Souk Kiosks & Services	Commercial	417	2.78%
Multipurpose Sports Lawn	Active	630	4.20%
Al Kathib — the dune berm	Green_Buffer	1,464	9.76%
Al Madar — the perimeter loop	Circulation	986	6.57%
Al Sikkak — shaded alleys & setbacks	Circulation	1,414	9.43%

Total 15,000 m². Areas are shoelace areas of the drawn polygons, and the pipeline asserts that the schedule sums to the site area.

3. Where things are, and why

- **The hollow holds the lingering.** The Oasis Basin, the quiet garden, the children's play and the picnic grove all sit on the concave side, which the comfort model shows is measurably cooler than the convex face.
- **The convex face takes the active and the commercial.** The sports lawn, the community plaza and the souk sit south of the arc, where exposure matters less and evening use dominates.
- **The alleys are radii.** Every sikka is a radius of the same circle, so every room presents its face to the crescent rather than a corner.
- **The perimeter is a berm, not a fence.** Al Kathib is planted earth against the roads, doing three jobs at once — noise, glare and heat.

4. Site boundary — a stated assumption

The site is modelled as a 150 × 100 m rectangle. This is an **assumption** pending confirmation against the CAD file issued with the competition documents. Every area figure in this submission depends on it, and it is flagged here rather than left for a juror to discover.

Planting plan — 131 trees

Drawn at mature canopy radius. The avenue is structural: it carries the shoulder seasons the gridshell cannot



- Ghaf (Prosopis cineraria) ×16 · 45 L/day
- Neem (Azadirachta indica) ×58 · 90 L/day
- Ficus nitida (Ficus microcarpa nitida) ×34 · 110 L/day
- Olive (Olea europaea) ×11 · 60 L/day
- Date Palm (Phoenix dactylifera) ×12 · 120 L/day

28 of 131 trees are UAE natives (Ghaf and Date Palm). Peak summer irrigation demand 11.8 m^3/day. Ghaf takes the southern rank because it is the most drought-tolerant species in the schedule and that rank is the more exposed of the two.
Source: data/raw/species_water_carbon_rates.csv; layout from src/solar.py · Al Safa 2 Park · Falaj Al Safa · Dubai Municipality AI Design Challenge

Planting plan — 131 trees at mature canopy radius. Technical drawing — to scale.

Fig10 masterplan

The plan as the code draws it — every room struck off the arc centre, areas measured from the drawn polygon

Masterplan — Falaj Al Safa

One arc, and every room struck off its centre. Drawn from src/plan.py, the same geometry the models use



ROOM SCHEDULE

1	Al Mamsha — the Crescent Walk	871 m²
2	Al Falaj — the water channel	105 m²
3	Crescent Shade Margin (N)	549 m²
4	Crescent Shade Margin (S)	715 m²
5	West Gate Majlis	439 m²
6	East Gate Majlis	439 m²
7	Al Nakhil — the Oasis Basin	1,140 m²
8	Quiet Contemplation Garden	707 m²
9	Children's Dune Play	1,267 m²
10	Family Picnic Grove	1,267 m²
11	Outdoor Fitness Terrace	908 m²
12	Native Planting / Biodiversity Wadi	894 m²
13	Community Plaza & Event Lawn	787 m²
14	Souk Kiosks & Services	417 m²
15	Multipurpose Sports Lawn	630 m²
16	Al Kathib — the dune berm	1,464 m²
17	Al Madar — the perimeter loop	986 m²
	Al Sikkak — shaded alleys & setbacks	1,414 m²
	Total	**15,000 m²**

Crescent radius 141 m, sagitta 18 m. Green dots are the 131 trees; circles are the majlis pavilions; the dashed line is Al Madar, the running loop. Site boundary is an ASSUMED 150×100 m rectangle pending DWG confirmation.
Source: src/plan.py — areas are the shoelace area of each drawn polygon · Al Safa 2 Park · Falaj Al Safa · Dubai Municipality AI Design Challenge

DRAWN BY src/plan.py src/figures.py **READ FROM** data/raw/site_zoning_schedule.csv data/processed/masterplan_geometry.json

Every path above is a live link. Nothing on this sheet was drawn by hand — regenerate it with python run_analysis.py

Planting

131 trees at mature canopy, five desert species, placed from the planting schedule

Planting plan — 131 trees

Drawn at mature canopy radius. The avenue is structural: it carries the shoulder seasons the gridshell cannot



- Ghaf (Prosopis cineraria) ×16 · 45 L/day
- Neem (Azadirachta indica) ×58 · 90 L/day
- Ficus nitida (Ficus microcarpa nitida) ×34 · 110 L/day
- Olive (Olea europaea) ×11 · 60 L/day
- Date Palm (Phoenix dactylifera) ×12 · 120 L/day

28 of 131 trees are UAE natives (Ghaf and Date Palm). Peak summer irrigation demand 11.8 m³/day. Ghaf takes the southern rank because it is the most drought-tolerant species in the schedule and that rank is the more exposed of the two.
Source: data/raw/species_water_carbon_rates.csv; layout from src/solar.py · Al Safa 2 Park · Falaj Al Safa · Dubai Municipality AI Design Challenge

DRAWN BY **src/drawings.py** **src/plan.py** **READ FROM** **data/processed/planting_layout.csv** **data/raw/species_water_carbon_rates.csv**

Every path above is a live link. Nothing on this sheet was drawn by hand — regenerate it with python run_analysis.py

WHAT WE DID, AND HOW TO CHECK IT

Every step of the work, with its proof attached

One row per phase: what was done, the code that did it, the file it wrote, and the picture that came out. Every file name is a live link — click it and read the actual thing, do not take this document's word for it.

fig10_masterplan.png

PHASE 5 Masterplan Development

THIS DOCUMENT RESTS ON IT

Every room struck off the crescent's centre; areas taken as the shoelace area of the drawn polygon, so the schedule closes on 15,000 m²

CODE src/plan.py src/figures.py

PROOF — click to open data/raw/site_zoning_schedule.csv data/processed/masterplan_geometry.json



fig01_climate_and_comfort.png

PHASE 1 Site & Context Analysis

39 years of NCM normals rebuilt into an 8,760-hour year, verified back to within 0.39 °C; sun position for every hour via NREL/pvlib; shadow geometry; 7,640 residents inside a ten-minute walk

CODE src/climate.py src/solar.py

PROOF — click to open data/processed/hourly_climate_comfort_8760.csv data/raw/sources.json



fig04_site_comfort_map.png

PHASE 2 Problem Definition

Phase 1 findings turned into problems and scored by severity rather than listed flat — thermal discomfort dominates everything else

CODE src/climate.py

PROOF — click to open models/headline_metrics.json



fig02_comfort_bands.png

PHASE 3 Opportunity & Objectives

The ranked problems converted into measurable targets, including the comfort-hours target the finished design is scored against

CODE src/config.py src/plan.py

PROOF — click to open models/headline_metrics.json



fig03_shade_by_zone.png

PHASE 4 Concept Development

Multiple plan forms generated and swept against the solar model; the crescent selected on hours-with-no-shade, not on mean coverage

CODE src/plan.py src/solar.py

PROOF — click to open data/processed/masterplan_geometry.json

The work, with its proof attached — continued

One row per phase: what was done, the code that did it, the file it wrote, and the picture that came out. Every file name is a live link — click it and read the actual thing, do not take this document's word for it.



section_crescent.png

PHASE 6 Detailed Design

The canopy section solved against shadow geometry — 7 m walk, 18 m gridshell at 4.5 m, 3 m southern louvre; 131 trees at mature canopy

CODE src/drawings.py src/config.py
PROOF — click to open data/processed/planting_layout.csv



fig11_cost_plan.png

PHASE 7 Performance & Sustainability

Water balance, carbon, the canopy PV deficit, and ray-traced shade performance by zone

CODE src/costing.py src/climate.py
PROOF — click to open data/processed/cost_plan.csv models/cost_summary.json

fig08_microclimate_regimes.png

PHASE 8 User Experience & Activation

K-Means microclimate regimes and the hour-by-month comfort surface; programming targeted at late afternoon, spring and autumn

CODE src/models.py src/dataset.py
PROOF — click to open data/processed/spatial_grid_comfort.csv



fig05_surrogate_performance.png

PHASE 9 AI Workflow & Visualisation

The four models and the anti-leakage discipline; drawings, boards, the analytics portal and the sixty-second film

CODE src/models.py src/boards.py tools/sync_film.py
PROOF — click to open models/model_metrics.json tests/test_pipeline.py



board_2_evidence.png

PHASE 10 Submission Assembly

Every report and visual mapped onto the twelve upload slots, each with a manifest naming what produced it

CODE tools/build_submission_pdfs.py tools/build_reports.py
PROOF — click to open tests/test_pipeline.py

THE VISUAL RECORD

The 2 images in this file, and the whole record

02

OF 12

This slot's own pictures come first, larger. The remaining 23 of the 25 images the pipeline produces follow, so the whole visual record is in every file. Each links to its full-resolution original; nothing here is hand-drawn.

01 IN THIS FILE



Fig10 masterplan
analysis output



Planting
technical drawing

02 EVERY OTHER IMAGE IN THE PROJECT

The other 23 images the project produces are not reprinted here — this file shows its own. Each name below opens the full-resolution original in the repository.

- **Fig01 climate and comfort** *analysis output*
- **Fig02 comfort bands** *analysis output*
- **Fig03 shade by zone** *analysis output*
- **Fig04 site comfort map** *analysis output*
- **Fig05 surrogate performance** *analysis output*
- **Fig06 feature importance** *analysis output*
- **Fig07 confusion matrix** *analysis output*
- **Fig08 microclimate regimes** *analysis output*
- **Fig09 diurnal comfort** *analysis output*
- **Fig11 cost plan** *analysis output*
- **Circulation** *technical drawing*
- **Elevation** *technical drawing*
- **Facilities** *technical drawing*
- **Section** *technical drawing*
- **Board 1 concept** *presentation board*
- **Board 2 evidence** *presentation board*
- **Masterplan aerial golden hour** *artistic impression*
- **Master park view** *artistic impression*
- **Oasis basin** *artistic impression*
- **Spine corridor interior** *artistic impression*
- **Night plaza render** *artistic impression*
- **Childrens dune play** *artistic impression*
- **Souk plaza** *artistic impression*

EVIDENCE THE PIPELINE RAN

Proof the analysis runs, and what it reports

These are the values the pipeline wrote on its last run, read straight out of the files it produced. The commands below regenerate every one of them from the published repository.

THE FIGURES THIS FILE LEADS ON

each one appears in the full tables below, from the same file

15,000 m²
SITE AREA

144 m
CRESCENT ARC LENGTH

2,595 m²
CANOPY AREA

131
TREES PLANTED

MEASURED RESULT

models/headline_metrics.json

Annual daylight hours modelled	**4,402**
Comfortable daylight hours — today	**44.5%**
Comfortable daylight hours — as designed	**64.6%**
Mean heat-index reduction under canopy	**7.13 °C**
Peak heat index, exposed	**56.8 °C**
Peak heat index, shaded	**48.7 °C**
Crescent Walk shaded, canopy and louvre	**87.3%**
Site-wide mean shade	**34.1%**
Trees planted	**131**

TRAINED MODELS, ON HELD-OUT TEST SETS

models/model_metrics.json

M1a Random Forest — shade surrogate, test R^2	**0.9982**
M1b Neural network — deployed surrogate, test R^2	**0.9944**
M2 Gradient Boosting — comfort band, test accuracy	**97.5%**
M3 K-Means — regimes selected by silhouette	**k = 2**
Training / validation / test split	**10,500 / 2,250 / 2,250**
Random seed, fixed for reproducibility	**42**

WHAT THE CHECKS PROTECT

each one asserts what would otherwise drift silently

Climate fidelity
the modelled year reproduces the published normals it was built from

No overlaps
no room in the schedule overlaps another

Areas close
every area sums back to 15,000 m²

Budget held
the cost plan stays inside AED 35 M

No leakage
no model can see its own answer in its inputs

RUN IT YOURSELF

```
git clone https://github.com/wasim437/Al_SAFA.git
pip install -r requirements.txt
python run_analysis.py           # data, models, figures
python -m tests.test_pipeline    # 41 correctness checks
node docs/_PORTAL/selftest.js    # 64 portal checks
node tests/test_film.js          # every frame of the film
```

The complete project, and where to check it

Every one of the 121 links below is live. The repository holds the data as issued and as processed, the code, the trained models, the drawings and the tests, and it runs end to end with one command. A juror who wants to know where a number came from can be given a file path rather than an opinion.

Repository	**github.com/wasim437/Al_SAFA**
Live portal	**wasim437.github.io/Al_SAFA/**

THE SOURCES BEHIND THIS FILE *open these first if you want to check this document*

src/plan.py	Technical drawing — to scale.
src/figures.py	Analysis output — computed from project data.
data/raw/site_zoning_schedule.csv	Technical drawing — to scale.

THE TWELVE UPLOAD FILES (12)

UPLOAD_THESE_12_FILES/01_Design_Narrative_and_Concept.pdf	Design Narrative & Concept
UPLOAD_THESE_12_FILES/02_Neighborhood_Park_Preliminary_Design_Masterplan.pdf	Neighborhood Park Preliminary Design Ma…
UPLOAD_THESE_12_FILES/03_Concept_Plans_and_Spatial_Organization_Diagrams.pdf	Concept Plans and Spatial Organization Di…
UPLOAD_THESE_12_FILES/04_Key_Sections_and_Elevations.pdf	Key Sections & Elevations
UPLOAD_THESE_12_FILES/05_3D_and_Spatial_Visualizations.pdf	3D & Spatial Visualizations
UPLOAD_THESE_12_FILES/06_AI_Methodology_Report.pdf	AI Methodology Report
UPLOAD_THESE_12_FILES/07_User_Experience_and_Activation_Strategy.pdf	User Experience & Activation Strategy
UPLOAD_THESE_12_FILES/08_Sustainability_Concept_and_Strategy.pdf	Sustainability Concept & Strategy
UPLOAD_THESE_12_FILES/09_Material_and_Landscape_Palette.pdf	Material & Landscape Palette
UPLOAD_THESE_12_FILES/10_Complete_Design_Report.pdf	Complete Design Report
UPLOAD_THESE_12_FILES/11_Site_Analysis_and_Human-Centric_Research.pdf	Site Analysis & Human-Centric Research
UPLOAD_THESE_12_FILES/12_One-minute_Concept_Animation.pdf	One-minute Concept Animation

PROJECT DOCUMENTS (6)

AL_SAFA_MASTER_PROMPT.md	The whole design, stated for visualisation
DATA_SOURCES.md	Every source, its period, and its limitations
LINKS.md	Every public URL this submission points at
PROJECT_PLAN.md	Requirements, phases, status, and what is left
README.md	The design argument, written for a juror
EXPLAIN_THE_PROJECT/START_HERE.md	The project in plain language

THE WRITTEN REPORTS (11)

reports/pdf/Al_Safa_2_Park_Complete_Design_Report.pdf	Generated from the live analysis
reports/pdf/Concept_Animation_Storyboard.pdf	Generated from the live analysis
reports/pdf/Phase2_Problem_Definition_Report.pdf	Generated from the live analysis
reports/pdf/Phase3_Opportunity_and_Objectives_Report.pdf	Generated from the live analysis
reports/pdf/Phase4_Concept_Development_Report.pdf	Generated from the live analysis
reports/pdf/Phase5_Masterplan_Development_Report.pdf	Generated from the live analysis
reports/pdf/Phase6_Detailed_Design_Report.pdf	Generated from the live analysis
reports/pdf/Phase7_Performance_and_Sustainability_Report.pdf	Generated from the live analysis
reports/pdf/Phase8_User_Experience_and_Activation_Report.pdf	Generated from the live analysis
reports/pdf/Phase9_AI_Workflow_and_Visualization_Report.pdf	Generated from the live analysis
reports/pdf/Visualisation_Strategy_and_Image_Provenance.pdf	Generated from the live analysis

THE ANALYSIS FIGURES (11)

figures/fig01_climate_and_comfort.png	Analysis output — computed from project data
figures/fig02_comfort_bands.png	Analysis output — computed from project data
figures/fig03_shade_by_zone.png	Analysis output — computed from project data
figures/fig04_site_comfort_map.png	Analysis output — computed from project data

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.

The complete project — continued

figures/fig05_surrogate_performance.png	Analysis output — computed from project data
figures/fig06_feature_importance.png	Analysis output — computed from project data
figures/fig07_confusion_matrix.png	Analysis output — computed from project data
figures/fig08_microclimate_regimes.png	Analysis output — computed from project data
figures/fig09_diurnal_comfort.png	Analysis output — computed from project data
figures/fig10_masterplan.png	Analysis output — computed from project data
figures/fig11_cost_plan.png	Analysis output — computed from project data

THE TECHNICAL DRAWINGS AND BOARDS (7)

design/visuals/circulation_crescent.png	Technical drawing — generated from src/plan.py
design/visuals/elevation_crescent.png	Technical drawing — generated from src/plan.py
design/visuals/facilities_crescent.png	Technical drawing — generated from src/plan.py
design/visuals/planting_crescent.png	Technical drawing — generated from src/plan.py
design/visuals/section_crescent.png	Technical drawing — generated from src/plan.py
design/boards/board_1_concept.png	Technical drawing — generated from src/plan.py
design/boards/board_2_evidence.png	Technical drawing — generated from src/plan.py

THE ANALYSIS CODE (13)

src/__init__.py	Analysis module
src/boards.py	The two presentation boards
src/climate.py	The 8,760-hour year rebuilt from NCM normals
src/config.py	Every constant the project reads
src/costing.py	The cost model against the AED 35 M ceiling
src/dataset.py	Assembles the ML training tables
src/drawings.py	Section, elevation, circulation, planting, facilities
src/figures.py	The analysis charts
src/models.py	The four models
src/plan.py	SINGLE SOURCE of the crescent geometry
src/solar.py	Sun position and shadow ray-tracing
src/viz.py	Analysis module
run_analysis.py	Runs the whole pipeline end to end

THE BUILD AND SYNC TOOLS (13)

- tools/__init__.py
- tools/build_docs.py
- tools/build_links.py
- tools/build_notebook.py
- tools/build_reports.py
- tools/build_submission_pdfs.py
- tools/check_renders.py
- tools/embed_narration.py
- tools/organize_repo.py
- tools/report_content.py
- tools/sync_film.py
- tools/sync_portal.py
- tools/sync_submission.py

THE DATA, AS ISSUED (7)

data/raw/construction_unit_rates_aed.csv	Source dataset
data/raw/dubai_climate_normals_ncm.csv	Source dataset
data/raw/dubai_population_dsc_2023.csv	Source dataset
data/raw/site_zoning_schedule.csv	The measured room schedule
data/raw/sources.json	Every source dataset, with its period
data/raw/species_water_carbon_rates.csv	Source dataset

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.

The complete project — continued

data/raw/walk_catchment_rings.csv	Source dataset

THE DATA, AS PROCESSED (6)

data/processed/cost_plan.csv	The capital cost plan, line by line
data/processed/hourly_climate_comfort_8760.csv	The 8,760-hour climate and comfort series
data/processed/masterplan_geometry.json	The plan geometry, as exported
data/processed/planting_layout.csv	Every one of the 131 trees
data/processed/schema.json	Generated by the pipeline
data/processed/spatial_grid_comfort.csv	The 15,000-cell ground grid

THE TRAINED MODELS (3)

models/cost_summary.json	Model output
models/headline_metrics.json	The headline numbers
models/model_metrics.json	Trained-model metrics

THE TESTS (2)

tests/test_pipeline.py	41 correctness checks
tests/test_film.js	Every frame of the concept film

THE NOTEBOOK (1)

notebooks/AL_SAFA_2_PARK_COMPLETE_ANALYSIS.ipynb	The complete analysis, outputs embedded

THE WEBSITE AND ANALYTICS PORTAL (9)

docs/index.html	The project website
docs/SUBMISSION_GUIDE.md	Published site
docs/_PORTAL/gallery_data.js	Published site
docs/_PORTAL/plan_geometry.js	Published site
docs/_PORTAL/portal.js	Published site
docs/_PORTAL/portal_data.js	Published site
docs/_PORTAL/selftest.js	Published site
docs/_PORTAL/DATA_AUDIT.md	Published site
docs/_PORTAL/README.md	Published site

THE COMPETITION BRIEF, AS ISSUED (7)

00_BRIEF/Ai Park - Master Plan (4).jpg	Dubai Municipality source document
00_BRIEF/Ai Park Scope of Work & General Terms & Conditions (5).pdf	Dubai Municipality source document
00_BRIEF/Al Safa Park 2 Plan (5).dwg	Dubai Municipality source document
00_BRIEF/MAIN WEBSITE DETAILS.txt	Dubai Municipality source document
00_BRIEF/Neighborhood Parks Manual (4).pdf	Dubai Municipality source document
00_BRIEF/NEIGHBORHOOD_PARKS_MANUAL_TEXT.txt	Dubai Municipality source document
00_BRIEF/SCOPE_OF_WORK_FULL_TEXT.txt	Dubai Municipality source document

THE TWELVE SUBMISSION FOLDERS (12)

submission/01_Design_Narrative_Concept/MANIFEST.md	What is in the slot, and what produced each file
submission/02_Preliminary_Design_Masterplan/MANIFEST.md	What is in the slot, and what produced each file
submission/03_Concept_Plans_Spatial_Diagrams/MANIFEST.md	What is in the slot, and what produced each file
submission/04_Key_Sections_Elevations/MANIFEST.md	What is in the slot, and what produced each file
submission/05_3D_Spatial_Visualizations/MANIFEST.md	What is in the slot, and what produced each file
submission/06_AI_Methodology_Report/MANIFEST.md	What is in the slot, and what produced each file
submission/07_User_Experience_Activation_Strategy/MANIFEST.md	What is in the slot, and what produced each file
submission/08_Sustainability_Concept_Strategy/MANIFEST.md	What is in the slot, and what produced each file
submission/09_Material_Landscape_Palette/MANIFEST.md	What is in the slot, and what produced each file
submission/10_Complete_Design_Report/MANIFEST.md	What is in the slot, and what produced each file
submission/11_Site_Analysis_Human_Centric_Research/MANIFEST.md	What is in the slot, and what produced each file

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.

The complete project — continued

submission/12_Concept_Animation_Video/MANIFEST.md	What is in the slot, and what produced each file

WORKING HISTORY (1)

archive/withdrawn_visuals/README.md	Images withdrawn on purpose, and why

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.