DUBAI MUNICIPALITY AI PARK DESIGN CHALLENGE

AI Methodology Report

Four models, the anti-leakage discipline behind them, and what each one changed about the design.

R^2 0.9944	97.5%	k = 2	4,402
SHADE SURROGATE, TEST SET	COMFORT BAND ACCURACY	MICROCLIMATE REGIMES	DAYLIGHT HOURS MODELLED

▶ VISIT THE LIVE PROJECT PORTAL

wasim437.github.io/AI_SAFA/

Mohamed Wasim · Individual Applicant wasimmisaw437@gmail.com

01 WHAT IS IN THIS FILE

Phase9 AI Workflow and Visualization Report	DRAWING
Fig05 surrogate performance	FIGURE
Fig06 feature importance	FIGURE
Fig07 confusion matrix	FIGURE

02 THE SCALE OF THE ANALYSIS BEHIND IT

39 years
of climate normals (NCM, 1977–2015) rebuilt into an 8,760-hour modelled year

8,760 hours
of sun position ray-traced against 131 trees for every hour of the year

15,000
one-metre ground cells modelled for shade and comfort, site-wide

4 models
trained and tested for leakage — two of them decide what this document reports

41 checks
run on every rebuild, so a wrong number fails loudly instead of shipping quietly

VERIFY THIS DOCUMENT

Every quantity in this file is regenerated from data by code. Nothing is typed by hand.

Repository	github.com/wasim437/AI_SAFA
Live portal	wasim437.github.io/AI_SAFA/
Produced by	CODE src/models.py src/dataset.py MODELS models/model_metrics.json TESTS tests/test_pipeline.py
Reproduce	`python run_analysis.py` · `python -m tests.test_pipeline`

Generated 2026-08-05 · reproducible with python tools/build_submission_pdfs.py

A ten-phase process, checked at every step

Nothing downstream is hand-drawn or hand-typed — change an input and every figure moves with it, or a test fails loudly.

01 THE TEN PHASES

P1 Site & Context Analysis

39 years of NCM normals rebuilt into an 8,760-hour year, verified back to within 0.39 °C; sun position for every hour via NREL/pvlib; shadow geometry; 7,640 residents inside a ten-minute walk

P2 Problem Definition

Phase 1 findings turned into problems and scored by severity rather than listed flat — thermal discomfort dominates everything else

P3 Opportunity & Objectives

The ranked problems converted into measurable targets, including the comfort-hours target the finished design is scored against

P4 Concept Development

Multiple plan forms generated and swept against the solar model; the crescent selected on hours-with-no-shade, not on mean coverage

P5 Masterplan Development

Every room struck off the crescent's centre; areas taken as the shoelace area of the drawn polygon, so the schedule closes on 15,000 m²

P6 Detailed Design

The canopy section solved against shadow geometry — 7 m walk, 18 m gridshell at 4.5 m, 3 m southern louvre; 131 trees at mature canopy

P7 Performance & Sustainability

Water balance, carbon, the canopy PV deficit, and ray-traced shade performance by zone

P8 User Experience & Activation

K-Means microclimate regimes and the hour-by-month comfort surface; programming targeted at late afternoon, spring and autumn

P9 **AI Workflow & Visualisation** THIS DOCUMENT

The four models and the anti-leakage discipline; drawings, boards, the analytics portal and the sixty-second film

P10 Submission Assembly

Every report and visual mapped onto the twelve upload slots, each with a manifest naming what produced it

02 THE CODE AND DATA BEHIND THIS DOCUMENT

- **Models** — *src*
- **Dataset** — *src*
- **Model metrics** — *models*
- **Test pipeline** — *tests*

03 REPRODUCE IT END TO END

```
pip install -r requirements.txt
python run_analysis.py           # data, models, figures
python -m src.drawings           # section, elevation, planting
python -m src.boards             # the presentation boards
python tools/build_submission_pdfs.py
python -m tests.test_pipeline    # 41 checks
```

UPLOAD SLOT 06 OF 12 · AI METHODOLOGY REPORT

AI Methodology Report

Four models, the discipline behind them, and what each one changed about the design

The challenge asks how AI supported the design. This submission's answer is a reproducible analysis pipeline that runs end to end with one command — not a description of prompting an image generator. Analysis that does not change a drawing is decoration; each model below is reported with the design decision it altered.

Al Safa 2 Park · **Falaj Al Safa** · 15,000 m² · Al Safa 2, Dubai · Mohamed Wasim, Individual Applicant · Issued 05 August 2026 · every quantity regenerated by `python run_analysis.py`

1. The discipline that makes these models mean anything

The target must not be recoverable from the inputs by algebra. It is easy to score R^2 = 1.000 on this project by accident: the heat index is a closed-form function of temperature and humidity, so 'predicting' it from temperature and humidity is arithmetic wearing a lab coat. Every model below was designed against that failure, and the pipeline asserts the absence of leaked features as a test.

2. The four models

Model	Task	Result	Why it is a real problem
M1a Random Forest	Shade surrogate (regression)	R^2 0.998	Learns a slow ray-traced simulation from cheap plan geometry
M1b Neural network	Shade surrogate (deployed)	R^2 0.994	Differentiable, so it can sit inside a layout optimiser; a forest cannot
M2 Gradient Boosting	Comfort band (4-class)	97.5%	Temperature and humidity **withheld** — it sees only sun position and the calendar
M3 K-Means	Microclimate regimes	k=2	Unsupervised; k is *selected* by silhouette score, not chosen to look tidy

3. Why M1 is the flagship

Ray-tracing annual shade means projecting 131 tree shadows onto 15,000 ground cells for every daylight hour. It is slow, and it must be re-run for *every* design variation. That cost is precisely what stops a designer exploring. The surrogate answers in milliseconds instead of minutes, at R^2 0.994 against ray-traced ground truth on a held-out test set. That is AI changing how the design was made, rather than decorating it afterwards.



Neural-network predictions against ray-traced ground truth on the held-out test set. Analysis output — computed from project data.

4. Why M2 answers a question worth asking

If thermal stress is predictable from a clock and an ephemeris alone, park operations can be scheduled without a sensor network — a real capital and maintenance saving over the life of the park. At 97.5% accuracy with temperature and humidity withheld, it is. Errors fall between adjacent comfort bands, never between comfortable and dangerous.



Confusion matrix, temperature and humidity withheld. Analysis output — computed from project data.

5. What the models actually changed

Model output	Design consequence
A straight route has no shade anywhere for 330 hours a year; an 18 m arc has 52	The plan is **an arc**, and the sagitta is the value that minimises that column — not the one that maximises mean cover
A closed loop scores worst on every measure	The circuit is kept but **unshaded** — Al Madar is a running loop, not a second canopy
The concave side is measurably cooler than the convex side	The basin, quiet garden, play area and picnic grove are all placed in the hollow; the sports lawn, plaza and souk take the convex face
Comfort is ~97% predictable from sun and calendar	**No sensor network.** Programming runs off an almanac
Comfort gain concentrates in late afternoon, spring and autumn	Activation targets those windows; summer midday is not programmed outdoors
An open water channel in Dubai evaporates	The falaj is set on the canopy's **drip line**, shaded all day, rather than in the open

6. Where AI was deliberately not used

Visitor demand is a scenario model, not a machine learning result. No footfall data exists for this site. A model trained on invented demand would only recover the assumption that produced it, and reporting that as a finding would be dishonest. It is therefore excluded from the model suite and labelled a scenario wherever it appears.

The photoreal renders are illustrations, not analysis. They are captioned as artistic impressions throughout. Three earlier visuals that presented invented data as measurement were withdrawn entirely.

7. Reproducibility

The complete analysis — data, code, trained models and tests — runs end to end with `python run_analysis.py` and is verified by `python -m tests.test_pipeline` (38 checks), `node docs/_PORTAL/selftest.js` (64 checks) and a frame-by-frame test of the concept film. A juror who wants to know where a number comes from can be given a file path rather than an opinion.

The full repository — every dataset, every model, every line of the pipeline above — is published at `https://github.com/wasim437/Al_SAFA` and the live analytics portal at `https://wasim437.github.io/Al_SAFA/`. Both run from the same code that produced this document.

Fig05 surrogate performance

The shade surrogate against held-out truth — predicted versus measured

Does the surrogate actually reproduce the simulation?

Neural network predictions against ray-traced ground truth, held-out test set



Residuals scattered evenly about zero indicate no systematic bias.
Source: This project's models — see notebooks/ and src/ · Al Safa 2 Park · Falaj Al Safa · Dubai Municipality AI Design Challenge

DRAWN BY **src/models.py** **READ FROM** **models/model_metrics.json**

Every path above is a live link. Nothing on this sheet was drawn by hand — regenerate it with python run_analysis.py

Fig06 feature importance

Which geometric feature actually decides whether a square metre is shaded

What actually determines whether a square metre is shaded

Permutation importance — the drop in accuracy when each feature is shuffled



Distance to the crescent dominates at 0.85, 8.2× the next feature. Planting density still ranks above canopy width, so trees remain the cheaper lever — but on this layout the single strongest predictor of whether a square metre is shaded is simply how far it is from the crescent.

Source: This project's models — see notebooks/ and src/ · Al Safa 2 Park · Falaj Al Safa · Dubai Municipality AI Design Challenge

DRAWN BY **src/models.py** **READ FROM** **models/model_metrics.json**

Every path above is a live link. Nothing on this sheet was drawn by hand — regenerate it with python run_analysis.py

Fig07 confusion matrix

Where the comfort-band classifier is wrong, and in which direction



DRAWN BY src/models.py **READ FROM** models/model_metrics.json

Every path above is a live link. Nothing on this sheet was drawn by hand — regenerate it with python run_analysis.py

WHAT WE DID, AND HOW TO CHECK IT

Every step of the work, with its proof attached

One row per phase: what was done, the code that did it, the file it wrote, and the picture that came out. Every file name is a live link — click it and read the actual thing, do not take this document's word for it.



fig05_surrogate_performance.png

PHASE 9 AI Workflow & Visualisation

THIS DOCUMENT RESTS ON IT

The four models and the anti-leakage discipline; drawings, boards, the analytics portal and the sixty-second film

CODE src/models.py src/boards.py tools/sync_film.py

PROOF — click to open models/model_metrics.json tests/test_pipeline.py



fig01_climate_and_comfort.png

PHASE 1 Site & Context Analysis

39 years of NCM normals rebuilt into an 8,760-hour year, verified back to within 0.39 °C; sun position for every hour via NREL/pvlib; shadow geometry; 7,640 residents inside a ten-minute walk

CODE src/climate.py src/solar.py

PROOF — click to open data/processed/hourly_climate_comfort_8760.csv data/raw/sources.json



fig04_site_comfort_map.png

PHASE 2 Problem Definition

Phase 1 findings turned into problems and scored by severity rather than listed flat — thermal discomfort dominates everything else

CODE src/climate.py

PROOF — click to open models/headline_metrics.json



fig02_comfort_bands.png

PHASE 3 Opportunity & Objectives

The ranked problems converted into measurable targets, including the comfort-hours target the finished design is scored against

CODE src/config.py src/plan.py

PROOF — click to open models/headline_metrics.json



fig03_shade_by_zone.png

PHASE 4 Concept Development

Multiple plan forms generated and swept against the solar model; the crescent selected on hours-with-no-shade, not on mean coverage

CODE src/plan.py src/solar.py

PROOF — click to open data/processed/masterplan_geometry.json

The work, with its proof attached — continued

One row per phase: what was done, the code that did it, the file it wrote, and the picture that came out. Every file name is a live link — click it and read the actual thing, do not take this document's word for it.



fig10_masterplan.png

PHASE 5 Masterplan Development

Every room struck off the crescent's centre; areas taken as the shoelace area of the drawn polygon, so the schedule closes on 15,000 m²

CODE src/plan.py src/figures.py

PROOF — click to open data/raw/site_zoning_schedule.csv data/processed/masterplan_geometry.json



section_crescent.png

PHASE 6 Detailed Design

The canopy section solved against shadow geometry — 7 m walk, 18 m gridshell at 4.5 m, 3 m southern louvre; 131 trees at mature canopy

CODE src/drawings.py src/config.py

PROOF — click to open data/processed/planting_layout.csv



fig11_cost_plan.png

PHASE 7 Performance & Sustainability

Water balance, carbon, the canopy PV deficit, and ray-traced shade performance by zone

CODE src/costing.py src/climate.py

PROOF — click to open data/processed/cost_plan.csv models/cost_summary.json



fig08_microclimate_regimes.png

PHASE 8 User Experience & Activation

K-Means microclimate regimes and the hour-by-month comfort surface; programming targeted at late afternoon, spring and autumn

CODE src/models.py src/dataset.py

PROOF — click to open data/processed/spatial_grid_comfort.csv



board_2_evidence.png

PHASE 10 Submission Assembly

Every report and visual mapped onto the twelve upload slots, each with a manifest naming what produced it

CODE tools/build_submission_pdfs.py tools/build_reports.py

PROOF — click to open tests/test_pipeline.py

THE VISUAL RECORD

The 3 images in this file, and the whole record

This slot's own pictures come first, larger. The remaining 21 of the 24 images the pipeline produces follow, so the whole visual record is in every file. Each links to its full-resolution original; nothing here is hand-drawn.

01 IN THIS FILE



Fig05 surrogate performance
analysis output



Fig06 feature importance
analysis output



Fig07 confusion matrix
analysis output

02 EVERY OTHER IMAGE IN THE PROJECT

The other 21 images the project produces are not reprinted here — this file shows its own. Each name below opens the full-resolution original in the repository.

Fig01 climate and comfort *analysis output*
Fig02 comfort bands *analysis output*
Fig03 shade by zone *analysis output*
Fig04 site comfort map *analysis output*
Fig08 microclimate regimes *analysis output*
Fig09 diurnal comfort *analysis output*
Fig10 masterplan *analysis output*
Fig11 cost plan *analysis output*
Circulation *technical drawing*
Elevation *technical drawing*
Facilities *technical drawing*
Planting *technical drawing*
Section *technical drawing*
Board 1 concept *presentation board*
Board 2 evidence *presentation board*
Masterplan aerial golden hour *artistic impression*
Oasis basin *artistic impression*
Spine corridor interior *artistic impression*
Night plaza render *artistic impression*
Childrens dune play *artistic impression*
Souk plaza *artistic impression*

EVIDENCE THE PIPELINE RAN

Proof the analysis runs, and what it reports

These are the values the pipeline wrote on its last run, read straight out of the files it produced. The commands below regenerate every one of them from the published repository.

THE FIGURES THIS FILE LEADS ON

each one appears in the full tables below, from the same file

R^2 0.9944
SHADE SURROGATE, TEST SET

97.5%
COMFORT BAND ACCURACY

k = 2
MICROCLIMATE REGIMES

4,402
DAYLIGHT HOURS MODELLED

MEASURED RESULT	models/headline_metrics.json
Annual daylight hours modelled	**4,402**
Comfortable daylight hours — today	**44.5%**
Comfortable daylight hours — as designed	**64.6%**
Mean heat-index reduction under canopy	**7.13 °C**
Peak heat index, exposed	**56.8 °C**
Peak heat index, shaded	**48.7 °C**
Crescent Walk shaded, canopy and louvre	**87.3%**
Site-wide mean shade	**34.1%**
Trees planted	**131**

TRAINED MODELS, ON HELD-OUT TEST SETS	models/model_metrics.json
M1a Random Forest — shade surrogate, test R^2	**0.9982**
M1b Neural network — deployed surrogate, test R^2	**0.9944**
M2 Gradient Boosting — comfort band, test accuracy	**97.5%**
M3 K-Means — regimes selected by silhouette	**k = 2**
Training / validation / test split	**10,500 / 2,250 / 2,250**
Random seed, fixed for reproducibility	**42**

WHAT THE CHECKS PROTECT

each one asserts what would otherwise drift silently

Climate fidelity
the modelled year reproduces the published normals it was built from

No overlaps
no room in the schedule overlaps another

Areas close
every area sums back to 15,000 m²

Budget held
the cost plan stays inside AED 35 M

No leakage
no model can see its own answer in its inputs

RUN IT YOURSELF

```
git clone https://github.com/wasim437/Al_SAFA.git
pip install -r requirements.txt
python run_analysis.py           # data, models, figures
python -m tests.test_pipeline    # 41 correctness checks
node docs/_PORTAL/selftest.js    # 64 portal checks
node tests/test_film.js          # every frame of the film
```

The complete project, and where to check it

Every one of the 125 links below is live. The repository holds the data as issued and as processed, the code, the trained models, the drawings and the tests, and it runs end to end with one command. A juror who wants to know where a number came from can be given a file path rather than an opinion.

Repository	**github.com/wasim437/AI_SAFA**
Live portal	**wasim437.github.io/AI_SAFA/**

THE SOURCES BEHIND THIS FILE *open these first if you want to check this document*

src/models.py	Technical drawing — to scale.
src/dataset.py	Technical drawing — to scale.
models/model_metrics.json	Technical drawing — to scale.
tests/test_pipeline.py	Technical drawing — to scale.

THE TWELVE UPLOAD FILES (12)

UPLOAD_THESE_12_FILES/01_Design_Narrative_and_Concept.pdf	Design Narrative & Concept
UPLOAD_THESE_12_FILES/02_Neighborhood_Park_Preliminary_Design_Masterplan.pdf	Neighborhood Park Preliminary Design Ma…
UPLOAD_THESE_12_FILES/03_Concept_Plans_and_Spatial_Organization_Diagrams.pdf	Concept Plans and Spatial Organization Di…
UPLOAD_THESE_12_FILES/04_Key_Sections_and_Elevations.pdf	Key Sections & Elevations
UPLOAD_THESE_12_FILES/05_3D_and_Spatial_Visualizations.pdf	3D & Spatial Visualizations
UPLOAD_THESE_12_FILES/06_AI_Methodology_Report.pdf	AI Methodology Report
UPLOAD_THESE_12_FILES/07_User_Experience_and_Activation_Strategy.pdf	User Experience & Activation Strategy
UPLOAD_THESE_12_FILES/08_Sustainability_Concept_and_Strategy.pdf	Sustainability Concept & Strategy
UPLOAD_THESE_12_FILES/09_Material_and_Landscape_Palette.pdf	Material & Landscape Palette
UPLOAD_THESE_12_FILES/10_Complete_Design_Report.pdf	Complete Design Report
UPLOAD_THESE_12_FILES/11_Site_Analysis_and_Human-Centric_Research.pdf	Site Analysis & Human-Centric Research
UPLOAD_THESE_12_FILES/12_One-minute_Concept_Animation.pdf	One-minute Concept Animation

PROJECT DOCUMENTS (6)

AL_SAFA_MASTER_PROMPT.md	The whole design, stated for visualisation
DATA_SOURCES.md	Every source, its period, and its limitations
LINKS.md	Every public URL this submission points at
PROJECT_PLAN.md	Requirements, phases, status, and what is left
README.md	The design argument, written for a juror
EXPLAIN_THE_PROJECT/START_HERE.md	The project in plain language

THE WRITTEN REPORTS (11)

reports/pdf/AI_Safa_2_Park_Complete_Design_Report.pdf	Generated from the live analysis
reports/pdf/Concept_Animation_Storyboard.pdf	Generated from the live analysis
reports/pdf/Phase2_Problem_Definition_Report.pdf	Generated from the live analysis
reports/pdf/Phase3_Opportunity_and_Objectives_Report.pdf	Generated from the live analysis
reports/pdf/Phase4_Concept_Development_Report.pdf	Generated from the live analysis
reports/pdf/Phase5_Masterplan_Development_Report.pdf	Generated from the live analysis
reports/pdf/Phase6_Detailed_Design_Report.pdf	Generated from the live analysis
reports/pdf/Phase7_Performance_and_Sustainability_Report.pdf	Generated from the live analysis
reports/pdf/Phase8_User_Experience_and_Activation_Report.pdf	Generated from the live analysis
reports/pdf/Phase9_AI_Workflow_and_Visualization_Report.pdf	Generated from the live analysis
reports/pdf/Visualisation_Strategy_and_Image_Provenance.pdf	Generated from the live analysis

THE ANALYSIS FIGURES (11)

figures/fig01_climate_and_comfort.png	Analysis output — computed from project data
figures/fig02_comfort_bands.png	Analysis output — computed from project data
figures/fig03_shade_by_zone.png	Analysis output — computed from project data

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.

The complete project — continued

figures/fig04_site_comfort_map.png	Analysis output — computed from project data
figures/fig05_surrogate_performance.png	Analysis output — computed from project data
figures/fig06_feature_importance.png	Analysis output — computed from project data
figures/fig07_confusion_matrix.png	Analysis output — computed from project data
figures/fig08_microclimate_regimes.png	Analysis output — computed from project data
figures/fig09_diurnal_comfort.png	Analysis output — computed from project data
figures/fig10_masterplan.png	Analysis output — computed from project data
figures/fig11_cost_plan.png	Analysis output — computed from project data

THE TECHNICAL DRAWINGS AND BOARDS (7)

design/visuals/circulation_crescent.png	Technical drawing — generated from src/plan.py
design/visuals/elevation_crescent.png	Technical drawing — generated from src/plan.py
design/visuals/facilities_crescent.png	Technical drawing — generated from src/plan.py
design/visuals/planting_crescent.png	Technical drawing — generated from src/plan.py
design/visuals/section_crescent.png	Technical drawing — generated from src/plan.py
design/boards/board_1_concept.png	Technical drawing — generated from src/plan.py
design/boards/board_2_evidence.png	Technical drawing — generated from src/plan.py

THE ANALYSIS CODE (13)

src/__init__.py	Analysis module
src/boards.py	The two presentation boards
src/climate.py	The 8,760-hour year rebuilt from NCM normals
src/config.py	Every constant the project reads
src/costing.py	The cost model against the AED 35 M ceiling
src/dataset.py	Assembles the ML training tables
src/drawings.py	Section, elevation, circulation, planting, facilities
src/figures.py	The analysis charts
src/models.py	The four models
src/plan.py	SINGLE SOURCE of the crescent geometry
src/solar.py	Sun position and shadow ray-tracing
src/viz.py	Analysis module
run_analysis.py	Runs the whole pipeline end to end

THE BUILD AND SYNC TOOLS (17)

tools/__init__.py
tools/build_concept_film_hero.py
tools/build_concept_film_v2.py
tools/build_docs.py
tools/build_links.py
tools/build_notebook.py
tools/build_reports.py
tools/build_submission_pdfs.py
tools/check_renders.py
tools/embed_narration.py
tools/make_video_mp4.py
tools/make_winning_video.py
tools/organize_repo.py
tools/report_content.py
tools/sync_film.py
tools/sync_portal.py
tools/sync_submission.py

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.

The complete project — continued

THE DATA, AS ISSUED (7)

data/raw/construction_unit_rates_aed.csv	Source dataset
data/raw/dubai_climate_normals_ncm.csv	Source dataset
data/raw/dubai_population_dsc_2023.csv	Source dataset
data/raw/site_zoning_schedule.csv	The measured room schedule
data/raw/sources.json	Every source dataset, with its period
data/raw/species_water_carbon_rates.csv	Source dataset
data/raw/walk_catchment_rings.csv	Source dataset

THE DATA, AS PROCESSED (6)

data/processed/cost_plan.csv	The capital cost plan, line by line
data/processed/hourly_climate_comfort_8760.csv	The 8,760-hour climate and comfort series
data/processed/masterplan_geometry.json	The plan geometry, as exported
data/processed/planting_layout.csv	Every one of the 131 trees
data/processed/schema.json	Generated by the pipeline
data/processed/spatial_grid_comfort.csv	The 15,000-cell ground grid

THE TRAINED MODELS (3)

models/cost_summary.json	Model output
models/headline_metrics.json	The headline numbers
models/model_metrics.json	Trained-model metrics

THE TESTS (2)

tests/test_pipeline.py	41 correctness checks
tests/test_film.js	Every frame of the concept film

THE NOTEBOOK (1)

notebooks/AL_SAFA_2_PARK_COMPLETE_ANALYSIS.ipynb	The complete analysis, outputs embedded

THE WEBSITE AND ANALYTICS PORTAL (9)

docs/index.html	The project website
docs/SUBMISSION_GUIDE.md	Published site
docs/_PORTAL/gallery_data.js	Published site
docs/_PORTAL/plan_geometry.js	Published site
docs/_PORTAL/portal.js	Published site
docs/_PORTAL/portal_data.js	Published site
docs/_PORTAL/selftest.js	Published site
docs/_PORTAL/DATA_AUDIT.md	Published site
docs/_PORTAL/README.md	Published site

THE COMPETITION BRIEF, AS ISSUED (7)

00_BRIEF/Ai Park - Master Plan (4).jpg	Dubai Municipality source document
00_BRIEF/Ai Park Scope of Work & General Terms & Conditions (5).pdf	Dubai Municipality source document
00_BRIEF/Al Safa Park 2 Plan (5).dwg	Dubai Municipality source document
00_BRIEF/MAIN WEBSITE DETAILS.txt	Dubai Municipality source document
00_BRIEF/Neighborhood Parks Manual (4).pdf	Dubai Municipality source document
00_BRIEF/NEIGHBORHOOD_PARKS_MANUAL_TEXT.txt	Dubai Municipality source document
00_BRIEF/SCOPE_OF_WORK_FULL_TEXT.txt	Dubai Municipality source document

THE TWELVE SUBMISSION FOLDERS (12)

submission/01_Design_Narrative_Concept/MANIFEST.md	What is in the slot, and what produced each file
submission/02_Preliminary_Design_Masterplan/MANIFEST.md	What is in the slot, and what produced each file
submission/03_Concept_Plans_Spatial_Diagrams/MANIFEST.md	What is in the slot, and what produced each file
submission/04_Key_Sections_Elevations/MANIFEST.md	What is in the slot, and what produced each file

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.

The complete project — continued

submission/05_3D_Spatial_Visualizations/MANIFEST.md	What is in the slot, and what produced each file
submission/06_AI_Methodology_Report/MANIFEST.md	What is in the slot, and what produced each file
submission/07_User_Experience_Activation_Strategy/MANIFEST.md	What is in the slot, and what produced each file
submission/08_Sustainability_Concept_Strategy/MANIFEST.md	What is in the slot, and what produced each file
submission/09_Material_Landscape_Palette/MANIFEST.md	What is in the slot, and what produced each file
submission/10_Complete_Design_Report/MANIFEST.md	What is in the slot, and what produced each file
submission/11_Site_Analysis_Human_Centric_Research/MANIFEST.md	What is in the slot, and what produced each file
submission/12_Concept_Animation_Video/MANIFEST.md	What is in the slot, and what produced each file

WORKING HISTORY (1)

archive/withdrawn_visuals/README.md	Images withdrawn on purpose, and why

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.