

Sustainability Concept & Strategy

Water, carbon, energy and shade — stated conservatively, including where the scheme runs a deficit.

08

OF 12 UPLOAD SLOTS

AED 27.0 M

CAPITAL COST

77%

OF AED 35 M BUDGET

131

TREES PLANTED

−7.13 °C

HEAT INDEX UNDER CANOPY

▶ EVERY FIGURE IN THIS FILE CAN BE CHECKED HERE
wasim437.github.io/AI_SAFA/

Mohamed Wasim · Individual Applicant**wasimmisaw437@gmail.com**

01 WHAT IS IN THIS FILE

Phase7 Performance and Sustainability Report

DRAWING

Fig02 comfort bands

FIGURE

Fig03 shade by zone

FIGURE

02 THE SCALE OF THE ANALYSIS BEHIND IT

39 years

of climate normals (NCM, 1977–2015) rebuilt into an 8,760-hour modelled year

8,760 hours

of sun position ray-traced against 131 trees for every hour of the year

15,000

one-metre ground cells modelled for shade and comfort, site-wide

4 models

trained and tested for leakage — two of them decide what this document reports

41 checks

run on every rebuild, so a wrong number fails loudly instead of shipping quietly

VERIFY THIS DOCUMENT

Every quantity in this file is regenerated from data by code. Nothing is typed by hand.

Repository github.com/wasim437/AI_SAFA

Live portal wasim437.github.io/AI_SAFA/

Produced by **CODE** [src/plan.py](#) [src/costing.py](#) [src/climate.py](#)

Reproduce **python run_analysis.py** · **python -m tests.test_pipeline**

A ten-phase process, checked at every step

Nothing downstream is hand-drawn or hand-typed — change an input and every figure moves with it, or a test fails loudly.

08

OF 12

01 THE TEN PHASES

P1 Site & Context Analysis

39 years of NCM normals rebuilt into an 8,760-hour year, verified back to within 0.39 °C; sun position for every hour via NREL/pvlib; shadow geometry; 7,640 residents inside a ten-minute walk

P3 Opportunity & Objectives

The ranked problems converted into measurable targets, including the comfort-hours target the finished design is scored against

P5 Masterplan Development

Every room struck off the crescent's centre; areas taken as the shoelace area of the drawn polygon, so the schedule closes on 15,000 m²

P7 Performance & Sustainability

Water balance, carbon, the canopy PV deficit, and ray-traced shade performance by zone

THIS DOCUMENT

P9 AI Workflow & Visualisation

The four models and the anti-leakage discipline; drawings, boards, the analytics portal and the sixty-second film

P2 Problem Definition

Phase 1 findings turned into problems and scored by severity rather than listed flat — thermal discomfort dominates everything else

P4 Concept Development

Multiple plan forms generated and swept against the solar model; the crescent selected on hours-with-no-shade, not on mean coverage

P6 Detailed Design

The canopy section solved against shadow geometry — 7 m walk, 18 m gridshell at 4.5 m, 3 m southern louvre; 131 trees at mature canopy

P8 User Experience & Activation

K-Means microclimate regimes and the hour-by-month comfort surface; programming targeted at late afternoon, spring and autumn

P10 Submission Assembly

Every report and visual mapped onto the twelve upload slots, each with a manifest naming what produced it

02 THE CODE AND DATA BEHIND THIS DOCUMENT

Plan

src

Costing

src

Climate

src

03 REPRODUCE IT END TO END

```
pip install -r requirements.txt
python run_analysis.py           # data, models, figures
python -m src.drawings           # section, elevation, planting
python -m src.boards             # the presentation boards
python tools/build_submission_pdfs.py
python -m tests.test_pipeline    # 41 checks
```

UPLOAD SLOT 08 OF 12 · SUSTAINABILITY CONCEPT & STRATEGY

Sustainability Concept & Strategy


Water, carbon, energy and shade — including where the scheme runs a deficit

A sustainability chapter that reports only its successes is not evidence, it is marketing. This one states the shortfalls in the same voice as the gains, because a jury that catches a single overclaim will re-examine every other number in the submission.

Al Safa 2 Park · **Falaj Al Safa** · 15,000 m² · Al Safa 2, Dubai · Mohamed Wasim, Individual Applicant · Issued 04 August 2026 · every quantity regenerated by python `run_analysis.py`

1. Thermal performance — the primary outcome

The scheme's largest environmental effect is that it makes outdoor space usable without mechanical cooling. Comfortable daylight hours rise from 44.5% to 64.6%; the mean heat-index reduction under the canopy is 7.13 °C; and peak heat index falls from 56.8 °C to 48.7 °C.



Share of the year's daylight hours in each comfort band, exposed today and shaded as designed. Analysis output — computed from project data.

2. Water

Al Falaj is a 0.9 m recirculating channel — about 105 m² of water surface in total. It is deliberately set on the canopy's drip line so that it is shaded all day, because an open channel in Dubai evaporates. **It is a channel, not a lagoon**, and the water argument in this report depends on it not being one.


- Irrigation is subsurface drip fed from treated sewage effluent, not potable supply.
- Planting is five desert species selected for drought tolerance; Ghaf takes the southern rank because it is the most drought-tolerant in the schedule.
- The falaj recirculates and is shaded for its whole length.

3. Energy — stated as the deficit it is

The canopy's photovoltaic array covers roughly 13% of the site's lighting and systems load. That is a deficit, not a surplus. An earlier draft of this project described the shortfall as power sold back to the grid. It is corrected here. The park is a net consumer of electricity. The honest claim is that shading reduces demand for mechanical cooling, not that the park pays for itself in kilowatt-hours.

4. Carbon, biodiversity and materials

131 trees across five species sequester carbon and, more importantly at this latitude, produce shade. The biodiversity wadi and the native planting strategy target habitat value rather than ornamental effect.




Annual shade coverage by zone type — ray-traced ground-plane occlusion sampled across the year. Analysis output — computed from project data.

5. What is conservative, and what is assumed

- **Diffuse radiation is excluded** from the shade model, so shaded comfort is stated conservatively — the real shaded condition is slightly better than reported, never worse.
- **The 6 °C shade relief is a literature value**, not a site measurement.
- **The climate series is modelled**, reconstructed from 39 years of monthly normals and verified back to within 0.39 °C. Conclusions are about a typical year, never about extremes.
- **Site-wide mean shade is 34.1%**, which is modest by design: the scheme concentrates its shade budget into one continuous, genuinely excellent route.

Fig02 comfort bands

How the year's hours divide across comfort bands, before the design and after it



DRAWN BY [src/models.py](#) [src/figures.py](#) READ FROM [models/headline_metrics.json](#)


Every path above is a live link. Nothing on this sheet was drawn by hand — regenerate it with `python run_analysis.py`

Fig03 shade by zone

Ray-traced shade coverage per room, so no zone's performance is averaged away

Annual shade coverage by zone type

Ray-traced ground-plane occlusion, 1 m grid, sampled across the year



Source: NREL Solar Position Algorithm via pvlib, 25.190N 55.238E; canopy and tree geometry from the Phase 5/6 design · Al Safa 2 Park · Falaj Al Safa · Dubai Municipality AI Design Challenge

DRAWN BY [src/solar.py](#) [src/plan.py](#) READ FROM [data/processed/spatial_grid_comfort.csv](#)

Every path above is a live link. Nothing on this sheet was drawn by hand — regenerate it with python run_analysis.py

Every step of the work, with its proof attached

One row per phase: what was done, the code that did it, the file it wrote, and the picture that came out. Every file name is a live link — click it and read the actual thing, do not take this document's word for it.

PHASE 7 Performance & Sustainability

THIS DOCUMENT RESTS ON

Water balance, carbon, the canopy PV deficit, and ray-traced shade performance by zone

CODE [src/costing.py](#) [src/climate.py](#)

PROOF — [click to open](#) [data/processed/cost_plan.csv](#) [models/cost_summary.json](#)




fig11_cost_plan.png

PHASE 1 Site & Context Analysis

39 years of NCM normals rebuilt into an 8,760-hour year, verified back to within 0.39 °C; sun position for every hour via NREL/pvlib; shadow geometry; 7,640 residents inside a ten-minute walk

CODE [src/climate.py](#) [src/solar.py](#)

PROOF — [click to open](#) [data/processed/hourly_climate_comfort_8760.csv](#) [data/raw/sources.json](#)




fig01_climate_and_comfort.png

PHASE 2 Problem Definition

Phase 1 findings turned into problems and scored by severity rather than listed flat — thermal discomfort dominates everything else

CODE [src/climate.py](#)

PROOF — [click to open](#) [models/headline_metrics.json](#)




fig04_site_comfort_map.png

PHASE 3 Opportunity & Objectives

The ranked problems converted into measurable targets, including the comfort-hours target the finished design is scored against

CODE [src/config.py](#) [src/plan.py](#)

PROOF — [click to open](#) [models/headline_metrics.json](#)




fig02_comfort_bands.png

PHASE 4 Concept Development

Multiple plan forms generated and swept against the solar model; the crescent selected on hours-with-no-shade, not on mean coverage

CODE [src/plan.py](#) [src/solar.py](#)

PROOF — [click to open](#) [data/processed/masterplan_geometry.json](#)




fig03_shade_by_zone.png

The work, with its proof attached — continued

One row per phase: what was done, the code that did it, the file it wrote, and the picture that came out. Every file name is a live link — click it and read the actual thing, do not take this document's word for it.




fig10_masterplan.png

PHASE 5 Masterplan Development

Every room struck off the crescent's centre; areas taken as the shoelace area of the drawn polygon, so the schedule closes on 15,000 m²

CODE [src/plan.py](#) [src/figures.py](#)

PROOF — click to open [data/raw/site_zoning_schedule.csv](#)
[data/processed/masterplan_geometry.json](#)



section_crescent.png

PHASE 6 Detailed Design

The canopy section solved against shadow geometry — 7 m walk, 18 m gridshell at 4.5 m, 3 m southern louvre; 131 trees at mature canopy

CODE [src/drawings.py](#) [src/config.py](#)

PROOF — click to open [data/processed/planting_layout.csv](#)




fig08_microclimate_regimes.png

PHASE 8 User Experience & Activation

K-Means microclimate regimes and the hour-by-month comfort surface; programming targeted at late afternoon, spring and autumn

CODE [src/models.py](#) [src/dataset.py](#)

PROOF — click to open [data/processed/spatial_grid_comfort.csv](#)





fig05_surrogate_performance.png

PHASE 9 AI Workflow & Visualisation

The four models and the anti-leakage discipline; drawings, boards, the analytics portal and the sixty-second film

CODE [src/models.py](#) [src/boards.py](#) [tools/sync_film.py](#)

PROOF — click to open [models/model_metrics.json](#) [tests/test_pipeline.py](#)



board_2_evidence.png

PHASE 10 Submission Assembly

Every report and visual mapped onto the twelve upload slots, each with a manifest naming what produced it

CODE [tools/build_submission_pdfs.py](#) [tools/build_reports.py](#)

PROOF — click to open [tests/test_pipeline.py](#)

The 2 images in this file, and the whole record

This slot's own pictures come first, larger. The remaining 22 of the 24 images the pipeline produces follow, so the whole visual record is in every file. Each links to its full-resolution original; nothing here is hand-drawn.

01 IN THIS FILE





Fig02 comfort bands

analysis output

Fig03 shade by zone

analysis output

02 EVERY OTHER IMAGE IN THE PROJECT

The other 22 images the project produces are not reprinted here — this file shows its own. Each name below opens the full-resolution original in the repository.

Fig01 climate and comfort analysis output

Fig06 feature importance analysis output

Fig09 diurnal comfort analysis output

Circulation technical drawing

Planting technical drawing

Board 2 evidence presentation board

Spine corridor interior artistic impression

Souk plaza artistic impression

Fig04 site comfort map analysis output

Fig07 confusion matrix analysis output

Fig10 masterplan analysis output

Elevation technical drawing

Section technical drawing

Masterplan aerial golden hour artistic impression

Night plaza render artistic impression

Fig05 surrogate performance analysis output

Fig08 microclimate regimes analysis output

Fig11 cost plan analysis output

Facilities technical drawing

Board 1 concept presentation board

Oasis basin artistic impression

Childrens dune play artistic impression

Proof the analysis runs, and what it reports

These are the values the pipeline wrote on its last run, read straight out of the files it produced. The commands below regenerate every one of them from the published repository.

08

OF 12

THE FIGURES THIS FILE LEADS ON

each one appears in the full tables below, from the same file

AED 27.0 M

CAPITAL COST

77%

OF AED 35 M BUDGET

131

TREES PLANTED

-7.13 °C

HEAT INDEX UNDER CANOPY

MEASURED RESULT

models/headline_metrics.json

Annual daylight hours modelled	4,402
Comfortable daylight hours — today	44.5%
Comfortable daylight hours — as designed	64.6%
Mean heat-index reduction under canopy	7.13 °C
Peak heat index, exposed	56.8 °C
Peak heat index, shaded	48.7 °C
Crescent Walk shaded, canopy and louvre	87.3%
Site-wide mean shade	34.1%
Trees planted	131

TRAINED MODELS, ON HELD-OUT TEST SETS

models/model_metrics.json

M1a Random Forest — shade surrogate, test R ²	0.9982
M1b Neural network — deployed surrogate, test R ²	0.9944
M2 Gradient Boosting — comfort band, test accuracy	97.5%
M3 K-Means — regimes selected by silhouette	k = 2
Training / validation / test split	10,500 / 2,250 / 2,250
Random seed, fixed for reproducibility	42

WHAT THE CHECKS PROTECT

each one asserts what would otherwise drift silently

Climate fidelity

the modelled year reproduces the published normals it was built from

No overlaps

no room in the schedule overlaps another

Areas close

every area sums back to 15,000 m²

Budget held

the cost plan stays inside AED 35 M

No leakage

no model can see its own answer in its inputs

RUN IT YOURSELF

```
git clone https://github.com/wasim437/Al_SAFA.git
pip install -r requirements.txt
python run_analysis.py           # data, models, figures
python -m tests.test_pipeline    # 41 correctness checks
node docs/_PORTAL/selftest.js   # 64 portal checks
node tests/test_film.js          # every frame of the film
```

The complete project, and where to check it

Every one of the 125 links below is live. The repository holds the data as issued and as processed, the code, the trained models, the drawings and the tests, and it runs end to end with one command. A juror who wants to know where a number came from can be given a file path rather than an opinion.

Repository github.com/wasim437/AI_SAFA
Live portal wasim437.github.io/AI_SAFA/

THE SOURCES BEHIND THIS FILE

open these first if you want to check this document

src/plan.py	Technical drawing — to scale.
src/costing.py	Technical drawing — to scale.
src/climate.py	Technical drawing — to scale.

THE TWELVE UPLOAD FILES (12)

UPLOAD_THESE_12_FILES/01_Design_Narrative_and_Concept.pdf	Design Narrative & Concept
UPLOAD_THESE_12_FILES/02_Neighborhood_Park_Preliminary_Design_Masterplan.pdf	Neighborhood Park Preliminary Design Ma...
UPLOAD_THESE_12_FILES/03_Concept_Plans_and_Spatial_Organization_Diagrams.pdf	Concept Plans and Spatial Organization Di...
UPLOAD_THESE_12_FILES/04_Key_Sections_and_Elevations.pdf	Key Sections & Elevations
UPLOAD_THESE_12_FILES/05_3D_and_Spatial_Visualizations.pdf	3D & Spatial Visualizations
UPLOAD_THESE_12_FILES/06_AI_Methodology_Report.pdf	AI Methodology Report
UPLOAD_THESE_12_FILES/07_User_Experience_and_Activation_Strategy.pdf	User Experience & Activation Strategy
UPLOAD_THESE_12_FILES/08_Sustainability_Concept_and_Strategy.pdf	Sustainability Concept & Strategy
UPLOAD_THESE_12_FILES/09_Material_and_Landscape_Palette.pdf	Material & Landscape Palette
UPLOAD_THESE_12_FILES/10_Complete_Design_Report.pdf	Complete Design Report
UPLOAD_THESE_12_FILES/11_Site_Analysis_and_Human-Centric_Research.pdf	Site Analysis & Human-Centric Research
UPLOAD_THESE_12_FILES/12_One-minute_Concept_Animation.pdf	One-minute Concept Animation

PROJECT DOCUMENTS (6)

AL_SAFA_MASTER_PROMPT.md	The whole design, stated for visualisation
DATA_SOURCES.md	Every source, its period, and its limitations
LINKS.md	Every public URL this submission points at
PROJECT_PLAN.md	Requirements, phases, status, and what is left
README.md	The design argument, written for a juror
EXPLAIN_THE_PROJECT/START_HERE.md	The project in plain language

THE WRITTEN REPORTS (11)

reports/pdf/AI_Safa_2_Park_Complete_Design_Report.pdf	Generated from the live analysis
reports/pdf/Concept_Animation_Storyboard.pdf	Generated from the live analysis
reports/pdf/Phase2_Problem_Definition_Report.pdf	Generated from the live analysis
reports/pdf/Phase3_Opportunity_and_Objectives_Report.pdf	Generated from the live analysis
reports/pdf/Phase4_Concept_Development_Report.pdf	Generated from the live analysis
reports/pdf/Phase5_Masterplan_Development_Report.pdf	Generated from the live analysis
reports/pdf/Phase6_Detailed_Design_Report.pdf	Generated from the live analysis
reports/pdf/Phase7_Performance_and_Sustainability_Report.pdf	Generated from the live analysis
reports/pdf/Phase8_User_Experience_and_Activation_Report.pdf	Generated from the live analysis
reports/pdf/Phase9_AI_Workflow_and_Visualization_Report.pdf	Generated from the live analysis
reports/pdf/Visualisation_Strategy_and_Image_Provenance.pdf	Generated from the live analysis

THE ANALYSIS FIGURES (11)

figures/fig01_climate_and_comfort.png	Analysis output — computed from project data
figures/fig02_comfort_bands.png	Analysis output — computed from project data
figures/fig03_shade_by_zone.png	Analysis output — computed from project data
figures/fig04_site_comfort_map.png	Analysis output — computed from project data

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.

The complete project — continued

[figures/fig05_surrogate_performance.png](#)
[figures/fig06_feature_importance.png](#)
[figures/fig07_confusion_matrix.png](#)
[figures/fig08_microclimate_regimes.png](#)
[figures/fig09_diurnal_comfort.png](#)
[figures/fig10_masterplan.png](#)
[figures/fig11_cost_plan.png](#)

Analysis output — computed from project data
 Analysis output — computed from project data
 Analysis output — computed from project data
 Analysis output — computed from project data
 Analysis output — computed from project data
 Analysis output — computed from project data
 Analysis output — computed from project data

THE TECHNICAL DRAWINGS AND BOARDS (7)

[design/visuals/circulation_crescent.png](#)
[design/visuals/elevation_crescent.png](#)
[design/visuals/facilities_crescent.png](#)
[design/visuals/planting_crescent.png](#)
[design/visuals/section_crescent.png](#)
[design/boards/board_1_concept.png](#)
[design/boards/board_2_evidence.png](#)

Technical drawing — generated from src/plan.py
 Technical drawing — generated from src/plan.py
 Technical drawing — generated from src/plan.py
 Technical drawing — generated from src/plan.py
 Technical drawing — generated from src/plan.py
 Technical drawing — generated from src/plan.py
 Technical drawing — generated from src/plan.py

THE ANALYSIS CODE (13)

[src/__init__.py](#)
[src/boards.py](#)
[src/climate.py](#)
[src/config.py](#)
[src/costing.py](#)
[src/dataset.py](#)
[src/drawings.py](#)
[src/figures.py](#)
[src/models.py](#)
[src/plan.py](#)
[src/solar.py](#)
[src/viz.py](#)
[run_analysis.py](#)

Analysis module
 The two presentation boards
 The 8,760-hour year rebuilt from NCM normals
 Every constant the project reads
 The cost model against the AED 35 M ceiling
 Assembles the ML training tables
 Section, elevation, circulation, planting, facilities
 The analysis charts
 The four models
 SINGLE SOURCE of the crescent geometry
 Sun position and shadow ray-tracing
 Analysis module
 Runs the whole pipeline end to end

THE BUILD AND SYNC TOOLS (17)

[tools/__init__.py](#)
[tools/build_concept_film_v2.py](#)
[tools/build_docs.py](#)
[tools/build_links.py](#)
[tools/build_notebook.py](#)
[tools/build_render_film.py](#)
[tools/build_reports.py](#)
[tools/build_submission_pdfs.py](#)
[tools/check_renders.py](#)
[tools/embed_narration.py](#)
[tools/make_video_mp4.py](#)
[tools/make_winning_video.py](#)
[tools/organize_repo.py](#)
[tools/report_content.py](#)
[tools/sync_film.py](#)
[tools/sync_portal.py](#)
[tools/sync_submission.py](#)

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.

The complete project — continued

THE DATA, AS ISSUED (7)

data/raw/construction_unit_rates_aed.csv	Source dataset
data/raw/dubai_climate_normals_ncm.csv	Source dataset
data/raw/dubai_population_dsc_2023.csv	Source dataset
data/raw/site_zoning_schedule.csv	The measured room schedule
data/raw/sources.json	Every source dataset, with its period
data/raw/species_water_carbon_rates.csv	Source dataset
data/raw/walk_catchment_rings.csv	Source dataset

THE DATA, AS PROCESSED (6)

data/processed/cost_plan.csv	The capital cost plan, line by line
data/processed/hourly_climate_comfort_8760.csv	The 8,760-hour climate and comfort series
data/processed/masterplan_geometry.json	The plan geometry, as exported
data/processed/planting_layout.csv	Every one of the 131 trees
data/processed/schema.json	Generated by the pipeline
data/processed/spatial_grid_comfort.csv	The 15,000-cell ground grid

THE TRAINED MODELS (3)

models/cost_summary.json	Model output
models/headline_metrics.json	The headline numbers
models/model_metrics.json	Trained-model metrics

THE TESTS (2)

tests/test_pipeline.py	41 correctness checks
tests/test_film.js	Every frame of the concept film

THE NOTEBOOK (1)

notebooks/AL_SAFA_2_PARK_COMPLETE_ANALYSIS.ipynb	The complete analysis, outputs embedded
--	---

THE WEBSITE AND ANALYTICS PORTAL (9)

docs/index.html	The project website
docs/SUBMISSION_GUIDE.md	Published site
docs/_PORTAL/gallery_data.js	Published site
docs/_PORTAL/plan_geometry.js	Published site
docs/_PORTAL/portal.js	Published site
docs/_PORTAL/portal_data.js	Published site
docs/_PORTAL/selftest.js	Published site
docs/_PORTAL/DATA_AUDIT.md	Published site
docs/_PORTAL/README.md	Published site

THE COMPETITION BRIEF, AS ISSUED (7)

00_BRIEF/Ai Park - Master Plan (4).jpg	Dubai Municipality source document
00_BRIEF/Ai Park Scope of Work & General Terms & Conditions (5).pdf	Dubai Municipality source document
00_BRIEF/AI Safa Park 2 Plan (5).dwg	Dubai Municipality source document
00_BRIEF/MAIN WEBSITE DETAILS.txt	Dubai Municipality source document
00_BRIEF/Neighborhood Parks Manual (4).pdf	Dubai Municipality source document
00_BRIEF/NEIGHBORHOOD PARKS MANUAL_TEXT.txt	Dubai Municipality source document
00_BRIEF/SCOPE_OF_WORK_FULL_TEXT.txt	Dubai Municipality source document

THE TWELVE SUBMISSION FOLDERS (12)

submission/01_Design_Narrative_Concept/MANIFEST.md	What is in the slot, and what produced each file
submission/02_Preliminary_Design_Masterplan/MANIFEST.md	What is in the slot, and what produced each file
submission/03_Concept_Plans_Spatial_Diagrams/MANIFEST.md	What is in the slot, and what produced each file
submission/04_Key_Sections_Elevations/MANIFEST.md	What is in the slot, and what produced each file

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.

The complete project — continued

- [submission/05_3D_Spatial_Visualizations/MANIFEST.md](#)
- [submission/06_AI_Methodology_Report/MANIFEST.md](#)
- [submission/07_User_Experience_Activation_Strategy/MANIFEST.md](#)
- [submission/08_Sustainability_Concept_Strategy/MANIFEST.md](#)
- [submission/09_Material_Landscape_Palette/MANIFEST.md](#)
- [submission/10_Complete_Design_Report/MANIFEST.md](#)
- [submission/11_Site_Analysis_Human_Centric_Research/MANIFEST.md](#)
- [submission/12_Concept_Animation_Video/MANIFEST.md](#)

What is in the slot, and what produced each file

What is in the slot, and what produced each file

What is in the slot, and what produced each file

What is in the slot, and what produced each file

What is in the slot, and what produced each file

What is in the slot, and what produced each file

What is in the slot, and what produced each file

What is in the slot, and what produced each file

WORKING HISTORY (1)

- [archive/withdrawn_visuals/README.md](#)

Images withdrawn on purpose, and why