

Site Analysis & Human-Centric Research

39 years of climate normals, 8,760 modelled hours, and the 7,640 residents within a ten-minute walk.

11

OF 12 UPLOAD SLOTS

4,402

DAYLIGHT HOURS MODELLED

44.5%

COMFORTABLE TODAY, EXPOSED

56.8 °C

PEAK HEAT INDEX, EXPOSED

34.1%

SITE-WIDE MEAN SHADE

▶ EVERY FIGURE IN THIS FILE CAN BE CHECKED HERE
wasim437.github.io/AI_SAFA/

Mohamed Wasim · Individual Applicant

wasimmisaw437@gmail.com

01

WHAT IS IN THIS FILE

Phase2 Problem Definition Report

DRAWING

Fig01 climate and comfort

FIGURE

Fig09 diurnal comfort

FIGURE

02

THE SCALE OF THE ANALYSIS BEHIND IT

39 years

of climate normals (NCM, 1977–2015) rebuilt into an 8,760-hour modelled year

8,760 hours

of sun position ray-traced against 131 trees for every hour of the year

15,000

one-metre ground cells modelled for shade and comfort, site-wide

4 models

trained and tested for leakage — two of them decide what this document reports

41 checks

run on every rebuild, so a wrong number fails loudly instead of shipping quietly

VERIFY THIS DOCUMENT

Every quantity in this file is regenerated from data by code. Nothing is typed by hand.

Repository github.com/wasim437/AI_SAFA

Live portal wasim437.github.io/AI_SAFA/

Produced by **CODE** [src/climate.py](#) [src/solar.py](#) **DATA** [data/raw/sources.json](#) **DOCS** [DATA_SOURCES.md](#)

Reproduce `python run_analysis.py` · `python -m tests.test_pipeline`

A ten-phase process, checked at every step

Nothing downstream is hand-drawn or hand-typed — change an input and every figure moves with it, or a test fails loudly.

11

OF 12

01

THE TEN PHASES

P1 Site & Context Analysis

THIS DOCUMENT

39 years of NCM normals rebuilt into an 8,760-hour year, verified back to within 0.39 °C; sun position for every hour via NREL/pvlib; shadow geometry; 7,640 residents inside a ten-minute walk

P2 Problem Definition

Phase 1 findings turned into problems and scored by severity rather than listed flat — thermal discomfort dominates everything else

P3 Opportunity & Objectives

The ranked problems converted into measurable targets, including the comfort-hours target the finished design is scored against

P4 Concept Development

Multiple plan forms generated and swept against the solar model; the crescent selected on hours-with-no-shade, not on mean coverage

P5 Masterplan Development

Every room struck off the crescent's centre; areas taken as the shoelace area of the drawn polygon, so the schedule closes on 15,000 m²

P6 Detailed Design

The canopy section solved against shadow geometry — 7 m walk, 18 m gridshell at 4.5 m, 3 m southern louvre; 131 trees at mature canopy

P7 Performance & Sustainability

Water balance, carbon, the canopy PV deficit, and ray-traced shade performance by zone

P8 User Experience & Activation

K-Means microclimate regimes and the hour-by-month comfort surface; programming targeted at late afternoon, spring and autumn

P9 AI Workflow & Visualisation

The four models and the anti-leakage discipline; drawings, boards, the analytics portal and the sixty-second film

P10 Submission Assembly

Every report and visual mapped onto the twelve upload slots, each with a manifest naming what produced it

02

THE CODE AND DATA BEHIND THIS DOCUMENT

Climate

src

Solar

src

Sources

data/raw

DATA SOURCES

DATA_SOURCES.md

03

REPRODUCE IT END TO END

```
pip install -r requirements.txt
python run_analysis.py           # data, models, figures
python -m src.drawings           # section, elevation, planting
python -m src.boards             # the presentation boards
python tools/build_submission_pdfs.py
python -m tests.test_pipeline    # 41 checks
```

UPLOAD SLOT 11 OF 12 · SITE ANALYSIS & HUMAN-CENTRIC RESEARCH

Site Analysis & Human-Centric Research

What the site is, who it serves, and what is wrong with it


A flat, largely exposed 15,000 m² neighbourhood park serving roughly 7,640 residents within a ten-minute walk. Its defining problem is not layout or planting: for 55.5% of daylight hours, standing outside on it is uncomfortable or worse.

Al Safa 2 Park · **Falaj Al Safa** · 15,000 m² · Al Safa 2, Dubai · Mohamed Wasim, Individual Applicant · Issued 04 August 2026 · every quantity regenerated by python `run_analysis.py`

1. Climate — the governing constraint

The analysis reconstructs an 8,760-hour year for the site from 39 years of National Centre of Meteorology monthly normals, with solar positions computed for every hour by the NREL algorithm at the site's coordinates. The reconstruction is verified back against the published normals to within 0.39 °C.

The climate series is modelled, not measured. The underlying record is 39 years long but is published as monthly normals; the hourly series is reconstructed from them and labelled as modelled everywhere it appears. Conclusions are about a typical year, never about extremes.



Dubai climate normals against the modelled heat index. Analysis output — computed from project data.

2. The problem, ranked rather than listed

Problem	Severity	Evidence
Thermal discomfort	Critical	Only 44.5% of 4,402 daylight hours are comfortable; peak heat index 56.8 °C
No continuous shaded route	Critical	A straight or fragmented shade strategy leaves 330 hours a year with no shade anywhere along the primary route
Exposed perimeter	High	Roads on the boundary contribute noise, glare and reflected heat with no intervening mass
Water and irrigation demand	High	Open water or irrigated turf in this climate carries a continuing evaporation and supply cost
Limited programme range	Moderate	Without comfort, no amount of programming produces use


Ranking by severity is what justifies making shade the organising idea rather than one strategy among several.

3. Who the park serves

Approximately 7,640 residents live within a ten-minute walk (Dubai Statistics Center, 2023). The neighbourhood is established and low-rise, with families, working adults, domestic staff and a significant older population. The user groups and their needs are set out in the User Experience and Activation Strategy.

Visitor demand is a scenario, not a prediction. No footfall data exists for this site. Demand figures are deliberately excluded from the machine learning suite, because a model trained on an assumed demand curve would only recover the assumption that produced it.

4. Where the site is comfortable, square metre by square metre



Predicted July afternoon heat index per m². The crescent reads as the coolest continuous route, and its concave side is measurably cooler than its convex face. Analysis output — computed from project data.

5. Opportunities the analysis identifies


- **One continuous shaded route is worth more than dispersed shade.** Permutation importance puts distance to the crescent far above every other geometric feature.
- **Comfort is predictable from the calendar.** At 97.5% accuracy from sun position and date alone, park operations need no sensor network.
- **The shoulder seasons are recoverable.** The comfort gain concentrates in late afternoon in spring and autumn — hours that are currently lost and are cheap to win back.
- **The perimeter is an asset.** A planted berm addresses noise, glare and heat simultaneously.

Fig01 climate and comfort

39 years of NCM normals rebuilt into an 8,760-hour year, and what that year feels like exposed and shaded

Dubai climate and what it feels like

Monthly normals against the modelled heat index, exposed and shaded



Shaded case applies a 6 °C air-temperature relief with the resulting humidity rise computed, not assumed.
Source: NCM Dubai climate normals 1977-2015 (39-year record); heat index MODELLED (NWS Rothfusz) · AI Safa 2 Park · Falaj Al Safa · Dubai Municipality AI Design Challenge

DRAWN BY [src/climate.py](#) [src/figures.py](#) READ FROM [data/processed/hourly_climate_comfort_8760.csv](#) [data/raw/sources.json](#)


Every path above is a live link. Nothing on this sheet was drawn by hand — regenerate it with python `run_analysis.py`

Fig09 diurnal comfort

Comfort hour by hour and month by month — where the programme targets are taken from

When is the park comfortable?

Mean heat index by hour and month — exposed today, shaded as designed



The design opens up the late afternoon in spring and autumn, which is when the catchment most wants to use the park.
Source: NCM Dubai climate normals 1977-2015 (39-year record) — hourly series MODELLED, see [src/climate.py](#) · Al Safa 2 Park · Falaj Al Safa · Dubai Municipality AI Design Challenge

DRAWN BY [src/climate.py](#) [src/figures.py](#) READ FROM [data/processed/hourly_climate_comfort_8760.csv](#)

Every path above is a live link. Nothing on this sheet was drawn by hand — regenerate it with python `run_analysis.py`

Every step of the work, with its proof attached

One row per phase: what was done, the code that did it, the file it wrote, and the picture that came out. Every file name is a live link — click it and read the actual thing, do not take this document's word for it.




fig01_climate_and_comfort.png

PHASE 1 Site & Context Analysis

THIS DOCUMENT RESTS ON

39 years of NCM normals rebuilt into an 8,760-hour year, verified back to within 0.39 °C; sun position for every hour via NREL/pvlib; shadow geometry; 7,640 residents inside a ten-minute walk

CODE [src/climate.py](#) [src/solar.py](#)

PROOF — [click to open](#) [data/processed/hourly_climate_comfort_8760.csv](#) [data/raw/sources.json](#)




fig04_site_comfort_map.png

PHASE 2 Problem Definition

Phase 1 findings turned into problems and scored by severity rather than listed flat — thermal discomfort dominates everything else

CODE [src/climate.py](#)

PROOF — [click to open](#) [models/headline_metrics.json](#)




fig02_comfort_bands.png

PHASE 3 Opportunity & Objectives

The ranked problems converted into measurable targets, including the comfort-hours target the finished design is scored against

CODE [src/config.py](#) [src/plan.py](#)

PROOF — [click to open](#) [models/headline_metrics.json](#)




fig03_shade_by_zone.png

PHASE 4 Concept Development

Multiple plan forms generated and swept against the solar model; the crescent selected on hours-with-no-shade, not on mean coverage

CODE [src/plan.py](#) [src/solar.py](#)

PROOF — [click to open](#) [data/processed/masterplan_geometry.json](#)




fig10_masterplan.png

PHASE 5 Masterplan Development


Every room struck off the crescent's centre; areas taken as the shoelace area of the drawn polygon, so the schedule closes on 15,000 m²

CODE [src/plan.py](#) [src/figures.py](#)

PROOF — [click to open](#) [data/raw/site_zoning_schedule.csv](#)
[data/processed/masterplan_geometry.json](#)

The work, with its proof attached — continued

One row per phase: what was done, the code that did it, the file it wrote, and the picture that came out. Every file name is a live link — click it and read the actual thing, do not take this document's word for it.



section_crescent.png

PHASE 6 Detailed Design

The canopy section solved against shadow geometry — 7 m walk, 18 m gridshell at 4.5 m, 3 m southern louvre; 131 trees at mature canopy

CODE [src/drawings.py](#) [src/config.py](#)

PROOF — [click to open](#) [data/processed/planting_layout.csv](#)




fig11_cost_plan.png

PHASE 7 Performance & Sustainability

Water balance, carbon, the canopy PV deficit, and ray-traced shade performance by zone

CODE [src/costing.py](#) [src/climate.py](#)

PROOF — [click to open](#) [data/processed/cost_plan.csv](#) [models/cost_summary.json](#)




fig08_microclimate_regimes.png

PHASE 8 User Experience & Activation

K-Means microclimate regimes and the hour-by-month comfort surface; programming targeted at late afternoon, spring and autumn

CODE [src/models.py](#) [src/dataset.py](#)

PROOF — [click to open](#) [data/processed/spatial_grid_comfort.csv](#)




fig05_surrogate_performance.png

PHASE 9 AI Workflow & Visualisation

The four models and the anti-leakage discipline; drawings, boards, the analytics portal and the sixty-second film

CODE [src/models.py](#) [src/boards.py](#) [tools/sync_film.py](#)

PROOF — [click to open](#) [models/model_metrics.json](#) [tests/test_pipeline.py](#)



board_2_evidence.png

PHASE 10 Submission Assembly

Every report and visual mapped onto the twelve upload slots, each with a manifest naming what produced it

CODE [tools/build_submission_pdfs.py](#) [tools/build_reports.py](#)

PROOF — [click to open](#) [tests/test_pipeline.py](#)

The 2 images in this file, and the whole record

This slot's own pictures come first, larger. The remaining 23 of the 25 images the pipeline produces follow, so the whole visual record is in every file. Each links to its full-resolution original; nothing here is hand-drawn.

01 IN THIS FILE




Fig01 climate and comfort
analysis output




Fig09 diurnal comfort
analysis output

02 EVERY OTHER IMAGE IN THE PROJECT

The other 23 images the project produces are not reprinted here — this file shows its own. Each name below opens the full-resolution original in the repository.

Fig02 comfort bands analysis output

Fig05 surrogate performance analysis output

Fig08 microclimate regimes analysis output

Circulation technical drawing

Planting technical drawing

Board 2 evidence presentation board

Oasis basin artistic impression

Childrens dune play artistic impression

Fig03 shade by zone analysis output

Fig06 feature importance analysis output

Fig10 masterplan analysis output

Elevation technical drawing

Section technical drawing

Masterplan aerial golden hour artistic impression

Spine corridor interior artistic impression

Souk plaza artistic impression

Fig04 site comfort map analysis output

Fig07 confusion matrix analysis output

Fig11 cost plan analysis output

Facilities technical drawing

Board 1 concept presentation board

Master park view artistic impression

Night plaza render artistic impression

Proof the analysis runs, and what it reports

These are the values the pipeline wrote on its last run, read straight out of the files it produced. The commands below regenerate every one of them from the published repository.

11

OF 12

THE FIGURES THIS FILE LEADS ON

each one appears in the full tables below, from the same file

4,402

DAYLIGHT HOURS MODELLED

44.5%

COMFORTABLE TODAY,
EXPOSED

56.8 °C

PEAK HEAT INDEX, EXPOSED

34.1%

SITE-WIDE MEAN SHADE

MEASURED RESULT

models/headline_metrics.json

Annual daylight hours modelled	4,402
Comfortable daylight hours — today	44.5%
Comfortable daylight hours — as designed	64.6%
Mean heat-index reduction under canopy	7.13 °C
Peak heat index, exposed	56.8 °C
Peak heat index, shaded	48.7 °C
Crescent Walk shaded, canopy and louvre	87.3%
Site-wide mean shade	34.1%
Trees planted	131

TRAINED MODELS, ON HELD-OUT TEST SETS

models/model_metrics.json

M1a Random Forest — shade surrogate, test R ²	0.9982
M1b Neural network — deployed surrogate, test R ²	0.9944
M2 Gradient Boosting — comfort band, test accuracy	97.5%
M3 K-Means — regimes selected by silhouette	k = 2
Training / validation / test split	10,500 / 2,250 / 2,250
Random seed, fixed for reproducibility	42

WHAT THE CHECKS PROTECT

each one asserts what would otherwise drift silently

Climate fidelity

the modelled year
reproduces the published
normals it was built from

No overlaps

no room in the schedule
overlaps another

Areas close

every area sums back to
15,000 m²

Budget held

the cost plan stays inside
AED 35 M

No leakage

no model can see its own
answer in its inputs

RUN IT YOURSELF

```
git clone https://github.com/wasim437/Al_SAFA.git
pip install -r requirements.txt
python run_analysis.py           # data, models, figures
python -m tests.test_pipeline    # 41 correctness checks
node docs/_PORTAL/selftest.js   # 64 portal checks
node tests/test_film.js          # every frame of the film
```

The complete project, and where to check it

Every one of the 121 links below is live. The repository holds the data as issued and as processed, the code, the trained models, the drawings and the tests, and it runs end to end with one command. A juror who wants to know where a number came from can be given a file path rather than an opinion.

Repository github.com/wasim437/AI_SAFA
Live portal wasim437.github.io/AI_SAFA/

THE SOURCES BEHIND THIS FILE

open these first if you want to check this document

src/climate.py	Technical drawing — to scale.
src/solar.py	Technical drawing — to scale.
data/raw/sources.json	Technical drawing — to scale.
DATA_SOURCES.md	Technical drawing — to scale.

THE TWELVE UPLOAD FILES (12)

UPLOAD_THESE_12_FILES/01_Design_Narrative_and_Concept.pdf	Design Narrative & Concept
UPLOAD_THESE_12_FILES/02_Neighborhood_Park_Preliminary_Design_Masterplan.pdf	Neighborhood Park Preliminary Design Ma...
UPLOAD_THESE_12_FILES/03_Concept_Plans_and_Spatial_Organization_Diagrams.pdf	Concept Plans and Spatial Organization Di...
UPLOAD_THESE_12_FILES/04_Key_Sections_and_Elevations.pdf	Key Sections & Elevations
UPLOAD_THESE_12_FILES/05_3D_and_Spatial_Visualizations.pdf	3D & Spatial Visualizations
UPLOAD_THESE_12_FILES/06_AI_Methodology_Report.pdf	AI Methodology Report
UPLOAD_THESE_12_FILES/07_User_Experience_and_Activation_Strategy.pdf	User Experience & Activation Strategy
UPLOAD_THESE_12_FILES/08_Sustainability_Concept_and_Strategy.pdf	Sustainability Concept & Strategy
UPLOAD_THESE_12_FILES/09_Material_and_Landscape_Palette.pdf	Material & Landscape Palette
UPLOAD_THESE_12_FILES/10_Complete_Design_Report.pdf	Complete Design Report
UPLOAD_THESE_12_FILES/11_Site_Analysis_and_Human-Centric_Research.pdf	Site Analysis & Human-Centric Research
UPLOAD_THESE_12_FILES/12_One-minute_Concept_Animation.pdf	One-minute Concept Animation

PROJECT DOCUMENTS (6)

AL_SAFA_MASTER_PROMPT.md	The whole design, stated for visualisation
DATA_SOURCES.md	Every source, its period, and its limitations
LINKS.md	Every public URL this submission points at
PROJECT_PLAN.md	Requirements, phases, status, and what is left
README.md	The design argument, written for a juror
EXPLAIN_THE_PROJECT/START_HERE.md	The project in plain language

THE WRITTEN REPORTS (11)

reports/pdf/AI_Safa_2_Park_Complete_Design_Report.pdf	Generated from the live analysis
reports/pdf/Concept_Animation_Storyboard.pdf	Generated from the live analysis
reports/pdf/Phase2_Problem_Definition_Report.pdf	Generated from the live analysis
reports/pdf/Phase3_Opportunity_and_Objectives_Report.pdf	Generated from the live analysis
reports/pdf/Phase4_Concept_Development_Report.pdf	Generated from the live analysis
reports/pdf/Phase5_Masterplan_Development_Report.pdf	Generated from the live analysis
reports/pdf/Phase6_Detailed_Design_Report.pdf	Generated from the live analysis
reports/pdf/Phase7_Performance_and_Sustainability_Report.pdf	Generated from the live analysis
reports/pdf/Phase8_User_Experience_and_Activation_Report.pdf	Generated from the live analysis
reports/pdf/Phase9_AI_Workflow_and_Visualization_Report.pdf	Generated from the live analysis
reports/pdf/Visualisation_Strategy_and_Image_Provenance.pdf	Generated from the live analysis

THE ANALYSIS FIGURES (11)

figures/fig01_climate_and_comfort.png	Analysis output — computed from project data
figures/fig02_comfort_bands.png	Analysis output — computed from project data
figures/fig03_shade_by_zone.png	Analysis output — computed from project data

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.

[figures/fig04_site_comfort_map.png](#)
[figures/fig05_surrogate_performance.png](#)
[figures/fig06_feature_importance.png](#)
[figures/fig07_confusion_matrix.png](#)
[figures/fig08_microclimate_regimes.png](#)
[figures/fig09_diurnal_comfort.png](#)
[figures/fig10_masterplan.png](#)
[figures/fig11_cost_plan.png](#)

Analysis output — computed from project data
Analysis output — computed from project data
Analysis output — computed from project data
Analysis output — computed from project data
Analysis output — computed from project data
Analysis output — computed from project data
Analysis output — computed from project data
Analysis output — computed from project data

THE TECHNICAL DRAWINGS AND BOARDS (7)

[design/visuals/circulation_crescent.png](#)
[design/visuals/elevation_crescent.png](#)
[design/visuals/facilities_crescent.png](#)
[design/visuals/planting_crescent.png](#)
[design/visuals/section_crescent.png](#)
[design/boards/board_1_concept.png](#)
[design/boards/board_2_evidence.png](#)

Technical drawing — generated from [src/plan.py](#)
Technical drawing — generated from [src/plan.py](#)
Technical drawing — generated from [src/plan.py](#)
Technical drawing — generated from [src/plan.py](#)
Technical drawing — generated from [src/plan.py](#)
Technical drawing — generated from [src/plan.py](#)
Technical drawing — generated from [src/plan.py](#)

THE ANALYSIS CODE (13)

[src/__init__.py](#)
[src/boards.py](#)
[src/climate.py](#)
[src/config.py](#)
[src/costing.py](#)
[src/dataset.py](#)
[src/drawings.py](#)
[src/figures.py](#)
[src/models.py](#)
[src/plan.py](#)
[src/solar.py](#)
[src/viz.py](#)
[run_analysis.py](#)

Analysis module
The two presentation boards
The 8,760-hour year rebuilt from NCM normals
Every constant the project reads
The cost model against the AED 35 M ceiling
Assembles the ML training tables
Section, elevation, circulation, planting, facilities
The analysis charts
The four models
SINGLE SOURCE of the crescent geometry
Sun position and shadow ray-tracing
Analysis module
Runs the whole pipeline end to end

THE BUILD AND SYNC TOOLS (13)

[tools/__init__.py](#)
[tools/build_docs.py](#)
[tools/build_links.py](#)
[tools/build_notebook.py](#)
[tools/build_reports.py](#)
[tools/build_submission_pdfs.py](#)
[tools/check_renders.py](#)
[tools/embed_narration.py](#)
[tools/organize_repo.py](#)
[tools/report_content.py](#)
[tools/sync_film.py](#)
[tools/sync_portal.py](#)
[tools/sync_submission.py](#)

THE DATA, AS ISSUED (7)

[data/raw/construction_unit_rates_aed.csv](#)
[data/raw/dubai_climate_normals_ncm.csv](#)
[data/raw/dubai_population_dsc_2023.csv](#)
[data/raw/site_zoning_schedule.csv](#)
[data/raw/sources.json](#)

Source dataset
Source dataset
Source dataset
The measured room schedule
Every source dataset, with its period

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.

The complete project — continued

[data/raw/species_water_carbon_rates.csv](#)

Source dataset

[data/raw/walk_catchment_rings.csv](#)

Source dataset

THE DATA, AS PROCESSED (6)

[data/processed/cost_plan.csv](#)

The capital cost plan, line by line

[data/processed/hourly_climate_comfort_8760.csv](#)

The 8,760-hour climate and comfort series

[data/processed/masterplan_geometry.json](#)

The plan geometry, as exported

[data/processed/planting_layout.csv](#)

Every one of the 131 trees

[data/processed/schema.json](#)

Generated by the pipeline

[data/processed/spatial_grid_comfort.csv](#)

The 15,000-cell ground grid

THE TRAINED MODELS (3)

[models/cost_summary.json](#)

Model output

[models/headline_metrics.json](#)

The headline numbers

[models/model_metrics.json](#)

Trained-model metrics

THE TESTS (2)

[tests/test_pipeline.py](#)

41 correctness checks

[tests/test_film.js](#)

Every frame of the concept film

THE NOTEBOOK (1)

[notebooks/AL_SAFa_2_PARK_COMPLETE_ANALYSIS.ipynb](#)

The complete analysis, outputs embedded

THE WEBSITE AND ANALYTICS PORTAL (9)

[docs/index.html](#)

The project website

[docs/SUBMISSION_GUIDE.md](#)

Published site

[docs/_PORTAL/gallery_data.js](#)

Published site

[docs/_PORTAL/plan_geometry.js](#)

Published site

[docs/_PORTAL/portal.js](#)

Published site

[docs/_PORTAL/portal_data.js](#)

Published site

[docs/_PORTAL/selftest.js](#)

Published site

[docs/_PORTAL/DATA_AUDIT.md](#)

Published site

[docs/_PORTAL/README.md](#)

Published site

THE COMPETITION BRIEF, AS ISSUED (7)

[00_BRIEF/Ai Park - Master Plan \(4\).jpg](#)

Dubai Municipality source document

[00_BRIEF/Ai Park Scope of Work & General Terms & Conditions \(5\).pdf](#)

Dubai Municipality source document

[00_BRIEF/Ai Safa Park 2 Plan \(5\).dwg](#)

Dubai Municipality source document

[00_BRIEF/MAIN WEBSITE DETAILS.txt](#)

Dubai Municipality source document

[00_BRIEF/Neighborhood Parks Manual \(4\).pdf](#)

Dubai Municipality source document

[00_BRIEF/NEIGHBORHOOD PARKS MANUAL_TEXT.txt](#)

Dubai Municipality source document

[00_BRIEF/SCOPE_OF_WORK_FULL_TEXT.txt](#)

Dubai Municipality source document

THE TWELVE SUBMISSION FOLDERS (12)

[submission/01_Design_Narrative_Concept/MANIFEST.md](#)

What is in the slot, and what produced each file

[submission/02_Preliminary_Design_Masterplan/MANIFEST.md](#)

What is in the slot, and what produced each file

[submission/03_Concept_Plans_Spatial_Diagrams/MANIFEST.md](#)

What is in the slot, and what produced each file

[submission/04_Key_Sections_Elevations/MANIFEST.md](#)

What is in the slot, and what produced each file

[submission/05_3D_Spatial_Visualizations/MANIFEST.md](#)

What is in the slot, and what produced each file

[submission/06_AI_Methodology_Report/MANIFEST.md](#)

What is in the slot, and what produced each file

[submission/07_User_Experience_Activation_Strategy/MANIFEST.md](#)

What is in the slot, and what produced each file

[submission/08_Sustainability_Concept_Strategy/MANIFEST.md](#)

What is in the slot, and what produced each file

[submission/09_Material_Landscape_Palette/MANIFEST.md](#)

What is in the slot, and what produced each file

[submission/10_Complete_Design_Report/MANIFEST.md](#)

What is in the slot, and what produced each file

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.

The complete project — continued

[submission/11_Site_Analysis_Human_Centric_Research/MANIFEST.md](#)
[submission/12_Concept_Animation_Video/MANIFEST.md](#)

What is in the slot, and what produced each file
What is in the slot, and what produced each file

WORKING HISTORY (1)

[archive/withdrawn_visuals/README.md](#)

Images withdrawn on purpose, and why

Links resolve once the repository is published. GitHub renders PDFs, notebooks, CSVs and images in the browser — nothing needs to be downloaded or cloned.