

User Experience & Activation Strategy

Who uses the park, when, and why the programme targets late afternoon in spring and autumn.

07

OF 12 UPLOAD SLOTS

15,000 m²

SITE AREA

44.5% → 64.6%

COMFORTABLE DAYLIGHT HOURS

−7.13 °C

HEAT INDEX UNDER CANOPY

131

TREES PLANTED

▶ VISIT THE LIVE PROJECT PORTAL

wasim437.github.io/AI_SAFA/

01

WHAT IS IN THIS FILE

Phase8 User Experience and Activation Report

DRAWING

Circulation

DRAWING

Fig08 microclimate regimes

FIGURE

Fig09 diurnal comfort

FIGURE

02

THE SCALE OF THE ANALYSIS BEHIND IT

39 years

of climate normals (NCM, 1977–2015) rebuilt into an 8,760-hour modelled year

8,760 hours

of sun position ray-traced against 131 trees for every hour of the year

15,000

one-metre ground cells modelled for shade and comfort, site-wide

4 models

trained and tested for leakage — two of them decide what this document reports

41 checks

run on every rebuild, so a wrong number fails loudly instead of shipping quietly

VERIFY THIS DOCUMENT

Every quantity in this file is regenerated from data by code. Nothing is typed by hand.

Repository github.com/wasim437/AI_SAFA

Live portal wasim437.github.io/AI_SAFA/

Produced by [src/models.py](#) · [src/climate.py](#) · [data/processed/hourly_climate_comfort_8760.csv](#)

Reproduce `python run_analysis.py` · `python -m tests.test_pipeline`

A ten-phase process, checked at every step

Nothing downstream is hand-drawn or hand-typed — change an input and every figure moves with it, or a test fails loudly.

07

OF 12

01 THE TEN PHASES

- P1 Site & Context Analysis**
39 years of NCM normals rebuilt into an 8,760-hour year, verified back to within 0.39 °C; sun position for every hour via NREL/pvlib; shadow geometry; 7,640 residents inside a ten-minute walk
- P2 Problem Definition**
Phase 1 findings turned into problems and scored by severity rather than listed flat — thermal discomfort dominates everything else
- P3 Opportunity & Objectives**
The ranked problems converted into measurable targets, including the comfort-hours target the finished design is scored against
- P4 Concept Development**
Multiple plan forms generated and swept against the solar model; the crescent selected on hours-with-no-shade, not on mean coverage
- P5 Masterplan Development**
Every room struck off the crescent's centre; areas taken as the shoelace area of the drawn polygon, so the schedule closes on 15,000 m²
- P6 Detailed Design**
The canopy section solved against shadow geometry — 7 m walk, 18 m gridshell at 4.5 m, 3 m southern louvre; 131 trees at mature canopy
- P7 Performance & Sustainability**
Water balance, carbon, the canopy PV deficit, and ray-traced shade performance by zone
- P8 User Experience & Activation** ★ THIS DOCUMENT
K-Means microclimate regimes and the hour-by-month comfort surface; programming targeted at late afternoon, spring and autumn
- P9 AI Workflow & Visualisation**
The four models and the anti-leakage discipline; drawings, boards, the analytics portal and the sixty-second film
- P10 Submission Assembly**
Every report and visual mapped onto the twelve upload slots, each with a manifest naming what produced it

02 THE CODE AND DATA BEHIND THIS DOCUMENT

Models

src

Climate

src

Hourly climate comfort

data/processed

How this document was produced

03

REPRODUCE IT END TO END

```
pip install -r requirements.txt
python run_analysis.py          # data, models, figures
python -m src.drawings          # section, elevation, planting
python -m src.boards            # the presentation boards
python tools/build_submission_pdfs.py
python -m tests.test_pipeline   # 41 checks
```

User Experience & Activation Strategy

Who uses this park, when, and what the climate permits

Activation strategies usually assert a programme. This one derives it. The comfort model says exactly when the park is pleasant, and the programme is built to match those windows rather than to fill a calendar — which means committing, in writing, to not programming summer midday outdoors.

Upload slot 07 — User Experience & Activation Strategy

Al Safa 2 Park · **Falaj Al Safa** · 15,000 m² · Al Safa 2, Dubai

Mohamed Wasim · Individual Applicant

Issued 03 August 2026

Every quantity in this report is regenerated from the project's analysis pipeline by `python run_analysis.py`. No figure quoted here is typed in by hand.

1. The catchment


Approximately **7,640 residents** live within a ten-minute walk of the site (Dubai Statistics Center, 2023). Al Safa 2 is an established low-rise residential neighbourhood with a mixed demographic — families with young children, working adults, domestic staff, and a significant population of older residents.

2. Five user groups, and what each one needs

User group	When they come	What the design owes them
Families with young children	Late afternoon, weekends	Play in shade, seating with sightlines to it, a drinking fountain and a restroom within sight of the play area
Older residents	Early morning, evening	Step-free routes, shaded rest never far from the walk, seating at close intervals, no level change without a ramp
Runners and walkers	Dawn and after dark	A continuous loop with a known distance, lit at ankle height, separated from play and picnic
Workers on a break	Midday, year round	The one part of the site that is genuinely cool at noon — the crescent walk and the basin
Community and events	Evenings, cooler months	A flexible plaza and event lawn on the convex face, with the souk adjacent so trade and programme reinforce each other

3. When the park is actually comfortable

The comfort model resolves every hour of the year. Today 44.5% of daylight hours are comfortable; as designed, 64.6% are. The gain is not spread evenly, and that is the useful part: it concentrates in **late afternoon, in spring and autumn**.



Comfort by hour and by month. The design opens up the late afternoon in the shoulder seasons. Analysis output — computed from project data.

4. The activation calendar, derived from that

Season	Window	Programme
Oct – Apr (shoulder and winter)	16:00 – 21:00, and weekend mornings	Community events on the plaza and event lawn, evening souk trading, outdoor fitness classes, weekend family programming

Season	Window	Programme
May – Sep (summer)	Before 09:00 and after 18:00 only	Early running on Al Madar, evening use of the basin and the crescent walk, night programming on the plaza. Nothing is scheduled outdoors at midday.

Committing to a quiet summer midday is a design position, not a gap. Programming an outdoor event into a 56 °C heat index would be a scheduling decision that the analysis in this submission directly contradicts. The park is designed so that the hours it does claim are real.

5. Comfort, accessibility and inclusion

- The site is level, so the whole park is step-free. The only change of level in the scheme is the Oasis Basin, which is ramped.
- Every room is reached from the shaded primary route by a single alley — no room requires crossing another to arrive.
- Shaded rest (the majlis pods) is never far from the walk, so a user who needs to stop can always reach shade.
- 6 drinking fountains and 2 universally accessible restroom blocks are distributed against actual dwell points, not spaced evenly for the drawing.
- Play is divided by age group, with family seating in shade and clear sightlines to both zones.


6. Day and night

The brief asks for a park that works across the whole day. The convex face carries the uses that run after dark — the plaza, the event lawn and the souk — because its exposure stops being a liability once the sun is down. The crescent is lit from within so the arc reads at night as it does by day, and Al Madar is lit at ankle height for early and late running.

Every quantity above is regenerated by `python run_analysis.py` and asserted by `python -m tests.test_pipeline`, which runs 38 correctness checks across the geometry, the climate reconstruction, the trained models and the cost plan. Nothing in this report is typed in by hand.

Circulation & accessibility

One shaded primary route, radial alleys off it, and a running loop around the whole



- Al Mamsha — primary route, shaded, step-free
- Al Sikkak — shaded alleys to the rooms
- Al Madar — 438 m running loop
- Service / emergency vehicle access
- Majlis — shaded rest, never more than 33 m from the walk


Every room is reached from the shaded route by one alley. The site is level, so the whole park is step-free; the only change of level in the scheme is the Oasis Basin, which is ramped.
Source: src/plan.py — routes are the drawn geometry, not a sketch over it · Al Safa 2 Park · Falaj Al Safa · Dubai Municipality AI Design Challenge

Fig08 microclimate regimes

Analysis output — computed from project data.

The park's 2 operating regimes, found by clustering

k selected by silhouette score, not chosen — daylight hours only



Each regime becomes a programming slot in the activation strategy.

Source: This project's models — see notebooks/ and src/ · Al Safa 2 Park · Falaj Al Safa · Dubai Municipality AI Design Challenge





Fig09 diurnal comfort

Analysis output — computed from project data.

When is the park comfortable?

Mean heat index by hour and month — exposed today, shaded as designed



The design opens up the late afternoon in spring and autumn, which is when the catchment most wants to use the park.
Source: NCM Dubai climate normals 1977-2015 (39-year record) — hourly series MODELLED, see src/climate.py · Al Safa 2 Park · Falaj Al Safa · Dubai Municipality AI Design Challenge

Every drawing and every chart in this project

All 18 images the pipeline produces, whichever slot they belong to. Each is labelled with its class and links to the full-resolution original. Nothing here is hand-drawn.




Fig01 climate and comfort
analysis output




Fig02 comfort bands
analysis output




Fig03 shade by zone
analysis output




Fig04 site comfort map
analysis output




Fig05 surrogate performance
analysis output




Fig06 feature importance
analysis output




Fig07 confusion matrix
analysis output




Fig08 microclimate regimes
analysis output




Fig09 diurnal comfort
analysis output




Fig10 masterplan
analysis output





Fig11 cost plan
analysis output




Circulation
technical drawing

The visual record — continued




Elevation

technical drawing




Facilities

technical drawing




Planting




Section

technical drawing



Board 1 concept
presentation board



Board 2 evidence
presentation board

Proof the analysis runs, and what it reports

These are the values the pipeline wrote on its last run, read straight out of the files it produced. The commands below regenerate every one of them from the published repository.

MEASURED RESULT	models/headline_metrics.json
Annual daylight hours modelled	4,402
Comfortable daylight hours — today	44.5%
Comfortable daylight hours — as designed	64.6%
Mean heat-index reduction under canopy	7.13 °C
Peak heat index, exposed	56.8 °C
Peak heat index, shaded	48.7 °C
Crescent Walk shaded, canopy and louvre	87.3%
Site-wide mean shade	34.1%
Trees planted	131

TRAINED MODELS, ON HELD-OUT TEST SETS	models/model_metrics.json
M1a Random Forest — shade surrogate, test R ²	0.9982
M1b Neural network — deployed surrogate, test R ²	0.9944
M2 Gradient Boosting — comfort band, test accuracy	97.5%
M3 K-Means — regimes selected by silhouette	k = 2
Training / validation / test split	10,500 / 2,250 / 2,250
Random seed, fixed for reproducibility	42

RUN IT YOURSELF

```
git clone https://github.com/wasim437/AL_SAFA.git
pip install -r requirements.txt
python run_analysis.py           # data, models, figures
python -m tests.test_pipeline    # 41 correctness checks
node docs/_PORTAL/selftest.js    # 64 portal checks
node tests/test_film.js          # every frame of the film
```

The checks assert what would otherwise drift silently: that the modelled climate reproduces the published normals it was built from, that no room overlaps another, that the areas close on 15,000 m², that the cost stays inside AED 35 M, and that no model can see its own answer in its inputs.

The complete project, and where to check it

Every one of the 121 links below is live. The repository holds the data as issued and as processed, the code, the trained models, the drawings and the tests, and it runs end to end with one command. A juror who wants to know where a number came from can be given a file path rather than an opinion.

Repository github.com/wasim437/AI_SAFA
Live portal wasim437.github.io/AI_SAFA/

THE TWELVE UPLOAD FILES (12)

UPLOAD_THESE_12_FILES/01_Design_Narrative_and_Concept.pdf	Design Narrative & Concept
UPLOAD_THESE_12_FILES/02_Neighborhood_Park_Preliminary_Design_Masterplan.pdf	Neighborhood Park Preliminary Design Masterplan
UPLOAD_THESE_12_FILES/03_Concept_Plans_and_Spatial_Organization_Diagrams.pdf	Concept Plans and Spatial Organization Diagrams
UPLOAD_THESE_12_FILES/04_Key_Sections_and_Elevations.pdf	Key Sections & Elevations
UPLOAD_THESE_12_FILES/05_3D_and_Spatial_Visualizations.pdf	3D & Spatial Visualizations
UPLOAD_THESE_12_FILES/06_AI_Methodology_Report.pdf	AI Methodology Report
UPLOAD_THESE_12_FILES/07_User_Experience_and_Activation_Strategy.pdf	User Experience & Activation Strategy
UPLOAD_THESE_12_FILES/08_Sustainability_Concept_and_Strategy.pdf	Sustainability Concept & Strategy
UPLOAD_THESE_12_FILES/09_Material_and_Landscape_Palette.pdf	Material & Landscape Palette
UPLOAD_THESE_12_FILES/10_Complete_Design_Report.pdf	Complete Design Report
UPLOAD_THESE_12_FILES/11_Site_Analysis_and_Human-Centric_Research.pdf	Site Analysis & Human-Centric Research
UPLOAD_THESE_12_FILES/12_One-minute_Concept_Animation.pdf	One-minute Concept Animation

PROJECT DOCUMENTS (8)

AL_SAFA_MASTER_PROMPT.md	The whole design, stated for visualisation
DATA_SOURCES.md	Every source, its period, and its limitations
LINKS.md	Every public URL this submission points at
PROJECT_PLAN.md	Requirements, phases, status, and what is left
PUSH_TO_GITHUB.md	Project document
README.md	The design argument, written for a juror
RENDER_PROMPTS.md	Project document
EXPLAIN_THE_PROJECT/START_HERE.md	The project in plain language

THE WRITTEN REPORTS (11)

reports/pdf/AI_Safa_2_Park_Complete_Design_Report.pdf	Generated from the live analysis
reports/pdf/Concept_Animation_Storyboard.pdf	Generated from the live analysis
reports/pdf/Phase2_Problem_Definition_Report.pdf	Generated from the live analysis
reports/pdf/Phase3_Opportunity_and_Objectives_Report.pdf	Generated from the live analysis
reports/pdf/Phase4_Concept_Development_Report.pdf	Generated from the live analysis
reports/pdf/Phase5_Masterplan_Development_Report.pdf	Generated from the live analysis
reports/pdf/Phase6_Detailed_Design_Report.pdf	Generated from the live analysis
reports/pdf/Phase7_Performance_and_Sustainability_Report.pdf	Generated from the live analysis
reports/pdf/Phase8_User_Experience_and_Activation_Report.pdf	Generated from the live analysis
reports/pdf/Phase9_AI_Workflow_and_Visualization_Report.pdf	Generated from the live analysis
reports/pdf/Visualisation_Strategy_and_Image_Provenance.pdf	Generated from the live analysis

THE ANALYSIS FIGURES (11)

figures/fig01_climate_and_comfort.png	Analysis output — computed from project data
figures/fig02_comfort_bands.png	Analysis output — computed from project data
figures/fig03_shade_by_zone.png	Analysis output — computed from project data
figures/fig04_site_comfort_map.png	Analysis output — computed from project data
figures/fig05_surrogate_performance.png	Analysis output — computed from project data
figures/fig06_feature_importance.png	Analysis output — computed from project data
figures/fig07_confusion_matrix.png	Analysis output — computed from project data
figures/fig08_microclimate_regimes.png	Analysis output — computed from project data
figures/fig09_diurnal_comfort.png	Analysis output — computed from project data
figures/fig10_masterplan.png	Analysis output — computed from project data
figures/fig11_cost_plan.png	Analysis output — computed from project data

The complete project — continued

THE TECHNICAL DRAWINGS AND BOARDS (7)

design/visuals/circulation_crescent.png	Technical drawing — generated from src/plan.py
design/visuals/elevation_crescent.png	Technical drawing — generated from src/plan.py
design/visuals/facilities_crescent.png	Technical drawing — generated from src/plan.py
design/visuals/planting_crescent.png	Technical drawing — generated from src/plan.py
design/visuals/section_crescent.png	Technical drawing — generated from src/plan.py
design/boards/board_1_concept.png	Technical drawing — generated from src/plan.py
design/boards/board_2_evidence.png	Technical drawing — generated from src/plan.py

THE ANALYSIS CODE (13)

src/__init__.py	Analysis module
src/boards.py	The two presentation boards
src/climate.py	The 8,760-hour year rebuilt from NCM normals
src/config.py	Every constant the project reads
src/costing.py	The cost model against the AED 35 M ceiling
src/dataset.py	Assembles the ML training tables
src/drawings.py	Section, elevation, circulation, planting, facilities
src/figures.py	The analysis charts
src/models.py	The four models
src/plan.py	SINGLE SOURCE of the crescent geometry
src/solar.py	Sun position and shadow ray-tracing
src/viz.py	Analysis module
run_analysis.py	Runs the whole pipeline end to end

THE BUILD AND SYNC TOOLS (11)

tools/__init__.py	Build tool
tools/build_docs.py	Build tool
tools/build_links.py	Build tool
tools/build_notebook.py	Build tool
tools/build_reports.py	Build tool
tools/build_submission_pdfs.py	Build tool
tools/organize_repo.py	Build tool
tools/report_content.py	Build tool
tools/sync_film.py	Build tool
tools/sync_portal.py	Build tool
tools/sync_submission.py	Build tool

THE DATA, AS ISSUED (7)

data/raw/construction_unit_rates_aed.csv	Source dataset
data/raw/dubai_climate_normals_ncm.csv	Source dataset
data/raw/dubai_population_dsc_2023.csv	Source dataset
data/raw/site_zoning_schedule.csv	The measured room schedule
data/raw/sources.json	Every source dataset, with its period
data/raw/species_water_carbon_rates.csv	Source dataset
data/raw/walk_catchment_rings.csv	Source dataset

THE DATA, AS PROCESSED (6)

data/processed/cost_plan.csv	The capital cost plan, line by line
data/processed/hourly_climate_comfort_8760.csv	The 8,760-hour climate and comfort series
data/processed/masterplan_geometry.json	The plan geometry, as exported
data/processed/planting_layout.csv	Every one of the 131 trees
data/processed/schema.json	Generated by the pipeline
data/processed/spatial_grid_comfort.csv	The 15,000-cell ground grid

The complete project — continued

THE TRAINED MODELS (3)

models/cost_summary.json	Model output
models/headline_metrics.json	The headline numbers
models/model_metrics.json	Trained-model metrics

THE TESTS (2)

tests/test_pipeline.py	38 correctness checks
tests/test_film.js	Every frame of the concept film

THE NOTEBOOK (1)

notebooks/AL_SAFI_2_PARK_COMPLETE_ANALYSIS.ipynb	The complete analysis, outputs embedded
--	---

THE WEBSITE AND ANALYTICS PORTAL (9)

docs/index.html	The project website
docs/SUBMISSION_GUIDE.md	Published site
docs/_PORTAL/gallery_data.js	Published site
docs/_PORTAL/plan_geometry.js	Published site
docs/_PORTAL/portal.js	Published site
docs/_PORTAL/portal_data.js	Published site
docs/_PORTAL/selftest.js	Published site
docs/_PORTAL/DATA_AUDIT.md	Published site
docs/_PORTAL/README.md	Published site

THE COMPETITION BRIEF, AS ISSUED (7)

00_BRIEF/Ai Park - Master Plan (4).jpg	Dubai Municipality source document
00_BRIEF/Ai Park Scope of Work & General Terms & Conditions (5).pdf	Dubai Municipality source document
00_BRIEF/Ai Safa Park 2 Plan (5).dwg	Dubai Municipality source document
00_BRIEF/MAIN WEBSITE DETAILS.txt	Dubai Municipality source document
00_BRIEF/Neighborhood Parks Manual (4).pdf	Dubai Municipality source document
00_BRIEF/NEIGHBORHOOD PARKS MANUAL_TEXT.txt	Dubai Municipality source document
00_BRIEF/SCOPE_OF_WORK_FULL_TEXT.txt	Dubai Municipality source document

THE TWELVE SUBMISSION FOLDERS (12)

submission/01_Design_Narrative_Concept/MANIFEST.md	What is in the slot, and what produced each file
submission/02_Preliminary_Design_Masterplan/MANIFEST.md	What is in the slot, and what produced each file
submission/03_Concept_Plans_Spatial_Diagrams/MANIFEST.md	What is in the slot, and what produced each file
submission/04_Key_Sections_Elevations/MANIFEST.md	What is in the slot, and what produced each file
submission/05_3D_Spatial_Visualizations/MANIFEST.md	What is in the slot, and what produced each file
submission/06_AI_Methodology_Report/MANIFEST.md	What is in the slot, and what produced each file
submission/07_User_Experience_Activation_Strategy/MANIFEST.md	What is in the slot, and what produced each file
submission/08_Sustainability_Concept_Strategy/MANIFEST.md	What is in the slot, and what produced each file
submission/09_Material_Landscape_Palette/MANIFEST.md	What is in the slot, and what produced each file
submission/10_Complete_Design_Report/MANIFEST.md	What is in the slot, and what produced each file
submission/11_Site_Analysis_Human_Centric_Research/MANIFEST.md	What is in the slot, and what produced each file
submission/12_Concept_Animation_Video/MANIFEST.md	What is in the slot, and what produced each file

WORKING HISTORY (1)

archive/withdrawn_visuals/README.md	Images withdrawn on purpose, and why
---	--------------------------------------