

Sustainability Concept & Strategy

Water, carbon, energy and shade — stated conservatively, including where the scheme runs a deficit.

08

OF 12 UPLOAD SLOTS

15,000 m²

SITE AREA

44.5% → 64.6%

COMFORTABLE DAYLIGHT HOURS

−7.13 °C

HEAT INDEX UNDER CANOPY

131

TREES PLANTED

▶ VISIT THE LIVE PROJECT PORTAL

wasim437.github.io/AI_SAFA/

01

WHAT IS IN THIS FILE

Phase7 Performance and Sustainability Report

DRAWING

Fig02 comfort bands

FIGURE

Fig03 shade by zone

FIGURE

02

THE SCALE OF THE ANALYSIS BEHIND IT

39 years

of climate normals (NCM, 1977–2015) rebuilt into an 8,760-hour modelled year

8,760 hours

of sun position ray-traced against 131 trees for every hour of the year

15,000

one-metre ground cells modelled for shade and comfort, site-wide

4 models

trained and tested for leakage — two of them decide what this document reports

41 checks

run on every rebuild, so a wrong number fails loudly instead of shipping quietly

VERIFY THIS DOCUMENT

Every quantity in this file is regenerated from data by code. Nothing is typed by hand.

Repository github.com/wasim437/AI_SAFA

Live portal wasim437.github.io/AI_SAFA/

Produced by [src/plan.py](#) · [src/costing.py](#) · [src/climate.py](#)

Reproduce `python run_analysis.py` · `python -m tests.test_pipeline`

A ten-phase process, checked at every step

Nothing downstream is hand-drawn or hand-typed — change an input and every figure moves with it, or a test fails loudly.

08

OF 12

01 THE TEN PHASES

- P1 Site & Context Analysis**
39 years of NCM normals rebuilt into an 8,760-hour year, verified back to within 0.39 °C; sun position for every hour via NREL/pvlib; shadow geometry; 7,640 residents inside a ten-minute walk
- P2 Problem Definition**
Phase 1 findings turned into problems and scored by severity rather than listed flat — thermal discomfort dominates everything else
- P3 Opportunity & Objectives**
The ranked problems converted into measurable targets, including the comfort-hours target the finished design is scored against
- P4 Concept Development**
Multiple plan forms generated and swept against the solar model; the crescent selected on hours-with-no-shade, not on mean coverage
- P5 Masterplan Development**
Every room struck off the crescent's centre; areas taken as the shoelace area of the drawn polygon, so the schedule closes on 15,000 m²
- P6 Detailed Design**
The canopy section solved against shadow geometry — 7 m walk, 18 m gridshell at 4.5 m, 3 m southern louvre; 131 trees at mature canopy
- P7 Performance & Sustainability** ★ THIS DOCUMENT
Water balance, carbon, the canopy PV deficit, and ray-traced shade performance by zone
- P8 User Experience & Activation**
K-Means microclimate regimes and the hour-by-month comfort surface; programming targeted at late afternoon, spring and autumn
- P9 AI Workflow & Visualisation**
The four models and the anti-leakage discipline; drawings, boards, the analytics portal and the sixty-second film
- P10 Submission Assembly**
Every report and visual mapped onto the twelve upload slots, each with a manifest naming what produced it

02 THE CODE AND DATA BEHIND THIS DOCUMENT

Plan
src

Costing
src

Climate
src

How this document was produced

03

REPRODUCE IT END TO END

```
pip install -r requirements.txt
python run_analysis.py          # data, models, figures
python -m src.drawings          # section, elevation, planting
python -m src.boards            # the presentation boards
python tools/build_submission_pdfs.py
python -m tests.test_pipeline   # 41 checks
```

Sustainability Concept & Strategy

Water, carbon, energy and shade — including where the scheme runs a deficit

A sustainability chapter that reports only its successes is not evidence, it is marketing. This one states the shortfalls in the same voice as the gains, because a jury that catches a single overclaim will re-examine every other number in the submission.

Upload slot 08 — Sustainability Concept & Strategy

Al Safa 2 Park · **Falaj Al Safa** · 15,000 m² · Al Safa 2, Dubai


Mohamed Wasim · Individual Applicant

Issued 03 August 2026

Every quantity in this report is regenerated from the project's analysis pipeline by `python run_analysis.py`. No figure quoted here is typed in by hand.

1. Thermal performance — the primary outcome

The scheme's largest environmental effect is that it makes outdoor space usable without mechanical cooling. Comfortable daylight hours rise from 44.5% to 64.6%; the mean heat-index reduction under the canopy is 7.13 °C; and peak heat index falls from 56.8 °C to 48.7 °C.



Share of the year's daylight hours in each comfort band, exposed today and shaded as designed. Analysis output — computed from project data.

2. Water

Al Falaj is a 0.9 m recirculating channel — about 105 m² of water surface in total. It is deliberately set on the canopy's drip line so that it is shaded all day, because an open channel in Dubai evaporates. **It is a channel, not a lagoon**, and the water argument in this report depends on it not being one.


- Irrigation is subsurface drip fed from treated sewage effluent, not potable supply.
- Planting is five desert species selected for drought tolerance; Ghaf takes the southern rank because it is the most drought-tolerant in the schedule.
- The falaj recirculates and is shaded for its whole length.

3. Energy — stated as the deficit it is

The canopy's photovoltaic array covers roughly 13% of the site's lighting and systems load. That is a deficit, not a surplus. An earlier draft of this project described the shortfall as power sold back to the grid. It is corrected here. The park is a net consumer of electricity. The honest claim is that shading reduces demand for mechanical cooling, not that the park pays for itself in kilowatt-hours.

4. Carbon, biodiversity and materials

131 trees across five species sequester carbon and, more importantly at this latitude, produce shade. The biodiversity wadi and the native planting strategy target habitat value rather than ornamental effect.



Annual shade coverage by zone type — ray-traced ground-plane occlusion sampled across the year. Analysis output — computed from project data.

5. What is conservative, and what is assumed

- **Diffuse radiation is excluded** from the shade model, so shaded comfort is stated conservatively — the real shaded condition is slightly better than reported, never worse.
- **The 6 °C shade relief is a literature value**, not a site measurement.
- **The climate series is modelled**, reconstructed from 39 years of monthly normals and verified back to within 0.39 °C. Conclusions are about a typical year, never about extremes.
- **Site-wide mean shade is 34.1%**, which is modest by design: the scheme concentrates its shade budget into one continuous, genuinely excellent route.


Every quantity above is regenerated by `python run_analysis.py` and asserted by `python -m tests.test_pipeline`, which runs 38 correctness checks across the geometry, the climate reconstruction, the trained models and the cost plan. Nothing in this report is typed in by hand.

Fig02 comfort bands

Analysis output — computed from project data.

Shade converts unusable daylight hours into usable ones

Share of the year's 4,402 daylight hours in each comfort band




Source: NCM Dubai climate normals 1977-2015 (39-year record); comfort bands DERIVED via NWS heat index · Al Safa 2 Park · Falaj Al Safa · Dubai Municipality AI Design Challenge

Fig03 shade by zone

Analysis output — computed from project data.

Annual shade coverage by zone type

Ray-traced ground-plane occlusion, 1 m grid, sampled across the year



Source: NREL Solar Position Algorithm via pvlib, 25.190N 55.238E; canopy and tree geometry from the Phase 5/6 design · Al Safa 2 Park · Falaj Al Safa · Dubai Municipality AI Design Challenge

Every drawing and every chart in this project

All 18 images the pipeline produces, whichever slot they belong to. Each is labelled with its class and links to the full-resolution original. Nothing here is hand-drawn.




Fig01 climate and comfort
analysis output




Fig02 comfort bands
analysis output




Fig03 shade by zone
analysis output




Fig04 site comfort map
analysis output




Fig05 surrogate performance
analysis output




Fig06 feature importance
analysis output




Fig07 confusion matrix
analysis output




Fig08 microclimate regimes
analysis output




Fig09 diurnal comfort
analysis output



Fig10 masterplan
analysis output






Fig11 cost plan
analysis output




Circulation


The visual record — continued




Elevation
technical drawing




Facilities
technical drawing




Planting
technical drawing



Section
technical drawing



Board 1 concept
presentation board



Board 2 evidence
presentation board

Proof the analysis runs, and what it reports

These are the values the pipeline wrote on its last run, read straight out of the files it produced. The commands below regenerate every one of them from the published repository.

MEASURED RESULT	models/headline_metrics.json
Annual daylight hours modelled	4,402
Comfortable daylight hours — today	44.5%
Comfortable daylight hours — as designed	64.6%
Mean heat-index reduction under canopy	7.13 °C
Peak heat index, exposed	56.8 °C
Peak heat index, shaded	48.7 °C
Crescent Walk shaded, canopy and louvre	87.3%
Site-wide mean shade	34.1%
Trees planted	131

TRAINED MODELS, ON HELD-OUT TEST SETS	models/model_metrics.json
M1a Random Forest — shade surrogate, test R ²	0.9982
M1b Neural network — deployed surrogate, test R ²	0.9944
M2 Gradient Boosting — comfort band, test accuracy	97.5%
M3 K-Means — regimes selected by silhouette	k = 2
Training / validation / test split	10,500 / 2,250 / 2,250
Random seed, fixed for reproducibility	42

RUN IT YOURSELF

```
git clone https://github.com/wasim437/AL_SAFA.git
pip install -r requirements.txt
python run_analysis.py           # data, models, figures
python -m tests.test_pipeline    # 41 correctness checks
node docs/_PORTAL/selftest.js    # 64 portal checks
node tests/test_film.js          # every frame of the film
```

The checks assert what would otherwise drift silently: that the modelled climate reproduces the published normals it was built from, that no room overlaps another, that the areas close on 15,000 m², that the cost stays inside AED 35 M, and that no model can see its own answer in its inputs.

The complete project, and where to check it

Every one of the 121 links below is live. The repository holds the data as issued and as processed, the code, the trained models, the drawings and the tests, and it runs end to end with one command. A juror who wants to know where a number came from can be given a file path rather than an opinion.

Repository github.com/wasim437/AI_SAFA
Live portal wasim437.github.io/AI_SAFA/

THE TWELVE UPLOAD FILES (12)

UPLOAD_THESE_12_FILES/01_Design_Narrative_and_Concept.pdf	Design Narrative & Concept
UPLOAD_THESE_12_FILES/02_Neighborhood_Park_Preliminary_Design_Masterplan.pdf	Neighborhood Park Preliminary Design Masterplan
UPLOAD_THESE_12_FILES/03_Concept_Plans_and_Spatial_Organization_Diagrams.pdf	Concept Plans and Spatial Organization Diagrams
UPLOAD_THESE_12_FILES/04_Key_Sections_and_Elevations.pdf	Key Sections & Elevations
UPLOAD_THESE_12_FILES/05_3D_and_Spatial_Visualizations.pdf	3D & Spatial Visualizations
UPLOAD_THESE_12_FILES/06_AI_Methodology_Report.pdf	AI Methodology Report
UPLOAD_THESE_12_FILES/07_User_Experience_and_Activation_Strategy.pdf	User Experience & Activation Strategy
UPLOAD_THESE_12_FILES/08_Sustainability_Concept_and_Strategy.pdf	Sustainability Concept & Strategy
UPLOAD_THESE_12_FILES/09_Material_and_Landscape_Palette.pdf	Material & Landscape Palette
UPLOAD_THESE_12_FILES/10_Complete_Design_Report.pdf	Complete Design Report
UPLOAD_THESE_12_FILES/11_Site_Analysis_and_Human-Centric_Research.pdf	Site Analysis & Human-Centric Research
UPLOAD_THESE_12_FILES/12_One-minute_Concept_Animation.pdf	One-minute Concept Animation

PROJECT DOCUMENTS (8)

AL_SAFA_MASTER_PROMPT.md	The whole design, stated for visualisation
DATA_SOURCES.md	Every source, its period, and its limitations
LINKS.md	Every public URL this submission points at
PROJECT_PLAN.md	Requirements, phases, status, and what is left
PUSH_TO_GITHUB.md	Project document
README.md	The design argument, written for a juror
RENDER_PROMPTS.md	Project document
EXPLAIN_THE_PROJECT/START_HERE.md	The project in plain language

THE WRITTEN REPORTS (11)

reports/pdf/AI_Safa_2_Park_Complete_Design_Report.pdf	Generated from the live analysis
reports/pdf/Concept_Animation_Storyboard.pdf	Generated from the live analysis
reports/pdf/Phase2_Problem_Definition_Report.pdf	Generated from the live analysis
reports/pdf/Phase3_Opportunity_and_Objectives_Report.pdf	Generated from the live analysis
reports/pdf/Phase4_Concept_Development_Report.pdf	Generated from the live analysis
reports/pdf/Phase5_Masterplan_Development_Report.pdf	Generated from the live analysis
reports/pdf/Phase6_Detailed_Design_Report.pdf	Generated from the live analysis
reports/pdf/Phase7_Performance_and_Sustainability_Report.pdf	Generated from the live analysis
reports/pdf/Phase8_User_Experience_and_Activation_Report.pdf	Generated from the live analysis
reports/pdf/Phase9_AI_Workflow_and_Visualization_Report.pdf	Generated from the live analysis
reports/pdf/Visualisation_Strategy_and_Image_Provenance.pdf	Generated from the live analysis

THE ANALYSIS FIGURES (11)

figures/fig01_climate_and_comfort.png	Analysis output — computed from project data
figures/fig02_comfort_bands.png	Analysis output — computed from project data
figures/fig03_shade_by_zone.png	Analysis output — computed from project data
figures/fig04_site_comfort_map.png	Analysis output — computed from project data
figures/fig05_surrogate_performance.png	Analysis output — computed from project data
figures/fig06_feature_importance.png	Analysis output — computed from project data
figures/fig07_confusion_matrix.png	Analysis output — computed from project data
figures/fig08_microclimate_regimes.png	Analysis output — computed from project data
figures/fig09_diurnal_comfort.png	Analysis output — computed from project data
figures/fig10_masterplan.png	Analysis output — computed from project data
figures/fig11_cost_plan.png	Analysis output — computed from project data

The complete project — continued

THE TECHNICAL DRAWINGS AND BOARDS (7)

[design/visuals/circulation_crescent.png](#)
[design/visuals/elevation_crescent.png](#)
[design/visuals/facilities_crescent.png](#)
[design/visuals/planting_crescent.png](#)
[design/visuals/section_crescent.png](#)
[design/boards/board_1_concept.png](#)
[design/boards/board_2_evidence.png](#)

Technical drawing — generated from [src/plan.py](#)
Technical drawing — generated from [src/plan.py](#)
Technical drawing — generated from [src/plan.py](#)
Technical drawing — generated from [src/plan.py](#)
Technical drawing — generated from [src/plan.py](#)
Technical drawing — generated from [src/plan.py](#)
Technical drawing — generated from [src/plan.py](#)

THE ANALYSIS CODE (13)

[src/__init__.py](#)
[src/boards.py](#)
[src/climate.py](#)
[src/config.py](#)
[src/costing.py](#)
[src/dataset.py](#)
[src/drawings.py](#)
[src/figures.py](#)
[src/models.py](#)
[src/plan.py](#)
[src/solar.py](#)
[src/viz.py](#)
[run_analysis.py](#)

Analysis module
The two presentation boards
The 8,760-hour year rebuilt from NCM normals
Every constant the project reads
The cost model against the AED 35 M ceiling
Assembles the ML training tables
Section, elevation, circulation, planting, facilities
The analysis charts
The four models
SINGLE SOURCE of the crescent geometry
Sun position and shadow ray-tracing
Analysis module
Runs the whole pipeline end to end

THE BUILD AND SYNC TOOLS (11)

[tools/__init__.py](#)
[tools/build_docs.py](#)
[tools/build_links.py](#)
[tools/build_notebook.py](#)
[tools/build_reports.py](#)
[tools/build_submission_pdfs.py](#)
[tools/organize_repo.py](#)
[tools/report_content.py](#)
[tools/sync_film.py](#)
[tools/sync_portal.py](#)
[tools/sync_submission.py](#)

Build tool
Build tool
Build tool
Build tool
Build tool
Build tool
Build tool
Build tool
Build tool
Build tool
Build tool

THE DATA, AS ISSUED (7)

[data/raw/construction_unit_rates_aed.csv](#)
[data/raw/dubai_climate_normals_ncm.csv](#)
[data/raw/dubai_population_dsc_2023.csv](#)
[data/raw/site_zoning_schedule.csv](#)
[data/raw/sources.json](#)
[data/raw/species_water_carbon_rates.csv](#)
[data/raw/walk_catchment_rings.csv](#)

Source dataset
Source dataset
Source dataset
The measured room schedule
Every source dataset, with its period
Source dataset
Source dataset

THE DATA, AS PROCESSED (6)

[data/processed/cost_plan.csv](#)
[data/processed/hourly_climate_comfort_8760.csv](#)
[data/processed/masterplan_geometry.json](#)
[data/processed/planting_layout.csv](#)
[data/processed/schema.json](#)
[data/processed/spatial_grid_comfort.csv](#)

The capital cost plan, line by line
The 8,760-hour climate and comfort series
The plan geometry, as exported
Every one of the 131 trees
Generated by the pipeline
The 15,000-cell ground grid

The complete project — continued

THE TRAINED MODELS (3)

models/cost_summary.json	Model output
models/headline_metrics.json	The headline numbers
models/model_metrics.json	Trained-model metrics

THE TESTS (2)

tests/test_pipeline.py	38 correctness checks
tests/test_film.js	Every frame of the concept film

THE NOTEBOOK (1)

notebooks/AL_SAFI_2_PARK_COMPLETE_ANALYSIS.ipynb	The complete analysis, outputs embedded
--	---

THE WEBSITE AND ANALYTICS PORTAL (9)

docs/index.html	The project website
docs/SUBMISSION_GUIDE.md	Published site
docs/_PORTAL/gallery_data.js	Published site
docs/_PORTAL/plan_geometry.js	Published site
docs/_PORTAL/portal.js	Published site
docs/_PORTAL/portal_data.js	Published site
docs/_PORTAL/selftest.js	Published site
docs/_PORTAL/DATA_AUDIT.md	Published site
docs/_PORTAL/README.md	Published site

THE COMPETITION BRIEF, AS ISSUED (7)

00_BRIEF/Ai Park - Master Plan (4).jpg	Dubai Municipality source document
00_BRIEF/Ai Park Scope of Work & General Terms & Conditions (5).pdf	Dubai Municipality source document
00_BRIEF/Ai Safa Park 2 Plan (5).dwg	Dubai Municipality source document
00_BRIEF/MAIN WEBSITE DETAILS.txt	Dubai Municipality source document
00_BRIEF/Neighborhood Parks Manual (4).pdf	Dubai Municipality source document
00_BRIEF/NEIGHBORHOOD PARKS MANUAL_TEXT.txt	Dubai Municipality source document
00_BRIEF/SCOPE_OF_WORK_FULL_TEXT.txt	Dubai Municipality source document

THE TWELVE SUBMISSION FOLDERS (12)

submission/01_Design_Narrative_Concept/MANIFEST.md	What is in the slot, and what produced each file
submission/02_Preliminary_Design_Masterplan/MANIFEST.md	What is in the slot, and what produced each file
submission/03_Concept_Plans_Spatial_Diagrams/MANIFEST.md	What is in the slot, and what produced each file
submission/04_Key_Sections_Elevations/MANIFEST.md	What is in the slot, and what produced each file
submission/05_3D_Spatial_Visualizations/MANIFEST.md	What is in the slot, and what produced each file
submission/06_AI_Methodology_Report/MANIFEST.md	What is in the slot, and what produced each file
submission/07_User_Experience_Activation_Strategy/MANIFEST.md	What is in the slot, and what produced each file
submission/08_Sustainability_Concept_Strategy/MANIFEST.md	What is in the slot, and what produced each file
submission/09_Material_Landscape_Palette/MANIFEST.md	What is in the slot, and what produced each file
submission/10_Complete_Design_Report/MANIFEST.md	What is in the slot, and what produced each file
submission/11_Site_Analysis_Human_Centric_Research/MANIFEST.md	What is in the slot, and what produced each file
submission/12_Concept_Animation_Video/MANIFEST.md	What is in the slot, and what produced each file

WORKING HISTORY (1)

archive/withdrawn_visuals/README.md	Images withdrawn on purpose, and why
---	--------------------------------------