

WASIMPASHA PATWARI

Data Science and Business Analytics Intern @ TSF

Task #5 : Exploratory Data Analysis : Sports (Indian Premier League)

Dataset : matches.csv (<https://bit.ly/34SRn3b>)

```
from google.colab import drive
drive.mount('/content/drive')
```

Drive already mounted at /content/drive; to attempt to forcibly remount, call drive.mount("/content/drive", force_remount=True).

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
%matplotlib inline
import warnings
warnings.filterwarnings('ignore')
```

```
data = pd.read_csv("/content/drive/MyDrive/Project
dataset/matches.csv")
```

```
data.head()
```

	id	season	city	date	team1 \
0	1	2017	Hyderabad	2017-04-05	Sunrisers Hyderabad
1	2	2017	Pune	2017-04-06	Mumbai Indians
2	3	2017	Rajkot	2017-04-07	Gujarat Lions
3	4	2017	Indore	2017-04-08	Rising Pune Supergiant
4	5	2017	Bangalore	2017-04-08	Royal Challengers Bangalore

	team2	toss_winner
toss_decision \		
0	Royal Challengers Bangalore	Royal Challengers Bangalore
field		
1	Rising Pune Supergiant	Rising Pune Supergiant
field		
2	Kolkata Knight Riders	Kolkata Knight Riders
field		
3	Kings XI Punjab	Kings XI Punjab
field		
4	Delhi Daredevils	Royal Challengers Bangalore
bat		

	result	dl_applied	winner	win_by_runs	\
0	normal	0	Sunrisers Hyderabad	35	

1	normal	0	Rising Pune Supergiant	0
2	normal	0	Kolkata Knight Riders	0
3	normal	0	Kings XI Punjab	0
4	normal	0	Royal Challengers Bangalore	15

win_by_wickets		player_of_match	
venue \			
0	0	Yuvraj Singh	Rajiv Gandhi International Stadium, Uppal
1	7	SPD Smith	Maharashtra Cricket Association Stadium
2	10	CA Lynn	Saurashtra Cricket Association Stadium
3	6	GJ Maxwell	Holkar Cricket Stadium
4	0	KM Jadhav	M Chinnaswamy Stadium

	umpire1	umpire2	umpire3
0	AY Dandekar	NJ Llong	NaN
1	A Nand Kishore	S Ravi	NaN
2	Nitin Menon	CK Nandan	NaN
3	AK Chaudhary	C Shamshuddin	NaN
4	NaN	NaN	NaN

```
Data = pd.read_csv("/content/drive/MyDrive/Project
dataset/deliveries.csv")
```

```
Data.head()
```

match_id	inning	batting_team		bowling_team	
over \					
0	1	1	Sunrisers Hyderabad	Royal Challengers Bangalore	
1					
1	1	1	Sunrisers Hyderabad	Royal Challengers Bangalore	
1					
2	1	1	Sunrisers Hyderabad	Royal Challengers Bangalore	
1					
3	1	1	Sunrisers Hyderabad	Royal Challengers Bangalore	
1					
4	1	1	Sunrisers Hyderabad	Royal Challengers Bangalore	
1					

ball \	balls	batsman	non_striker	bowler	is_super_over	...	bye_runs
0	1	DA Warner	S Dhawan	TS Mills	0	...	0
1	2	DA Warner	S Dhawan	TS Mills	0	...	0
2	3	DA Warner	S Dhawan	TS Mills	0	...	0

3	4	DA Warner	S Dhawan	TS Mills	0	...	0
4	5	DA Warner	S Dhawan	TS Mills	0	...	0

	legbye_runs	noball_runs	penalty_runs	batsman_runs	extra_runs	\
0	0	0	0	0	0	
1	0	0	0	0	0	
2	0	0	0	4	0	
3	0	0	0	0	0	
4	0	0	0	0	2	

	total_runs	player_dismissed	dismissal_kind	fielder
0	0	NaN	NaN	NaN
1	0	NaN	NaN	NaN
2	4	NaN	NaN	NaN
3	0	NaN	NaN	NaN
4	2	NaN	NaN	NaN

[5 rows x 21 columns]

```
season_data=data[['id','season','winner']]
```

```
complete_data=Data.merge(season_data,how='inner',left_on='match_id',right_on='id')
```

```
data.columns.values
```

```
array(['id', 'season', 'city', 'date', 'team1', 'team2',
      'toss_winner',
      'toss_decision', 'result', 'dl_applied', 'winner',
      'win_by_runs',
      'win_by_wickets', 'player_of_match', 'venue', 'umpire1',
      'umpire2',
      'umpire3'], dtype=object)
```

```
data = data.drop(columns=["umpire3"],axis=1)
```

```
data.head()
```

	id	season	city	date	team1	\
0	1	2017	Hyderabad	2017-04-05	Sunrisers Hyderabad	
1	2	2017	Pune	2017-04-06	Mumbai Indians	
2	3	2017	Rajkot	2017-04-07	Gujarat Lions	
3	4	2017	Indore	2017-04-08	Rising Pune Supergiant	
4	5	2017	Bangalore	2017-04-08	Royal Challengers Bangalore	

	team2	toss_winner
toss_decision	\	

0	Royal Challengers Bangalore	Royal Challengers Bangalore
field		
1	Rising Pune Supergiant	Rising Pune Supergiant
field		
2	Kolkata Knight Riders	Kolkata Knight Riders
field		
3	Kings XI Punjab	Kings XI Punjab
field		
4	Delhi Daredevils	Royal Challengers Bangalore
bat		

	result	dl_applied	winner	win_by_runs	\
0	normal	0	Sunrisers Hyderabad	35	
1	normal	0	Rising Pune Supergiant	0	
2	normal	0	Kolkata Knight Riders	0	
3	normal	0	Kings XI Punjab	0	
4	normal	0	Royal Challengers Bangalore	15	

	win_by_wickets	player_of_match	venue	\
0	0	Yuvraj Singh	Rajiv Gandhi International Stadium,	
Uppal				
1	7	SPD Smith	Maharashtra Cricket Association	
Stadium				
2	10	CA Lynn	Saurashtra Cricket Association	
Stadium				
3	6	GJ Maxwell	Holkar Cricket	
Stadium				
4	0	KM Jadhav	M Chinnaswamy	
Stadium				

	umpire1	umpire2
0	AY Dandekar	NJ Llong
1	A Nand Kishore	S Ravi
2	Nitin Menon	CK Nandan
3	AK Chaudhary	C Shamshuddin
4	NaN	NaN

```
wins_per_season = data.groupby("season")["winner"].value_counts()
wins_per_season
```

season	winner	
2008	Rajasthan Royals	13
	Kings XI Punjab	10
	Chennai Super Kings	9
	Delhi Daredevils	7
	Mumbai Indians	7
	..	
2019	Kings XI Punjab	6
	Kolkata Knight Riders	6

```


Sunrisers Hyderabad      6
Rajasthan Royals          5
Royal Challengers Bangalore 5
Name: winner, Length: 100, dtype: int64

```

```

plt.figure(figsize = (18,10))
sns.countplot(x='winner',data=data, palette='cool')
plt.title("Numbers of matches won by team ",fontsize=20)
plt.xticks(rotation=50)
plt.xlabel("Teams",fontsize=15)
plt.ylabel("No of wins",fontsize=15)
plt.show()

```



```

data['win_by']=np.where(data['win_by_runs']>0,'Bat first','Bowl first')


```

```


Win=data.win_by.value_counts()
labels=np.array(Win.index)
sizes = Win.values
colors = ['#FFBF00', '#FA8072']
plt.figure(figsize = (10,8))
plt.pie(sizes, labels=labels, colors=colors,
        autopct='%1.1f%%', shadow=True,startangle=90)
plt.title('Match Result',fontsize=20)
plt.axis('equal')
plt.show()

```

Match Result



```
# we will plot pie chart on Toss decision
Toss=data.toss_decision.value_counts()
labels=np.array(Toss.index)
sizes = Toss.values
colors = ['#FFBF00', '#FA8072']
plt.figure(figsize = (10,8))
plt.pie(sizes, labels=labels, colors=colors,
        autopct='%1.1f%%', shadow=True,startangle=90)
plt.title('Toss result',fontsize=20)
plt.axis('equal')
plt.show()
```



```
# we will print winner season wise
final_matches=data.drop_duplicates(subset=['season'], keep='last')


final_matches[['season','winner']].reset_index(drop=True).sort_values(
'season')
```

	season	winner
1	2008	Rajasthan Royals
2	2009	Deccan Chargers
3	2010	Chennai Super Kings
4	2011	Chennai Super Kings
5	2012	Kolkata Knight Riders
6	2013	Mumbai Indians
7	2014	Kolkata Knight Riders
8	2015	Mumbai Indians
9	2016	Sunrisers Hyderabad
0	2017	Mumbai Indians
10	2018	Chennai Super Kings
11	2019	Mumbai Indians

```

# we will plot pie chart on Winning percentage in final
match = final_matches.win_by.value_counts()
labels=np.array(Toss.index)
sizes = match.values
colors = ['gold', 'purple']
plt.figure(figsize = (10,8))
plt.pie(sizes, labels=labels, colors=colors,
        autopct='%1.1f%%', shadow=True,startangle=90)
plt.title('Match Result',fontsize=20)
plt.axis('equal')
plt.show()

```




```

Toss=final_matches.toss_decision.value_counts()
labels=np.array(Toss.index)
sizes = Toss.values
colors = ['#FFBF00', '#FA8072']
plt.figure(figsize = (10,8))
plt.pie(sizes, labels=labels, colors=colors,
        autopct='%1.1f%%', shadow=True,startangle=90)
plt.title('Toss Result',fontsize=20)
plt.axis('equal')
plt.show()


```


Toss Result



```
# we will print name of top player in IPL
plt.figure(figsize = (18,10))
top_players = data.player_of_match.value_counts()[:10]
fig, ax = plt.subplots()
ax.set_ylim([0,20])
ax.set_ylabel("Count")
ax.set_title("Top player of the match Winners")
top_players.plot.bar()
sns.barplot(x = top_players.index, y = top_players, orient='v',
palette="hsv");
plt.show()
```

<Figure size 1800x1000 with 0 Axes>



We will print IPL Finals venues and winners along with the number of wins.

```
final_matches.groupby(['city', 'winner']).size()
```

city	winner	
Bangalore	Kolkata Knight Riders	1
	Sunrisers Hyderabad	1
Chennai	Chennai Super Kings	1
	Kolkata Knight Riders	1
Hyderabad	Mumbai Indians	2
Johannesburg	Deccan Chargers	1
Kolkata	Mumbai Indians	2
Mumbai	Chennai Super Kings	2
	Rajasthan Royals	1

dtype: int64

we will print number of season won by teams

```
final_matches["winner"].value_counts()
```

Mumbai Indians	4
Chennai Super Kings	3

```
Kolkata Knight Riders    2
Rajasthan Royals        1
Deccan Chargers         1
Sunrisers Hyderabad     1
Name: winner, dtype: int64
```

```
# we will print toss winner, toss decision, winner in final matches.
final_matches[['toss_winner','toss_decision','winner']].reset_index(drop=True)
```

	toss_winner	toss_decision	winner
0	Mumbai Indians	bat	Mumbai Indians
1	Rajasthan Royals	field	Rajasthan Royals
2	Royal Challengers Bangalore	field	Deccan Chargers
3	Chennai Super Kings	bat	Chennai Super Kings
4	Chennai Super Kings	bat	Chennai Super Kings
5	Chennai Super Kings	bat	Kolkata Knight Riders
6	Mumbai Indians	bat	Mumbai Indians
7	Kolkata Knight Riders	field	Kolkata Knight Riders
8	Chennai Super Kings	field	Mumbai Indians
9	Sunrisers Hyderabad	bat	Sunrisers Hyderabad
10	Chennai Super Kings	field	Chennai Super Kings
11	Mumbai Indians	bat	Mumbai Indians

```
# we will print man of the match
final_matches[['winner','player_of_match']].reset_index(drop=True)
```

	winner	player_of_match
0	Mumbai Indians	KH Pandya
1	Rajasthan Royals	YK Pathan
2	Deccan Chargers	A Kumble
3	Chennai Super Kings	SK Raina
4	Chennai Super Kings	M Vijay
5	Kolkata Knight Riders	MS Bisla
6	Mumbai Indians	KA Pollard
7	Kolkata Knight Riders	MK Pandey
8	Mumbai Indians	RG Sharma
9	Sunrisers Hyderabad	BCJ Cutting
10	Chennai Super Kings	SR Watson
11	Mumbai Indians	JJ Bumrah


```
len(final_matches[final_matches['toss_winner']==final_matches['winner']][['winner']])
```

```
9
```

```
# we will print numbers of fours hit by team
four_data=complete_data[complete_data['batsman_runs']==4]
four_data.groupby('batting_team')['batsman_runs'].agg([('runs by fours','sum'),('fours','count')])
```


batting_team	runs by fours	fours
Chennai Super Kings	8772	2193
Deccan Chargers	3828	957
Delhi Capitals	968	242
Delhi Daredevils	8632	2158
Gujarat Lions	1840	460
Kings XI Punjab	9832	2458
Kochi Tuskers Kerala	680	170
Kolkata Knight Riders	9736	2434
Mumbai Indians	10352	2588
Pune Warriors	2100	525
Rajasthan Royals	8140	2035
Rising Pune Supergiant	788	197
Rising Pune Supergiants	684	171
Royal Challengers Bangalore	9440	2360
Sunrisers Hyderabad	5776	1444

```
# we will plot graph on four hit by players
batsman_four=four_data.groupby('batsman')
['batsman_runs'].agg([('four','count')]).reset_index().sort_values('four',ascending=0)
ax=batsman_four.iloc[:10,:].plot('batsman','four',kind='bar',color='black')
plt.title("Numbers of fours hit by playes ",fontsize=20)
plt.xticks(rotation=50)
plt.xlabel("Player name",fontsize=15)
plt.ylabel("No of fours",fontsize=15)
plt.show()
```



```
# we will plot graph on no of four hit in each season
ax=four_data.groupby('season')
['batsman_runs'].agg([('four','count')]).reset_index().plot('season','four',kind='bar',color = 'red')
plt.title("Numbers of fours hit in each season ",fontsize=20)
plt.xticks(rotation=50)
plt.xlabel("season",fontsize=15)
plt.ylabel("No of fours",fontsize=15)
plt.show()
```

Numbers of fours hit in each season




we will print no of sixes hit by team

```
six_data=complete_data[complete_data['batsman_runs']==6]
six_data.groupby('batting_team')['batsman_runs'].agg([('runs by six', 'sum'), ('sixes', 'count')])
```


batting_team	runs by six	sixes
Chennai Super Kings	5838	973
Deccan Chargers	2400	400
Delhi Capitals	522	87
Delhi Daredevils	4806	801
Gujarat Lions	930	155
Kings XI Punjab	5856	976
Kochi Tuskers Kerala	318	53
Kolkata Knight Riders	5580	930
Mumbai Indians	6576	1096
Pune Warriors	1176	196
Rajasthan Royals	4086	681
Rising Pune Supergiant	534	89
Rising Pune Supergiants	408	68
Royal Challengers Bangalore	6792	1132
Sunrisers Hyderabad	3198	533

```
# we will plot graph of six hit by players
batsman_six=six_data.groupby('batsman')
['batsman_runs'].agg(['six','count']).reset_index().sort_values('six',ascending=0)
ax=batsman_six.iloc[:10,:].plot('batsman','six',kind='bar',color='green')
plt.title("Numbers of six hit by plays ",fontsize=20)
plt.xticks(rotation=50)
plt.xlabel("Player name",fontsize=15)
plt.ylabel("No of six",fontsize=15)
plt.show()
```



```
# we will plot graph on no of six hit in each season
ax=six_data.groupby('season')
['batsman_runs'].agg(['six','count']).reset_index().plot('season','six',kind='bar',color = 'blue')
plt.title("Numbers of fours hit in each season ",fontsize=20)
plt.xticks(rotation=50)
```

```
plt.xlabel("season", fontsize=15)
plt.ylabel("No of fours", fontsize=15)
plt.show()
```



```
# We will print the top 10 leading run scorer in IPL
batsman_score=Data.groupby('batsman')
['batsman_runs'].agg(['sum']).reset_index().sort_values('sum',ascending=False).reset_index(drop=True)
batsman_score=batsman_score.rename(columns={'sum':'batsman_runs'})
print("*** Top 10 Leading Run Scorer in IPL ***")
batsman_score.iloc[:10,:]
```

*** Top 10 Leading Run Scorer in IPL ***

	batsman	batsman_runs
0	V Kohli	5434
1	SK Raina	5415
2	RG Sharma	4914
3	DA Warner	4741
4	S Dhawan	4632
5	CH Gayle	4560
6	MS Dhoni	4477
7	RV Uthappa	4446

8	AB de Villiers	4428
9	G Gambhir	4223

```
# we will print no of matches played by batsman
No_Matches_player= Data[["match_id","player_dismissed"]]
No_Matches_player =No_Matches_player .groupby("player_dismissed")
["match_id"].count().reset_index().sort_values(by="match_id",ascending
=False).reset_index(drop=True)
No_Matches_player.columns=["batsman","No_of Matches"]
No_Matches_player .head(5)
```

	batsman	No_of Matches
0	SK Raina	162
1	RG Sharma	155
2	RV Uthappa	153
3	V Kohli	143
4	S Dhawan	137

```
wicket_data=Data.dropna(subset=['dismissal_kind'])
wicket_data=wicket_data[~wicket_data['dismissal_kind'].isin(['run
out','retired hurt','obstructing the field'])]
```

```
# we will print ipl most wicket taking bowlers
wicket_data.groupby('bowler')
['dismissal_kind'].agg(['count']).reset_index().sort_values('count',as
cending=False).reset_index(drop=True).iloc[:10,:]
```

	bowler	count
0	SL Malinga	170
1	A Mishra	156
2	Harbhajan Singh	150
3	PP Chawla	149
4	DJ Bravo	147
5	B Kumar	133
6	R Ashwin	125
7	SP Narine	122
8	UT Yadav	119
9	RA Jadeja	108

Conclusion :

The highest number of match played in IPL season was 2013,2014,2015.

The highest number of match won by Mumbai Indians i.e 4 match out of 12 matches.

Teams which Bowl first has higher chances of winning then the team which bat first.

After winning toss more teams decide to do fielding first.

In finals teams which decide to do fielding first win the matches more then the team which bat first.

In finals most teams after winning toss decide to do fielding first.

Top player of match winning are CH gayle, AB de villers.

It is interesting that out of 12 IPL finals,9 times the team that won the toss was also the winner of IPL.

The highest number of four hit by player is Shikar Dhawan.

The highest number of six hit by player is CH gayle.

Top leading run scorer in IPL are Virat kholi, SK Raina, RG Sharma.

The highest number of matches played by player name are SK Raina, RG Sharma.

Dismissals in IPL was most by Catch out .

The IPL most wicket taken blower is SL Malinga.

Thank You!