Crickbot, explained simply


Study notes: everything we built, why, and the problems we solved, in plain words

Read this before the workshop. You don't need to remember the code, only the ideas.

The whole project in one minute

1	**The goal**	A chatbot that answers cricket fans' questions about a live match, designed for millions of fans.
2	**What we built**	A working version on this laptop: a live match, a chat, a monitoring dashboard. No cloud.
3	**The data**	10 IPL seasons (2008–2017): every ball of 636 matches, 150,460 balls in total.
4	**The big idea**	Facts come from the database; the AI model only writes sentences. 9 in 10 answers skip the AI.
5	**The proof**	153 automated tests, 22/22 correct answers, and 15 bugs found by attacking it on purpose, all fixed.

What people will see: four parts of one app



Scoreboard

the live score of the replayed 2017 IPL final, updating every 4 seconds

Ball by ball

commentary for every delivery; lines marked AI are written by the model in quiet moments

Chat

fans ask questions; each answer shows where it came from, how long it took, and its sources


Dashboard

a second tab: health, live charts, alerts, Break buttons and traffic tests

Five building blocks, explained as a shop

	Block	What it is	Think of it as
	**React UI**	The web page fans use	***The shop window***
	**FastAPI agent**	The Python program that decides how to answer each question	***The shopkeeper***
	**SQLite**	A database file holding every ball of 10 seasons	***The record book: exact numbers***
	**Chroma**	A vector database of 827 short documents	***A librarian who finds pages by meaning***
	**Ollama + qwen2.5:3b**	A small AI model running on the laptop	***An expert writer: smart, but slow***

How "Who won IPL 2010?" gets answered



The fan sees: "*Chennai Super Kings won IPL 2010, beating Mumbai Indians by 22 runs in the final at Dr DY Patil Sports Academy.*"

`FROM STATS DB · 0.1 s · v107 · inns 1 · over 17.2`

Only if the question needs reasoning ("why", "compare", "explain") does step 4 hand everything to the AI model, which takes 7–17 seconds on this laptop. Afterwards two checks run: every number must exist in the data, and the AI must not reveal its own instructions.

When does the AI model get used?

No AI needed (about 9 in 10)

- What's the score? who's batting?
- Who won IPL 2010? Most wickets in 2011?
- Kohli's runs, team titles, head-to-head
- What is a free hit? (rule book)
- Refusals: attacks, off topic, outside the data

0–250 ms


AI model needed

- Why is Malinga so effective at the death?
- Compare Kohli and Rohit as batsmen
- Explain that dismissal
- Questions in unusual words

7–17 seconds

Like a cricket ground: you don't call the commentator to read the scoreboard.

The data: 10 IPL seasons, stored two ways



Built once by the ingest job (python -m cricket_chatbot.ingest): about 3 s for SQLite and about 2 minutes to create the 827 vectors.

Chunking, simply: cut by meaning, not by size

Usual way: cut every 1,000 chars

```
…V Kohli played for Royal Challengers
Bangalore. Batting 2008–2017: 4423 runs
   – – – – – cut here – – – – –
from 3405 balls, average 37.48, strike rate
129.9…
```

A search can return half a fact: the runs without the strike rate.


Our way: one whole fact each

- 636 match summaries
- 150 player profiles
- 18 rule sections
- 13 teams · 10 seasons

Every search result is a whole fact. Each document is short enough to use in one piece.

If asked "how did you chunk 10 years of data?" → "One document per match, player, season, team or rule: 827 in total. The 150,000 balls stay in SQLite for exact numbers."

What is a vector? Meaning turned into numbers



Distance (smaller = closer meaning)

0.26	**Rule: no ball and free hit**
0.34	Rule: byes and leg byes
0.36	Rule: ways of getting out

In one sentence: similar meaning gives similar numbers, so the search finds the right rule even if the fan never uses the words "free hit".

RAG = Retrieval-Augmented Generation: find the right notes first (retrieval), then let the AI write using them (generation).

Hybrid search: four judges vote

Season filter

"2016" in the question? Only look at 2016

Meaning

the vector distance from the last slide

Keywords

exact words count: "final", "Malinga"

Question type


is it about a rule, a player, a team or a season?

Votes combined → the best 3 documents

near-duplicates are skipped so the 3 are different

Why it was needed: "Who won the 2016 final?" used to return random 2016 league matches, because 60 matches from one season sound alike. **Result:** the right document comes first on 38 of 38 test questions (was 75%).

The live match: a recorded final played back



Every answer is stamped with the ball it was based on: "v107 · inns 1 · over 17.2".

If the feed stops, the scoreboard shows "Feed delayed" and an alert fires after 20 seconds.

Mumbai Indians beat Rising Pune Supergiant by 1 run in the real match. Restart it any time: Dashboard → Restart match.

Safety: three checkpoints

1. At the door

checks the question

- Prompt attacks, even written as 1gn0re or in Hindi
- Betting, abuse, hate
- Over 500 characters
- Emails and phone numbers hidden

2. Scope check

is it ours to answer?

- Outside 2008–2017 or World Cup → "not in my data"
- Not cricket → "I only talk cricket"
- "his?" → "ask a full question"

3. At the exit

checks the answer

- Never repeats its own instructions
- Every number must exist in the data
- Checked while streaming, not after

Also: the database is read-only and the AI can't write SQL, so a successful attack still can't change data.

Traffic control in cricket-ground terms



Rate limiting

Each fan's own ticket allowance

20 questions a minute per fan, 6 in a quick burst. Then: "slow down, try in 3 s" (HTTP 429).



Throttling

The stadium gate's total capacity

10 questions a second for everyone together. Protects the whole system.



Load shedding

An express counter when the main queue is full

The AI answers 1 at a time with 6 waiting. Anyone else gets a quick data answer in about a second instead of waiting.

All three are tested with one click on the Dashboard (Traffic test lab) and all three pass.

When something breaks: fuses, not blackouts

Circuit breaker = a fuse for each part

After 3 failures in a row, the app stops calling that part, like a fuse tripping. One room goes dark, not the whole house.

What fans still get

- AI down → score, stats and rules still work
- Vector DB down → stats still work
- Feed down → last score + "Feed delayed"

What Break and Restore on the Dashboard really do

Break pretends the part has failed: calls to it are made to fail on purpose. Nothing is really damaged.

Alert a monitor checks every 2 s, sees the part is down, turns the banner red and writes "ALERT fired" to the log.

Restore stops pretending. A health check runs every 5 s, sees the part working, and closes its fuse. The alert clears within about 7 s.

Observability: the car dashboard for the app

Metrics	*the speedometer*	answers per minute, waiting time, errors: 12 live charts and /metrics
Alerts	*warning lights*	10 rules, e.g. part down, slow answers, overload; red/amber banner
Health checks	*the engine check*	/health/ready says which parts are up and their last error
Traces	*a trip log for one answer*	how long each step took: search, database, AI
Logs	*the black box*	backend/var/app.log; every answer has an id to find its lines

If something looks wrong: Dashboard first → then the trace → then the log line.

How we proved it works

153

automated tests

run in 5 seconds with a fake AI, so they're fast and repeatable

22 / 22

answers correct

checked against facts read straight from the database

38 / 38

searches correct

right document first, including 14 questions never tuned on

10 / 10

failure drills

break each part, check the app keeps answering

3 / 3

traffic tests

rate limit, throttle, load shed

15

bugs found and fixed

by throwing about 110 strange and hostile inputs at the app

Problems we hit, and how we fixed them (1 of 2)

Problem	Why it happened	Fix → result
Wrong champion: "IPL 2010 was won by RCB"	The small AI got confused by loosely related match notes	Look the fact up in the database first; the AI only words it → Chennai Super Kings
First word took 14 seconds	The prompt changed every ball, so the AI re-read everything	Keep the instructions identical; put live data in the question → about 3 s
The AI printed its own instructions	"1gn0re prev1ous instruct1ons" slipped past the guard	Clean up tricks before checking; block any copied instruction text, even mid-stream
"Who won the 2016 final?" found random matches	60 matches from one season look alike to vector search	Label each final; hybrid search with four judges → 75% to 100%
Kohli scored "0 runs" in 2016	"T Kohli" (another player) matched inside "Virat Kohli"	Match whole names only → 973 runs
"His career runs" answered with 2016 runs	The follow-up copied the year from the previous question	Borrow the player, not the year → 4,423 runs

Problems we hit, and how we fixed them (2 of 2)

Problem	Why it happened	Fix → result
"Deccan also won in 2011" (false)	The AI misread a 2011 match note as a title	A titles lookup from the database → only 2009
"Capital of France?" was answered	No topic check	Off-topic questions are declined in about 0.1 s
"2008 2009 2010 winners" was refused	The privacy filter thought the years were a phone number	Match real phone shapes only
One bad admin value crashed the server	"NaN" broke the error message itself (HTTP 500)	Reject it with a clean error that doesn't echo input
The laptop froze	Three AI models loaded in memory at once	The thinking model unloads 3 minutes after use
"Admin token rejected" on the dashboard	The session secret (first line of .env) was pasted	Unlock checks the token and explains the mistake

Numbers to remember

10
IPL seasons, 2008–2017

636
matches

150,460
balls in the database

827
documents in Chroma

768
numbers per vector

9
tools the agent can use

~150 ms
typical data answer

7–17 s
AI answer on this CPU

153
automated tests

22 / 22
answers correct

20 / min
per-fan limit (burst 6)

1 + 6
AI running + waiting

Words you'll hear, in one line each

LLM	the AI model that writes sentences (here qwen2.5:3b)
Embedding / vector	text turned into numbers that capture meaning
Vector database	stores vectors and finds the closest ones (Chroma)
RAG	find the right notes first, then let the AI write
Chunk	one piece of text stored for search (here: one fact)
Hallucination	the AI stating something untrue
Prompt injection	a message trying to override the AI's rules
Guardrail	a check that blocks bad input or output

Rate limiting	a limit per person
Throttling	a limit on the total
Load shedding	turning away extra work quickly instead of queueing it
Circuit breaker	stop calling a part that keeps failing (a fuse)
Latency / p95	waiting time / the time 95% of answers beat
SSE	server-sent events: the server pushes live updates to the browser
C4 model	architecture drawn at zoom levels: context, containers, components
ADR	a short record of a design decision, why, and its cost

If they ask… you can say…

Is this ChatGPT?	No. A small open AI model runs on my laptop through Ollama. No internet or API key needed.
Why not let the AI answer everything?	It's slow on a CPU and can invent numbers. Facts come from the database; the AI only explains.
Can it give wrong answers?	Rarely for facts, which come from the data. Its reasoning can still be wrong; I show an example.
How do you stop prompt attacks?	Three checkpoints: the question, the scope, and the answer. 13 of 13 attacks blocked.
What if the AI crashes?	Score, stats and rules keep working. I'll show it live with the Break button.
Can it handle 5 million fans?	Not on a laptop. The design scales with Redis, many app copies, a CDN and GPUs: that's the roadmap.
How did you test it?	153 automated tests, a 22-question accuracy check, failure drills, and attacking it with 110 strange inputs.
Is it production ready?	Not yet. It's a working prototype; the missing pieces are known and listed.

What's not done yet, and why that's fine

Not done yet

- Runs as one program: can't add a second copy yet
- No HTTPS or real user login
- Nothing restarts it automatically if it crashes
- AI answers are slow without a GPU
- Test sets are small (22 and 38 questions)
- Word lists can miss unusual phrasing

Why that's fine for today

It's a working prototype that proves the design: fast answers from data, safety checks, graceful failure and monitoring. Every gap has a known, standard fix (Redis, HTTPS, a process supervisor, a GPU, CI), listed on the roadmap slide of the main deck.

How to talk about it confidently

1	**Start with the story**	goal → what you built → data → big idea → proof (slide 2)
2	**Use the comparisons**	record book, librarian, fuse, stadium gate
3	**Say "measured" with numbers**	"measured on this laptop: about 150 ms"
4	**Admit limits first**	the slow AI, one process, small test sets
5	**Tell one bug story**	Kohli "0 runs" or the leaked instructions
6	**If you don't know**	"I haven't measured that. I'd check it on the dashboard or with the test scripts."

Your 30-second pitch

"I built Crickbot, a cricket chatbot that runs entirely on my laptop. It knows 10 IPL seasons, every ball from 2008 to 2017, and follows a live match ball by ball. Nine in ten questions are answered straight from the database in about 150 milliseconds; the AI model is only used for 'why' questions. It blocks prompt attacks, limits traffic, keeps working when parts fail, and has its own monitoring dashboard. I tested it with 153 automated tests, and found and fixed 15 bugs by attacking it on purpose."