

Patient ID	1000605184	Patient Name	SUMAN MIAH
DOB	14-Jan-1989	Age	33 Y 7 M 15 D
Gender	Male	Ref. By	FLU CORNER

Department of Pathology Laboratory
Molecular Diagnostic Laboratory Report

Specimen Information	Collected	28-Aug-2022	11:58 am
Nasopharyngeal Swab And Throat Swab	Received	28-Aug-2022	1:09 pm
	Report Generated	28-Aug-2022	3:47 pm

Test Name	Result
-----------	--------

Non-panel Item

Real Time PCR for COVID-19 Virus Negative

Test platform:

Instrument: QuantStudio 5

Test Kit: Novel Coronavirus (2019- nCov) Nucleic Acid Diagnostic Kit, Sansure Biotech Inc.

Test Chemistry: Qualitative Real-Time PCR based on TAQMAN Probing Chemistry.

Target Selection: ORF 1ab and N genes

Detection limit: 200 copies /ml

Technical Note:

Test result "**Negative**" means COVID-19 virus is absent in the given sample. However, it does not rule out the presence of COVID-19 in patient as the test may be affected by the stage of infection, quality of the collected sample, degree of viral multiplication & clearance and by the mutation in the target sequence of 2019 nCov.


Moreover, reported COVID 19 RT PCR assay detection rate is about 65-70%. It is, therefore, recommended to correlate the test result with clinical findings of the patient.

PCR inhibition is ruled out by the correct amplification of the internal control and positive control.



Mr. Md. Shahinur Islam

Medical Technologist-Laboratory



Mr. Md. Al Ahad Siddiquey

B.Sc(Hons),M.Sc(Biotechnology &
Scientific Officer



Dr. Nazia Hasan Khan

MBBS,MD (Virology)
Specialist

Prof. Brig Gen Zahid Mahmud (Retd)

FCPS(Haematology)

Chief Consultant - Laboratory Medicine