

Threat Intelligence Investigation Report

Analyst Name: WASIU BLESSING AJAO
Date of Investigation: 19th of September, 2026
Target Organization: Northbridge Fintech

Section 1: Surface Identification

Attribute	Captured Investigation Data
Suspected Malware Family	CoinMiner
Original File Name	
○ gmstcccpdzbb.exe ● cdns-filter.exe ● bjvz6r.exe	
File Type :	Win32 Executable(exe)
SHA-256 Digital Fingerprint (Hash):	
061de99e4a504d331e11d4ee27d246790290d9e44e6a261c0f5bb756255db640	

Section 2: Infrastructure & Network Relations

Antivirus Detection Score: The table below shows that 58 of the 70 available antivirus engines on virustotal and 17 of the 26 available antivirus engines detected/classified the file as malicious.

Virustotal	Hybrid analysis
58/70	17/26

Number of vendors that flagged this file as malicious: 58/70 security vendors flagged this file as malicious on virustotal while 17/26 flagged it malicious on hybrid analysis.

Malicious files related with: 2 Dropped Files were related.

file type	file name	SHA-256
Win32 EXE	WinRing0x64.sys	061de99e4a504d331e11d4ee27d24679 0290d9e44e6a261c0f5bb756255db640
Win32 EXE	bjvz6r.exe	061de99e4a504d331e11d4ee27d24679 0290d9e44e6a261c0f5bb756255db640

Command & Control (C2) Connections:

Malicious IP Address: out of the 3 IPs contacted, 2 are seen to be malicious which are [208.167.233.7](#) and [45.32.65.138](#). Both with Autonomous **20473** and are from the **US**.

Contacted Domain/Website : 1 contacted Domain ([pool.hashvault.pro](#)) was found with **detections** of **12/89** and was **created** on **2017-10-12**.

Section 3: Attacker Playbook Mapping (MITRE ATT&CK)

Behavior Profile (Hybrid analysis)

Technique ID & Name	Tactic	Detection Strategy	Mitigation	What is the Malware actually doing?
T1622 (Debugger Evasion)	Discovery	Monitor for processes performing anti-debugging checks.	Deploy EDR/antivirus controls to detect and block anti-debugging behavior, and analyse the suspicious file in isolated sandbox environments.	Trying to avoid being examined or analyzed(avoiding detection).

T1071 Application Layer Protocol	Command and Control	Monitor network traffic for unusual outbound connections, suspicious domains/IPs, abnormal DNS queries, unexpected HTTP/HTTPS communication, unusual traffic patterns, and connections from processes that normally should not communicate externally.	Use network firewalls, DNS filtering, web proxies and EDR to restrict and monitor outbound communications. Block known malicious domains/IPs and prevent unauthorized applications from making external connections.	The malware is using a legitimate application-layer protocol, such as HTTP/HTTPS, DNS, SMB, or FTP , to communicate with its command-and-control (C2) infrastructure.

Behavior Similarity Hashes:

C2AE: [2d0784920a7bf6f905a432af4b87a30d](#)
 CAPA: [70ed070d739a98c3316d0c9bb18eb660](#)
 CAPE Sandbox: [a9899a033230b483c355e3b7a3b93e53](#)
 Zenbox: [7c4e9fafcfbb01b6037c92422e929e95](#)

These behavioural analysis frameworks and sandboxing technologies were identified in the analysis which provides on the sample's execution behavior, capabilities, and potential indicators of compromise (IOCs), enabling further malware correlation and analysis.

Section 4: Executive Summary

Threat intelligence analysis has successfully profiled a phishing malware sample targeting Northbridge Fintech's environment. The sample is uniquely identified by the SHA-256 hash

061de99e4a504d331e11d4ee27d246790290d9e44e6a261c0f5bb756255db640.

Laboratory analysis has attributed the malware to the **CoinMiner threat group** and confirmed unauthorized outbound communications with the domain **pool.hashvault.pro**, indicating an attempt to establish external connectivity while bypassing the organization's perimeter defenses.

Following execution on a compromised workstation, the malware employs **MITRE ATT&CK technique T1622 (Debugger Evasion)** to hinder analysis and support subsequent discovery activity. This behavior presents a potential risk to systems containing or providing access to Northbridge Fintech's consumer databases.

To reduce the associated risk, the SOC should immediately **block the identified malicious IP addresses and the files at the network perimeter**, incorporate the identified domain and file hash into relevant security controls, and update endpoint and network detection rules to identify the observed malware behavior and associated attack techniques. Continuous monitoring should also be maintained for additional indicators of compromise and related activity.