Content2

An Example of Best Practices

watanabe3tipapa

2024-11-13

Table of contents

1 My Quarto Project

YAML   next.watanabe3ti.com

```yaml
project:
  type: website
  output-dir: webroot

website:
  title: next.watanabe3ti.com
  description: "watanabe3ti.com   "
  image: "./assets/ogp_next.jpg"
  navbar:
    aria-label: Main navigation
    background: dark
    search: true
    left:
      - href: index.qmd
        text: Home
      - text: SubDomain
        menu:
          - href: main.qmd
            text: Main
          - href: toolsmith.qmd
            text: Toolsmith
          - href: wiki.qmd
```

```yaml
            text: Wiki
          - href: blogs.qmd
            text: Blogs
          - href: log.qmd
            text: LOG
          - href: github-note.qmd
            text: Github-note
      - text: Contents
        menu:
          - href: about.qmd
            text: About
          - href: note1.qmd
            text: Note1
          - href: note2.qmd
            text: Note2
          - href: note3.qmd
            text: Note3
          - href: quarto.qmd
            text: Quarto
      - text: Siteview
        href: siteview.qmd
    right:
      - icon: github
        href: https://github.com/watanabe3tipapa/next
        text: GitHub
  page-footer:
    background: dark
    left: Copyright 2024, watanabe3tipapa
    right:
      - icon: github
        href: https://github.com/watanabe3tipapa

  open-graph: true

format:
  html:
    theme:
      light:
        - flatly
        - custom.scss
      dark:
        - darkly
        - custom.scss
    css:
      - styles.css
      - custom-responsive.css
    toc: true
    toc-location: left
    code-fold: true
```

```
    highlight-style: github
    mainfont: Noto Sans JP
    monofont: Fira Code
    html-math-method: katex

lang: ja-JP

editor: visual
```

```
===
```