

Content2

An Example of Best Practices

watanabe3tipapa

2024-11-10

Table of contents

1	My Quarto Project	1
---	-------------------	---

1 My Quarto Project

YAML next.watanabe3ti.com

```
project:
  type: website
  output-dir: webroot

website:
  title: "next.watanabe3ti.com"
  navbar:
    aria-label: Main navigation
    background: dark
    search: true
    left:
      - href: index.qmd
        text: Home
      - text: SubDomain
    menu:
      - href: main.qmd
        text: Main
      - href: toolsmith.qmd
        text: Toolsmith
      - href: wiki.qmd
        text: Wiki
      - href: blogs.qmd
        text: Blogs
      - href: log.qmd
        text: LOG
      - href: github.qmd
```

```

      text: Github
- text: Contents
  menu:
    - href: about.qmd
      text: About
    - href: note1.qmd
      text: Note1
    - href: note2.qmd
      text: Note2
    - href: note3.qmd
      text: Note3
    - href: quarto.qmd
      text: Quarto
- href: siteview.qmd
  text: Siteview
right:
- icon: rss
  href: https://watanabe3tipapa.github.io/next/index.xml
- icon: github
  href: https://github.com/watanabe3tipapa
- icon: twitter
  href: https://twitter.com/watanabe3tipapa
- icon: instagram
  href: https://www.instagram.com/chombo_watanabe3tipapa/
- text: " / "
  href: "#"
  attributes: {id: "quarto-light-dark-toggle", onclick: "window.quartoToggleColorScheme(); r

page-footer:
  aria-label: Site footer
  background: dark
  left: "Copyright 2024, watanabe3tipapa"
  right:
    - icon: github
      href: https://github.com/watanabe3tipapa

open-graph: true

format:
  html:
    theme:
      light: [flatly, custom.scss]
      dark: [darkly, custom.scss]
    css: [styles.css, custom-responsive.css]
    toc: true
    toc-location: left
    code-fold: true
    code-tools: true
    code-copy: true

```

```
highlight-style: github
mainfont: "Noto Sans JP"
monofont: "Fira Code"
html-math-method: katex
```

```
lang: ja-JP
```

===

^C