

SAFETY DATA SHEET

Carboxin 75% WP



Version	Revision Date:	SDS Number:	Country: IN
1.0	08.12.2017	000000015750	Language: EN

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Carboxin 75% WP

Product code : 000000015750

Details of the supplier of the safety data sheet

Company: Arysta LifeScience India Limited
A-301 3rd Floor, Kanakia Zillion
Kurla West, Mumbai-400070
India
400 021
Telephone : P. +91 22 6184 3333
F. +91-22-6184 3322

Prepared by sds.request@arysta.com

Further information for the safety data sheet :
sds.request@arysta.com

1.4 Emergency telephone number

Emergency telephone number: -02676-235232
For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

Recommended use of the chemical and restrictions on use

Recommended use : Plant protection agent

Restrictions on use : Agriculture
For professional users only.

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not a hazardous substance or mixture.

GHS Classification

Acute toxicity (Oral) : Category 5

SAFETY DATA SHEET

Carboxin 75% WP



Version 1.0 Revision Date: 08.12.2017 SDS Number: 000000015750 Country: IN
Language: EN

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 5

Skin sensitisation

Specific target organ toxicity - repeated exposure (Oral)

Acute aquatic toxicity

Chronic aquatic toxicity

GHS label elements

Hazard pictograms



: Warning

: H303 + H313 May be harmful if swallowed or in contact with skin.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

: Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P271 Use only outdoors or in a well-ventilated area. P272

Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340

+ P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Occupational health effects due to inhalation of mineral dusts incorporating crystalline silica (quartz, cristobalite, tridymite), crystalline silicates (kaolin, talc) graphite or coal.

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

SAFETY DATA SHEET

Carboxin 75% WP



Version
1.0

Revision Date:
08.12.2017

SDS Number:
000000015750

Country: IN
Language: EN

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Carboxin - 75%

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
carboxin	5234-68-4	≥ 70 - < 90
kaolin	1332-58-7	≥ 1 - < 10
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	≥ 1 - < 10
ethane-1,2-diol	107-21-1	≥ 1 - < 10
sodium diisopropylnaphthalenesulphonate	1322-93-6	≥ 1 - < 10
sodium 2-[methylethylamino]ethane-1sulphonate	137-20-2	≥ 1 - < 10

SAFETY DATA SHEET

Carboxin 75% WP



Version	Revision Date:	SDS Number:	Country: IN
1.0	08.12.2017	000000015750	Language: EN

4. FIRST AID MEASURES

General advice	- Move out of dangerous area. - Consult a physician. - Show this safety data sheet to the doctor in attendance.
If inhaled	- Move to fresh air. - Consult a physician after significant exposure.
In case of skin contact	
In case of eye contact	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
If swallowed	- Flush eyes with water as a precaution. - Remove contact lenses. - Protect unharmed eye. - Keep eye wide open while rinsing. - If eye irritation persists, consult a specialist.
Most important symptoms and effects, both acute and delayed	- Clean mouth with water and drink afterwards plenty of water. - Do not give milk or alcoholic beverages. - Never give anything by mouth to an unconscious person. Obtain medical attention.
Notes to physician	- irritant effects sensitising effects - Symptoms may be delayed. - Harmful if swallowed. - May cause an allergic skin reaction. - Harmful if inhaled. - May cause damage to organs through prolonged or repeated exposure if swallowed. The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

3 / 15

5. FIREFIGHTING MEASURES

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains or water courses.
Specific extinguishing methods	- Collect contaminated fire extinguishing water separately. This must not be discharged into drains. - Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	In the event of fire, wear self-contained breathing apparatus.

SAFETY DATA SHEET

Carboxin 75% WP



Version 1.0 Revision Date: 08.12.2017 SDS Number: 000000015750 Country: IN
Language: EN

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

IREs

: Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.

Environmental precautions

: Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up

: Pick up and arrange disposal without creating dust.
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion

: Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling

: Avoid formation of respirable particles.
Avoid exceeding the given occupational exposure limits (see section 8).
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage

: Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	TWA (Respir-	2 mg/m3	ACGIH

4 / 15

		able fraction)		
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	TWA (Mist)	5 mg/m3	IN OEL
		STEL (Mist)	10 mg/m3	IN OEL
		TWA (Inhala- ble fraction)	5 mg/m3	ACGIH
ethane-1,2-diol	107-21-1	C	100 mg/m3	ACGIH
		C (Aerosol only)	100 mg/m3	ACGIH

Personal protective equipment

SAFETY DATA SHEET

Carboxin 75% WP



Version	Revision Date:	SDS Number:	Country: IN
1.0	08.12.2017	000000015750	Language: EN

- | | |
|--------------------------|--|
| Respiratory protection | : In the case of dust or aerosol formation use respirator with an approved filter.
Dust safety masks are recommended when the dust concentration is more than 10 mg/m ³ . |
| Hand protection | |
| Remarks | : Polyvinyl alcohol or nitrile- butyl-rubber gloves The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before removing gloves clean them with soap and water. |
| Eye protection | : Eye wash bottle with pure water Tightly fitting safety goggles |
| Skin and body protection | : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety practice.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday. |

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | |
|-----------------------------|---------------------|
| Appearance | : solid |
| Colour | : blue |
| Odour | : weak |
| Odour Threshold | : No data available |
| pH | : Not applicable |
| | : No data available |
| | : Not applicable |
| Boiling point/boiling range | : Not applicable |
| Flash point | : No data available |
| Evaporation rate | |

5 / 15

Upper explosion limit

Lower explosion limit

Vapour pressure

Relative vapour density

Relative density

SAFETY DATA SHEET

Carboxin 75% WP



Version
1.0

Revision Date:
08.12.2017

SDS Number:
000000015750

Country: IN
Language: EN

Solubility(ies)

Water solubility

Solubility in other solvents

Partition coefficient: octanol/water

Auto-ignition temperature

Decomposition temperature

Viscosity

Viscosity, dynamic

Viscosity, kinematic

: No data available

: No data available

: Not applicable

: Not applicable

: No data available

: No data available

: No data available

: No data available

: No data available

: No data available

: Not applicable

: Not applicable

SAFETY DATA SHEET

Carboxin 75% WP



Version
1.0

Revision Date:
08.12.2017

SDS Number:
000000015750

Country: IN
Language: EN

10. STABILITY AND REACTIVITY

- Reactivity : Stable under recommended storage conditions.
- Chemical stability : No decomposition if stored and applied as directed.
- Possibility of hazardous reactions : Stable under recommended storage conditions. No decomposition if used as directed.
- Conditions to avoid : No data available
- Incompatible materials : None known.
- Hazardous decomposition products : Carbon oxides
Nitrogen oxides (NOx)
Sulphur oxides

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50(Rat): 2.900 mg/kg

Acute inhalation toxicity : LC50(Rat): > 4,7 mg/l
Exposure time: 4 h

6 / 15

Acute dermal toxicity

ethane-1,2-diol:
Acute oral toxicity

Components:

carboxin: Acute oral toxicity

Acute dermal toxicity

Acute inhalation toxicity

Skin corrosion/irritation

Product:

Result: No skin irritation

Components:

carboxin: Species: Rabbit
Result: No skin irritation

Acute dermal toxicity

kaolin: Acute oral toxicity

: LD50(Rat): > 4.000 mg/kg

Acute dermal toxicity

SAFETY DATA SHEET

Carboxin 75% WP



Version
1.0

Revision Date:
08.12.2017

SDS Number:
000000015750

Country: IN
Language: EN

: LD50 (Rat, male): 2.588 mg/kg

: LC50 (Rat, male and female): > 4,7 mg/l
Exposure time: 4 h
Assessment: The substance or mixture has
no acute inhalation toxicity
Remarks: An LC50/inhalation/4h/rat could not
be determined because no mortality of rats
was observed at the maximum achievable
concentration.

: LD50 (Rat): > 5.000 mg/kg

: LD50 (Rat): > 5.000 mg/kg

: LD50 (Rat, female): 4.700 mg/kg

: LD50 (Rabbit): 10.670 mg/kg

: LD50 (Rabbit, male and female): > 4.000
mg/kg

Serious eye damage/eye irritation

Product: Result: No
eye irritation

Components:

carboxin: Species:
Rabbit
Assessment: No eye irritation
Result: slight irritation

sodium diisopropylnaphthalenesulphonate:
Result: Irritating to eyes.

7 / 15

Respiratory or skin sensitisation

Product:

Assessment: Non sensitizing.

Remarks: Information given is based on data obtained from similar substances.

Components:

carboxin:
Species: Guinea pig
Assessment: May cause sensitisation by skin contact.
Method: Magnusson-Kligmann-Test
Result: positive
GLP: yes

Components:

carboxin: Genotoxicity in vitro

Germ cell mutagenicity

Product:

Germ cell mutagenicity -
Assessment

SAFETY DATA SHEET

Carboxin 75% WP



Version
1.0

Revision Date:
08.12.2017

SDS Number:
000000015750

Country: IN
Language: EN

Result: Negative without activation, positive with activation

: Test Type: In Vitro mammalian Cell Gene Mutation Test
Species: Chinese hamster ovary cells
Result: negative

Genotoxicity in vivo

: Test Type: Unscheduled DNA synthesis (UDS)
Species: rat hepatocytes
Result: positive

: Test Type: Mammalian bone marrow chromosome aberration test
Species: Sprague-Dawley rat bone marrow cells
Result: negative

Test Type: Mammalian bone marrow chromosome aberration test
Species: Sprague-Dawley rat bone marrow cells
Result: negative

: negative

Germ cell mutagenicity -
Assessment

: negative

Carcinogenicity

Product:

Carcinogenicity - Assessment : negative

Components:

carboxin: Species:

Rat, (male)

Application Route: Oral

NOAEL: No observed adverse effect level: 0,82 mg/kg bw/day

Test Type: Unscheduled DNA synthesis (UDS)
Species: Male Sprague-Dawley rat liver hepatocyte cells
Result: negative

: Test Type: Bacterial
reverse mutation test
Species: Salmonella
typhimurium
Result: negative

8 / 15

: Test Type:
Chromosome aberration
test in vitro
Species: Chinese
hamster ovary cells

Species: Mouse
Application Route: Oral

Carcinogenicity - Assessment

Reproductive toxicity

SAFETY DATA SHEET

Carboxin 75% WP



Version
1.0

Revision Date:
08.12.2017

SDS Number:
000000015750

Country: IN
Language: EN

Product:

Reproductive toxicity -
Assessment

negative

Components:

carboxin:

Effects on fertility

Species: Rat
General Toxicity - Parent: No observed adverse effect level: 1 mg/kg bw/day
General Toxicity F1: No observed adverse effect level F1: 20 mg/kg bw/day
Early Embryonic Development: No observed adverse effect level F2: 10 mg/kg bw/day

Effects on foetal
development

Species: Rat
General Toxicity Maternal: No observed adverse effect level: 10 mg/kg bw/day
Teratogenicity: No observed adverse effect level: 90 mg/kg bw/day

Species: Rabbit
General Toxicity Maternal: No observed adverse effect level: 75 mg/kg bw/day
Teratogenicity: No observed adverse effect level: 75 mg/kg bw/day

Reproductive toxicity -
Assessment

negative negative

negative

9 / 15

STOT - single exposure

Components:

sodium diisopropylnaphthalenesulphonate:

Exposure routes: Inhalation

Target Organs: Respiratory system

Assessment: May cause respiratory irritation.

Repeated dose toxicity

Components:

carboxin:

Species: Rat, male

NOAEL: 30 mg/kg

Application Route: Dermal

Exposure time: 28 d

SAFETY DATA SHEET

Carboxin 75% WP



Version 1.0 Revision Date: 08.12.2017 SDS Number: 000000015750 Country: IN
Language: EN

GLP: yes
Target Organs: Kidney

Species: Rat, male
NOAEL: 5,5 mg/kg
Application Route: Oral
Exposure time: 90 d
GLP: yes
Target Organs: Kidney

Further information

Product:

Remarks: No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

carboxin:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,3 mg/l
Exposure time: 96 h
Test Type: flow-through test
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 57 mg/l
Exposure time: 48 h
Test Type: flow-through test
GLP: yes
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,48 mg/l
Exposure time: 5 d
Test Type: static test

10 / 15

Toxicity to bacteria

Toxicity to fish (Chronic toxicity)

Toxicity to soil dwelling organisms

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

Toxicity to terrestrial organisms

kaolin:

SAFETY DATA SHEET

Carboxin 75% WP



Version: 1.0 Revision Date: 08.12.2017 SDS Number: 000000015750 Country: IN
Language: EN

Toxicity to daphnia and other aquatic invertebrates Species: Daphnia magna (Water flea)
GLP: yes

ethane-1,2-diol: Toxicity to fish : LC50: > 500 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : 83 mg/kg
Species: Colinus virginianus (Bobwhite quail)
GLP: yes

Toxicity to algae

: EC50 (Selenastrum capricornutum): 0,48 mg/l
Exposure time: 5 d : LC50 (Daphnia magna (Water flea)): > 1.100 mg/l
Exposure time: 48 h

: NOEC: 0,32 mg/l
Exposure time: 21 d
Species: Cyprinus carpio (Carp)
Method: OECD Test Guideline 204
GLP: yes : LC50 (Pimephales promelas (fathead minnow)): 72.860 mg/l
Exposure time: 96 h

: EC50 (Daphnia (water flea)): > 100 mg/l
Exposure time: 48 h

: NOEC: 0,32 mg/l
Exposure time: 17 d : ErC50 (Pseudokirchneriella subcapitata (algae)): 6.500 - 13.000 mg/l
Exposure time: 96 h

Persistence and degradability Product:

Biodegradability : Remarks: No data available

Components:

carboxin:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

11 / 15

Components:

carboxin:

Partition coefficient: : log Pow: 2,3
noctanol/water

ethane-1,2-diol:

SAFETY DATA SHEET

Carboxin 75% WP



Version	Revision Date:	SDS Number:
1.0	Country: IN 08.12.2017	000000015750
Language: EN		

Partition coefficient:
noctanol/water : log Pow: -1,3

Mobility in soil

Product:

Mobility : Remarks: No data available

Components:

carboxin:

Distribution among : Koc: 152
environmental compartments

Other adverse effects

Product:

Results of PBT and vPvB : No data available
assessment

Additional ecological : An environmental hazard cannot be excluded in the event
information of unprofessional handling or disposal.
Very toxic to aquatic organisms, may cause long-term
adverse effects in the aquatic environment.

Components:

carboxin:

Results of PBT and vPvB : This substance is not considered to be persistent,
assessment bioaccumulating and toxic (PBT).

13. DISPOSAL: CONSIDERATIONS

Disposal methods

Waste from residues

The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SAFETY DATA SHEET

Carboxin 75% WP



Version 1.0 Revision Date: 08.12.2017 SDS Number: 000000015750 Country: IN
Language: EN

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (carboxin)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., Environmentally hazardous substance, solid, n.o.s. (carboxin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (carboxin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

16. OTHER INFORMATION

Full text of other abbreviations

SAFETY DATA SHEET

Carboxin 75% WP



Version	Revision Date:	SDS Number:	Country: IN
1.0	08.12.2017	000000015750	Language: EN

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - SelfAccelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Date format : dd.mm.yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IN / EN

Carechem24 International Worldwide Coverage

Emergency Phone Number

SAFETY DATA SHEET

Carboxin 75% WP



Version
1.0

Revision Date:
08.12.2017

SDS Number:
000000015750

Country: IN
Language: EN

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670 (NCEC)
<u>Asia Pacific:</u>	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401
	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 11 3197 5891
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670