

MATERIAL SAFETY DATA SHEET

SECTION 1 CHEMICAL IDENTIFICATION

CHEMICAL NAME: Imidacloprid 70% WG
COMPANY: Sinochem Ningbo Ltd.
SYNONYMS: None
CAS RN: 138261-41-3
CHEMICAL CLASS: Chloronicotinyl
USE: Agricultural Insecticide
FORMULATION: Wettable Dispersible Granule

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	Proportion (% w/w)
Imidacloprid	138261-41-3	70%
Other inert ingredients	(non hazardous)	30%

SECTION 3 HAZARD INFORMATION

ROUTE(S) OF ENTRY: Inhalation; Skin Contact; Skin Absorption

HUMAN EFFECTS AND SYMPTOMS OF OVEREXPOSURE:

ACUTE EFFECTS OF EXPOSURE:

No specific symptoms of acute overexposure are known to occur in humans. Animal studies have shown that this material is mildly toxic by the oral and dermal routes. It is minimally irritating to the conjunctiva of the eye but the irritation is reversible within 72 hours. It is not a dermal irritant or a dermal sensitizer.

CHRONIC EFFECTS OF EXPOSURE:

No specific symptoms of chronic overexposure are known to occur in humans.

CARCINOGENICITY:

This product is not listed by NTP, IARC or regulated as a carcinogen by OSHA.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

No specific medical conditions are known which may be aggravated by exposure to this product.

SECTION 4 FIRST AID MEASURES

FIRST AID FOR EYES:

Hold eyelids open and flush with copious amounts of water for 15 minutes. Call a physician if irritation persists or develops after flushing.

FIRST AID FOR SKIN:

Remove contaminated clothing. Wash skin with soap and water. Get medical attention if irritation persists. If signs of intoxication (poisoning) occur, get medical attention immediately.

FIRST AID FOR INHALATION:

First, remove victim to fresh air or uncontaminated area. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention as soon as possible.

FIRST AID FOR INGESTION:

If ingestion is suspected, call a physician or poison control center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. If syrup of ipecac is available, administer 1 tablespoonful (15 mL) of syrup of ipecac followed by 1 to 2 glasses of water. If vomiting does not occur within 20 minutes, repeat the dose once. Do not induce vomiting or give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Treat symptomatically.
ANTIDOTES: None

SECTION 5 FIRE FIGHTING MEASURES

FLASH POINT: Not available

FLAMMABLE LIMITS:

UPPER EXPLOSIVE LIMIT (UEL) (%): Not Applicable

LOWER EXPLOSIVE LIMIT (LEL) (%): Not Applicable

EXTINGUISHING MEDIA: Water; Carbon Dioxide; Dry Chemical; Foam

SPECIAL FIRE FIGHTING PROCEDURES:

Keep out of smoke, cool exposed containers with water spray. Fight fire from upwind position. Use self-contained breathing equipment. Contain run-off by diking to prevent entry into sewers or waterways. Equipment or materials involved in pesticide fires may become contaminated.

SECTION 6 ACCIDENTAL SPIL/RELEASE MEASURES

SPILL OR LEAK PROCEDURES:

Isolate area and keep unauthorized people away. Do not walk through spilled material. Avoid breathing vapors and skin contact. Remove sources of ignition if combustible or flammable vapors may be present and ventilate area. Wear proper protective equipment. Dike contaminated area with absorbent granules, soil, sand, etc. If large spill, material should be recovered. Small spills can be absorbed with absorbent granules, spill control pads, or any absorbent material. Carefully sweep up absorbed spilled material. Place in covered container for reuse or disposal. Scrub contaminated area with soap and water. Use dry absorbent material such as clay granules to absorb and collect wash solution for proper disposal. Contaminated soil may have to be

removed and disposed. Do not allow material to enter streams, sewers, or other waterways or contact vegetation.

SECTION 7 HANDLING AND STORAGE

Precautions to be taken in handling and storage:

Store in a area designated specifically for pesticide. Do not store near any material intended for use or consumption by humans or animals. Store a cool, dry area. Do not store in a direct sunlight. Protect from freezing temperatures. Do not contaminate water, food, or feed by storage, disposal, or by cleaning of equipment. Do not reuse empty container. Open dumping is prohibited.

SECTION 8 EXPOSURE CONTROL/PERSONAL PROTECTION

EYE PROTECTION REQUIREMENTS:

Splash-proof goggles should be used to prevent liquid splashes from getting into the eyes.

SKIN PROTECTION REQUIREMENTS:

Wear long sleeves and trousers to prevent skin contact.

HAND PROTECTION REQUIREMENTS:

The use of chemical-resistant gloves to prevent skin contact is recommended as good practice.

RESPIRATOR REQUIREMENTS:

Under normal handling conditions, no respiratory protection is needed; however, when potential exposure to this product is excessive, wear a respirator approved for dusts and mists or for pesticides.

VENTILATION REQUIREMENTS:

Control exposure levels through the use of general and local exhaust ventilation where needed.

ADDITIONAL PROTECTIVE MEASURES:

Clean water should be available for washing in case of eye or skin contamination. Educate and train employees in safe use of the product. Follow all label instructions. Launder clothing after use. Wash thoroughly after handling.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM:	Granule
COLOR:	Light yellow
ODOR:	Odorless
BOILING POINT:	Not available
MELTING POINT:	Not available
SOLUBILITY IN WATER:	100%
SPECIFIC GRAVITY:	Not available
pH	Not available
VAPOR PRESSURE:	Negligence

SECTION 10. STABILITY AND REACTIVITY

STABILITY:	This is a stable material.
HAZARDOUS POLYMERIZATION:	Will not occur.
INCOMPATIBILITIES:	None known

INSTABILITY CONDITIONS:

Strong exothermal reaction above 200 °C

DECOMPOSITION PRODUCTS:

Proposed: HCl, HCN, CO, NO_x

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Data for end product

Oral LD50 - rat:	> 2000 mg/kg.
Dermal LD50 - rabbit:	> 2000 mg/ kg.
Inhalation LC50 (4h) - rat:	> 2.59 mg/L.
Eye Irritation – rabbit:	Mild eye irritant.
Skin irritation - rabbit:	Mild skin irritant.
Sensitization:	Not a skin sensitizer in LLNA method.

Other:

Not mutagenic or teratogenic

SECTION 12 ECOLOGICAL INFORMATION

Imidacloprid Technical:

Birds: Acute oral LD50 for Japanese quail 31, bobwhite quail 152 mg/kg. Dietary LC50 (5 d) for bobwhite quail 2225, mallard ducks > 5000 mg/kg.

Fish: LC50 (96 h) for golden orfe 237, rainbow trout 211 mg/l.

Bees: Harmful to honeybees by direct contact, but no problems expected when not sprayed into flowering crop or when used as seed treatment.

SECTION 13 DISPOSAL INFORMATION

WASTE DISPOSAL METHOD:

Follow container label instructions for disposal of wastes generated during use in compliance with the product label. In other situations, bury in an approved landfill or burn in an incinerator approved for pesticide destruction. Do not reuse container.

SECTION 14 TRANSPORTATION INFORMATION
--

SHIPPING NAME: Imidacloprid 70%WG
FREIGHT CLASS PACKAGE: Insecticides
PRODUCT LABEL: Not Noted
UN NO: 3077
DANGEROUS GOODS CLASS: 9

SECTION 15. REGULATORY INFORMATION

TSCA STATUS: This product is exempt from TSCA Regulation under FIFRA Section 3 (2)(B)(ii) when used as a pesticide.

CERCLA REPORTABLE QUANTITY: No components listed

SARA TITLE III:

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES: None

SECTION 311/312 HAZARD CATEGORIES: Immediate Health Hazard

SECTION 313 TOXIC CHEMICALS: None

RCRA STATUS: If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

SECTION 16 OTHER INFORMATION

Revise Date: July 8, 2010

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.