



浙江新农化工股份有限公司

ZHEJIANG XINNONG CHEMICAL CO., LTD.

地址: 浙江省仙居县杨府三里溪 Add: Sanlixi, Yangfu, Xianju, Zhejiang Province, China.

MATERIAL SAFETY DATA SHEET

330G/L Pendimethalin EC

1. IDENTIFICATION

Product name: 330G/L Pendimethalin EC
(IUPAC) name of a.i.: N-(1-ethylpropyl)-2,6-dinitro -3,4-dimethyle
Manufacturer: Zhejiang Xinnong Chemical CO., Ltd.
Sanlixi, Yangfu, Xianju County, Zhejiang province,
P.R.317300, China
Phone: 0086-576-87733616
For fire, spill, or leak Phone: 0086-576-87733673
emergencies:
For medical emergencies, health Phone: 0086-576-87733671
and Safety inquiries:

2. COMPOSTITION/INFORMATION ON INGREDIENTS

COMMON NAME	Pendimethalin
CAS NO. CAS	40487-42-1
Content of Active ingredient	330G/L

3. HAZARDS INDENTIFICATIONS:

Health effects:

Pendimethalin is colored and will strongly stain skin and clothing. If skin has been exposed to the product, thorough washing with soap and water will remove any excess product. The color on the skin is not deep and will naturally disappear over a few days.

Acute effects:

Eye: This product is mildly irritating to eyes.

Skin: This product is not considered a serious toxic hazard. Prolonged or repeated contact with the concentrate can cause defatting of the skin leading to secondary dermatitis.

Inhalation: High vapor concentration of the solvent, while handling the product are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, can be anesthetic and may have other central nervous system effects. Avoid working in, or inhaling spray mist.

Swallowed: Data suggests that this product should present no significant problems. However, the solvent



浙江新农化工股份有限公司

ZHEJIANG XINNONG CHEMICAL CO., LTD.

地址: 浙江省仙居县杨府三里溪 Add: Sanlixi, Yangfu, Xianju, Zhejiang Province, China.

can be of concern if vomiting has occurred; aspiration of the vomit into the lungs can cause mild to severe pulmonary injury and possibly death.

4. FIRST AID MEASURES

FIRST AID: If poisoning occurs, contact a Doctor.

If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. do not induce vomiting. have person sip a glass of water if able to swallow.

If in eyes:

Hold the eyes open and rinse slowly and gently with water for 15 to 20 minutes, remove contact lenses, if present, after first 5 minutes, then continue.

If on skin:

Rinse skin immediately with plenty of water and soap for 15 to 20 minutes.

If inhaled:

If vapors or mists have been inhaled and irritation has developed, remove the affected individual into fresh air and keep the person calm, observe until recovered. If breathing has stopped, give artificial respiration.

ADVICE TO DOCTOR: Treat symptomatically mainly for hydrocarbon solvent ingestion. Note the nature of this product. If product has been aspirated into the lungs (for example from vomiting), consider the possibility of chemical pneumonitis.

5. FIRE FIGHTING MEASURES

FLASH POINT: $>60^{\circ}\text{C}$

Extinguishing medias: Foam, CO_2 , dry chemical and water fog.

Flammability limit: The product is non-flammable, when temperature $>60^{\circ}\text{C}$, it will be flammable.

Special fire fighting procedures: If a significant quantity of this product is involved in a fire, call the fire brigade. Immediately evacuate the area of unnecessary personnel. When fighting fires involving significant quantities of this product, wear safety boots, non-flammable overalls, gloves, hat, goggles and respirator. All skin areas should be covered.

Unusual fire and explosion hazards: Fire decomposition products may form toxic and corrosive mixtures in confined areas.

Decomposition products: May decompose at 200°C .

Materials to avoid: Strong oxidizing agents.

6. ACCIDENTAL RELEASE MEASURES

Action to take for spills and disposals: In event of a major spill, prevent spillage from entering drains or water courses. Call Fire Brigade or emergency services. Wear full protective clothing including face mask, face shield and gauntlets. All skin areas should be protected. Absorb onto vermiculite or other suitable



浙江新农化工股份有限公司 ZHEJIANG XINNONG CHEMICAL CO., LTD.

地址: 浙江省仙居县杨府三里溪 Add: Sanlixi, Yangfu, Xianju, Zhejiang Province, China.

absorbent material. Sweep up and shovel or collect recoverable product into labeled containers for recycling or salvage. After spills, wash area, preventing run off from entering drains. If material enters drains, advise emergency services. Launder all contaminated clothing before.

7. HANDLING AND STORAGE

Precautions to be taken in handling and storage: Keep out of reach of children. Do not breathe vapors. Avoid contact with skin and swallowed. If swallowed, do not induce vomiting; seek medical advice immediately. Keep away from food, drink and animal foodstuffs. Keep the product at above 0°C. Keep containers tightly closed and do not store with foods, seeds, fertilizers or other pesticides.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure standard: No exposure limits have been set for this product.

Engineering controls: Natural ventilation only required. When handling the product in confined spaces it is advisable to use some forced ventilation to avoid build-up of solvent vapours.

Personal protection:

When opening the container and preparing spray or using the prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves and face shield or goggles. If product or spray gets on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arm and face thoroughly with soap and water. After each day's use, wash gloves, face shield and goggles and contaminated clothing.

Respiratory protection:

Use a dust mask or respiratory protection on account of this product.

Skin protection:

Impermeable protective gloves should be worn when this product is being used to prevent irritation.

Eye protection:

Protective eyewear is suggested when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: homogeneous liquid, no visible suspended substance and sediment

FLASH POINT: >60°C

MOLECULAR WEIGHT: 281.3

MOLECULAR FORMULA: C₁₃H₁₉N₃O₄

ACIDITY(AS H₂SO₄) ≤0.5%

VAPOR PRESSURE(25°C): 4.0mPa

SOLUBILITY IN WATER (25°C): 0.3 Mg /L

SPECIFIC GRAVITY(20°C): Apro. 1g/ml



浙江新农化工股份有限公司 ZHEJIANG XINNONG CHEMICAL CO., LTD.

地址: 浙江省仙居县杨府三里溪 Add: Sanlixi, Yangfu, Xianju, Zhejiang Province, China.

10. STABILITY AND REACTIVITY

STABILITY: Stable for 2 years for the date of production in the room temperature (around 20°C)

HAZARDS POLYMERIZATION: Will not occur.

INCOMPATIBILITIES: Will not occur.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICOLOGY:

Acute oral toxicity: Rats, HanRcc: WIST, LD50 greater than 2000 mg/kg body weight.

Acute dermal toxicity: WIST rats of both sexes, greater than 2000 mg/kg body weight.

Acute dermal irritation: mild irritant to the rabbit skin.

Acute eyes irritation: Pendimethalin 330 g/l EC is mild irritating to the rabbit eye.

Skin sensitization: in guinea pigs,

OECD harmonized classification system (August 14, 2001) - **Negative**

Magnusson and Kligman Rating of Allergenicity - **Weak Sensitizer, Grade 1**

Acute inhalation toxicity: in rats, greater than 4.69 mg/L air (maximum attainable concentration).

CHRONIC TOXICITY:

Genetic toxicity: No mutagenic effect was found in various tests with microorganisms and mammals.

Carcinogenicity: in long term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed. in long term studies in rats the substance induced thyroid tumors. A marked decrease in body weight gain and an increase in benign thyroid proliferate lesions were observed in the lifetime rat study at the highest dose tested. the substance is not considered to pose a carcinogenic risk at low human exposure levels.

Reproductive toxicity : In a three-generation reproductive study of rats tested at levels up to 250 mg/kg/day, there were slightly fewer offspring and they showed decreased weight gain from weaning to maturity [116]. No effects were observed at 30 mg/kg/day. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenic effects: No birth defects and no toxic effects on fetuses occurred when pregnant rats were given 500 mg/kg/day, the highest dose tested. No fetotoxic or teratogenic effects were seen at the highest dose tested (60 mg/kg/day) in a teratology study with rabbits, although maternal toxicity was seen at 30 mg/kg/day. no indication of a developmental toxic /teratogenic effect were seen in animal studies.

Mutagenic effects: Several mutagenicity studies, including tests on live animals and mammalian and bacterial cell cultures, have all indicated that pendimethalin has no mutagenic activity.

12. ECOLOGICAL INFORMATION

Effects on birds: Pendimethalin is slightly toxic to birds, with an acute oral LD50 of 1421mg/kg in mallard duck and 8-day dietary LC50 values of greater than 3149mg/kg in bobwhite quail, and greater than



浙江新农化工股份有限公司

ZHEJIANG XINNONG CHEMICAL CO., LTD.

地址: 浙江省仙居县杨府三里溪 Add: Sanlixi, Yangfu, Xianju, Zhejiang Province, China.

10,388mg/kg in mallard duck.

Effects on aquatic organisms: pendimethalin is highly toxic to fish and aquatic invertebrates. The reported 96-hour LC50 for pendimethalin in bluegill sunfish is 199ug/L, in rainbow trout is 138ug/L, and in channel catfish is 420ug/L. The 48-hour LC50 in Daphnia magna, a small freshwater crustacean, is 280 ug/L. The bioconcentration factor for this compound in whole fish is 5100, indicating a moderate potential to accumulate in aquatic organisms.

Effects on other organisms: bees: LD50 (topical) >50ug/bee, Crustaceans: northern pink shrimp, moderately toxic

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Do not contaminate waterways by cleaning of equipment or by disposal of wastes. Untreated effluent should not be discharged where it will drain into lakes, streams, rivers or ponds.

CONTAINER DISPOSAL: empty container retains product residue. Observe all hazard precautions. Do not distribute or make available, furnish or reuse empty container except for storage and shipment of original product. Remove all product residues from container by triple rinsing and puncture or otherwise destroy empty containers before disposal.

14. TRANSPORT INFORMATION

IMO INFORMATION:

Non-Bulk packaging: Environmentally hazardous substance, liquid, 9, UN 3082, PGIII

Bulk packaging: Environmentally hazardous substance, liquid, 9, UN 3082, PG III

UN NUMBER: 3082

PACKING GROUP: PG III

HAZARD CLASS: 9

15. REGULATORY INFORMATION

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with national, or provincial, and local laws.

This product contains the following substance(s) listed as "Hazardous Substances", which may require reporting of releases:

Chemical Name	CAS Number	CAS	Content of Active Ingredient
Pendimethalin	40487-42-1		330G/L



浙江新农化工股份有限公司
ZHEJIANG XINNONG CHEMICAL CO., LTD.

地址：浙江省仙居县杨府三里溪 Add: Sanlixi, Yangfu, Xianju, Zhejiang Province, China.

16. OTHER INFORMATION

Revised: September, 18, 2010. The 1st revision.

The information herein is given in good faith, but no warrant, express or implied, is made.