



JIANGSU HUIFENG AGROCHEMICAL CO., LTD.

Weier Road, South Area of Ocean Economic Development Zone Dafeng ,

Jiangsu Province , 224145 P.R.China

Tel: 86-515-83252118 Fax: 86-515-83252328

Material Safety Data Sheet

450g/L PROCHLORAZ EW

1. IDENTIFICATION OF THE CHEMICAL PRODUCT AND COMPANY

45% Prochloraz EW

USE: Fungicide

Chemical group: Imidazole

COMPANY IDENTIFICATION:

JIANGSU HUIFENG AGROCHEMICAL CO., LTD.

Longdi South Stree, Dafeng, Jiangsu, P. R. China, 224173

Tel: 0086-515-83252118 Fax: 0086-515-83252328

2. COMPOSITION/INFORMATION ON INGREDIENTS

Recommended use: Fungicide

Chemical Entity	CAS Number	Proportion(g/L)
Prochloraz	67747-09-5	450
o-sec-Butyl phenol	89-72-5	140
1,2-propanediol	57-55-6	65
Other Ingredient	/	475

3. HAZARDS IDENTIFICATION

Hazard classification Hazardous (National Occupational Health and Safety Commission - NOHSC)

Risk phrases Harmful if swallowed. Very toxic to aquatic organisms

4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre, and follow the advice give. Show this Material Safety Data Sheet to the doctor.

Inhalation If inhaled move to fresh air and keep at rest. Obtain medical advice if symptoms persist.

Ingestion Wash out mouth with water. Do NOT induce vomiting. Keep patient at rest and seek medical advice as above.



JIANGSU HUIFENG AGROCHEMICAL CO., LTD.

Weier Road, South Area of Ocean Economic Development Zone Dafeng ,

Jiangsu Province , 224145 P.R.China

Tel: 86-515-83252118 Fax: 86-515-83252328

Skin Carefully remove contaminated clothing. Wash affected areas with soap and water. Seek medical aid if symptoms persist.

Eye Rinse eyes immediately with plenty of clean water and obtain medical advice.

Medical attention

Local contamination:

Symptoms: Slight skin and eye irritation; irritation of mucous membranes.

Treatment: Initial treatment should be symptomatic and supportive after decontamination.

Systemic poisoning:

Symptoms: gastrointestinal irritation and possible liver damage.

For systemic poisoning initial treatment should be symptomatic and supportive. If a large amount of this product is ingested the following measures should be considered:

Monitor liver and central nervous system function.

Gastric lavage with charcoal administration, if less than 1 hour after ingestion. Further treatment, if necessary.

There is no specific antidote.

Recovery is expected to be spontaneous.

5. FIRE-FIGHTING MEASURES

Extinguishing Media Water spray, alcohol-resistant foam, dry chemical, carbon dioxide. Do not use a high volume water jet.

Hazardous Combustion Products

Dangerous gases may be evolved in a fire.

Precautions for fire fighters This product is a combustible liquid. Fire fighters should wear full protective gear, including self-contained breathing apparatus. Keep unnecessary people away. If it can be done safely, remove intact containers from the fire. Otherwise, spray unopened containers with water to keep cool. Bund area with sand or earth to prevent contamination of drains or waterways. Dispose of extinguishing agent and spillage

6. ACCIDENTAL RELEASE MEASURES

Avoid contact with spilled material or contaminated surfaces. Extinguish possible ignition sources. Do not smoke, eat or drink during the clean up process. Wear personal protective clothing and equipment as detailed in Section 8 PERSONAL PROTECTION. Keep people and animals away. Contain spill and absorb with earth, sand, clay, or other absorbent material. Prevent spilled material from entering drains or watercourses. Collect and store in properly labelled drums for safe disposal. Clean floor with a damp cloth and place it in the drum. Seal drums and label ready



JIANGSU HUIFENG AGROCHEMICAL CO., LTD.

Weier Road, South Area of Ocean Economic Development Zone Dafeng ,

Jiangsu Province , 224145 P.R.China

Tel: 86-515-83252118 Fax: 86-515-83252328

for safe disposal. Deal with all spillages immediately. If contamination of drains, streams, watercourses etc. is unavoidable, warn the local water authority.

7. HANDLING AND STORAGE

Handling Keep out of reach of children. Product is poisonous if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing. Keep away from sources of ignition. Vapors may form an explosive mixture with air.

Storage Store in the closed, original container in a cool, well ventilated, secure area. Do not store for prolonged periods in direct sunlight. Protect the product from frost.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection Do not inhale spray mist.

Personal Protective Equipment

When preparing spray, wear PVC or rubber apron, elbow length PVC gloves and face shield.

When using the prepared spray, wear face shield.

Engineering Controls

Natural ventilation is sufficient when handling concentrate and preparing spray solution.

Hygiene Measures

After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash contaminated clothing and safety equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	white liquid
Melting Point:	<0°C
Solubility in Water:	Soluble in water.
Boiling Point:	>100°C (for water)
Specific Gravity (H₂O=1)	1.108
pH:	6.5 - 8.5
Vapour Pressure:	6.5×10^{-5} at 25°C (active ingredient)
Flash Point:	61°C
Ignition Temperature:	N/A
Flammable Limits LEL:	Non flammable
Explosion Properties:	N/A



JIANGSU HUIFENG AGROCHEMICAL CO., LTD.

Weier Road, South Area of Ocean Economic Development Zone Dafeng ,

Jiangsu Province , 224145 P.R.China

Tel: 86-515-83252118 Fax: 86-515-83252328

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Hazardous Polymerization

Hazardous polymerisation is not possible.

Materials to Avoid

Strong oxidizing anents

Hazardous Reaction thermal decomposition may release ammonia, carbon monoxide and carbon dioxide and oxides of nitrogen.

11. TOXICOLOGICAL INFORMATION

In case of contact, immediately flush eyes with copious amounts of Water for at least 15 minutes, assure adequate flushing by separating the eyelids with fingers. **In case of skin contact**, immediately wash skin with soap and copious Amounts of water. **If inhaled**, remove to fresh air. If not breathing give artificial Respiration. If breathing is difficult, give oxygen. **If swallowed**, wash out mouth with water provided person is conscious. Call a physician. Wash contaminated clothing before reuse.

Acute Toxicity – Oral Acute oral LD₅₀ for rats male 2710mg/kg, female 2330 mg/kg.

Acute Toxicity - Dermal

Acute dermal LD₅₀ for rats 2150 mg/kg.

Acute Toxicity - Inhalation

LC₅₀ (rat) (4hr) >5.0 mg/L

Skin Irritation Slightly irritating (rabbit)

Skin Sensitisation Non sensitising (guinea pig)

12. ECOLOGICAL INFORMATION



JIANGSU HUIFENG AGROCHEMICAL CO., LTD.

Weier Road, South Area of Ocean Economic Development Zone Dafeng ,

Jiangsu Province , 224145 P.R.China

Tel: 86-515-83252118 Fax: 86-515-83252328

Very toxic to aquatic organisms. Low toxicity to birds, bees and earthworms.

DO NOT contaminate streams, rivers, or waterways with Prochloraz 450g/L SC or the used containers.

Ecotoxicity

Prochloraz:

Fish toxicity: LC50 (96 h) rainbow trout (*Onchorhynchus mykiss*) 1.5 mg/L
LC50 (96 h) bluegill sunfish 2.2 mg/L

Daphnia toxicity: EC50 (48 h) water flea (*Daphnia magna*) 4.3 mg/L

Algal toxicity:

EC50 (72 h) algae (*Selenastrum capricornutum*) 0.094 mg/L

Bird toxicity:

Acute oral LD50 mallard duck > 1954 mg/kg

Acute oral LD50 bobwhite quail 662 mg/kg

Prochloraz 450g/L SC Fungicide:

Fish toxicity: LC50 (96 h) rainbow trout (*Oncorhynchus mykiss*) 4.41 mg/L (similar formulation)

Daphnia toxicity: EC50 (48 h) water flea (*Daphnia magna*) 7.21 mg/L

Toxicity to algae: EC50 (72 h) algae 0.026 mg/L (similar formulation)

Environmental fate, persistence and degradability, mobility

Prochloraz is readily adsorbed onto organic matter and is degraded by biological activity and by sunlight. Prochloraz is immobile in soil, not readily degradable and not readily leached. DT50 under field conditions is 5-37 days.

Elimination: yes

13. DISPOSAL CONSIDERATIONS

Product Disposal

Dispose of this product only by using according to the label. Triple rinse container and add rinsate to spray tank. Crush or puncture cleaned, empty containers and dispose of container at an approved landfill or Agrecovery Depot. Avoid contamination of any water supply or stream with this product or empty container.

14. TRANSPORT INFORMATION

It is good practice to separate this product from food, food related materials, animal feedstuffs, seed or fertilisers during transport.

Proper Shipping Name: 45% Prochloraz EW.

U.N. Number: 1993

Packing Group: III

Class or Division: 3

15. REGULATORY INFORMATION

Do NOT apply this product onto or into water.



JIANGSU HUIFENG AGROCHEMICAL CO., LTD.

Weier Road, South Area of Ocean Economic Development Zone Dafeng ,

Jiangsu Province , 224145 P.R.China

Tel: 86-515-83252118 Fax: 86-515-83252328

APPROVED HANDLER: The product must be under the personal control of an approved handler when used by a commercial contractor.

However, it may be handled by a person who is not an approved handler if:

- an approved handler is present at the facility where the substance is being handled; and
- the approved handler has provided guidance to the person in respect to the handling of the product; and
- the approved handler is available at all times to provide assistance if necessary.

RECORD KEEPING: A written record of use is required if 3 kg or more of this product is used within 24 hours in a place where:

- a) public may lawfully be present; or
- b) the substance is likely to enter air or water and leave the place where it is under control.

The information must be kept for a minimum of three years.

This product DOES NOT have Tracking Requirements.

16. OTHER INFORMATION

All information contained in this document is as accurate as possible based on information submitted by raw material suppliers. **Jiangsu Huifeng Agrochemical Co., Ltd.** will not be responsible for any damages that may result from reliance on the information contained herein.