

MATERIAL SAFETY DATA SHEET

Pyrazosulfuron-ethyl 10% WP

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifiers

Product Name: Pyrazosulfuron-ethyl 10% WP

CAS No. 93697-74-6

1.2 Relevant Identified Uses of the Substance or Mixture and Uses advised against

Identified uses: Herbicide

1.3 Details of the Supplier of the Safety Data Sheet

Company Name: ZHEJIANG XINAN CHEMICAL INDUSTRIAL GROUP CO., LTD.

Add: Xinanjiang, Jiande , Zhejiang, 311600, China

Telephone: +86-571- 87220468

Fax: +86-571- 87220464

1.4 Emergency Telephone Number

Emergency contact: +86-571 -64723891

Section 2. Hazards Identification

2.1 Hazards overview

Classification: Not classified as hazardous under CLASS Regulations 2013

Pictogram: Not applicable

Signal Word: Not applicable

Hazard Statement: Not applicable

Precautionary Statement: Not applicable

Section 3. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS-No	Concentration, %
Pyrazosulfuron-ethyl	93697-74-6	10
Other ingredient (non-hazardous)		Up to 100%

Section 4. First Aid Measures

4.1 Description of First Aid Measures

- Inhalation:** If respiratory discomfort occurs, move the person to fresh air. If not breathing, give mouth-to-mouth resuscitation (or an artificial respiration). Keep warm with blanket and keep at rest. Seek emergency medical advice..
- Skin:** Remove all contaminated clothing, shoes and socks from the affected area. Immediately rinse with running water. Wash skin thoroughly with soap and water. If irritation persists, seek medical advice.
- Eyes:** Immediately rinse with running water for at least 15 minutes. Seek medical advice.
- Ingestion:** Rinse mouth with water. Give one or two glasses of water and induce vomiting by touching the back of the throat with a finger. Seek medical advice immediately. Do not give anything by mouth or induce vomiting to an unconscious person.
- Notes to physician:** No specific antidote. Treat symptomatically.

4.2 Most Important Symptoms and Effects, both acute and delayed

Vomiting if it has been ingested. Hyperemia of skin and mucous membranes by contact. Rhinorrhea and respiratory distress if inhaled, bronchospasm may occur.

Section 5. Fire Fighting Measures

- 5.1 Suitable Extinguishing Media** Water, foam, dry chemicals or CO₂ .
- 5.2 Special Hazards arising from the Substance or Mixture** Normal combustion forms carbon dioxide, water vapour and may produce toxic gaseous (carbon monoxide, SO_x or NO_x).
- 5.3 Precautions for Fire-Fighting** Use self-contained breathing apparatus and protective clothing. Move away this product from fire if there is no risk. Use water spray or fog nozzle to keep containers or surrounding area cool. Fight fire from upwind position.

Section 6. Accidental Release Measures

- 6.1 Personal Precautions** Wear suitable protective clothing, shoes, gloves and goggle.
- 6.2 Environmental Precautions** Prevent spillage from entering the drainage systems or watercourses.
- 6.3 Methods for Cleaning up** Keep unauthorized persons, children and animals away from the affected area. Prevent further waste by closing the container properly, shifting its position to stop leakage or placing into another container. Carefully sweep up and collect the spilled material by absorbent such as sand or vermiculite and place in a closed container (drum) for disposal. Do not raise dust. Wash affected area with water containing a strong industrial type detergent.

Section 7. Handling and Storage

- 7.1 Handling** Wear suitable protective clothing, shoes and goggle. Do not eat, drink or smoke during the work. Do not breathe dust. Avoid contact with skin or eyes. Protect containers against physical damage. Keep away from heat and open flame. Do not reuse this container for any other purpose. Keep away from possible contact with water.
- 7.2 Storage** Store in a cool place and protect from direct sunlight. Keep tightly closed in original labeled container.

Section 8. Exposure Controls/Personal Protection

- 8.1 Exposure Parameters** Not established
- 8.2 Engineering Controls** Ventilation required.
- 8.3 Personal Protection Equipment** EYE/FACE PROTECTION: Safety goggles..
SKIN PROTECTION: Suitable protective clothing and rubber gloves.
RESPIRATORY PROTECTION: Dust respirator.
- 8.4 Hygiene measures:** Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Section 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance:

Form	Powder
Color	Off-white
Odor	Faint aromatic
PH	6.0-8.0
Melting point	N/A
Flash point	N/A
Relative density	Approx 0.4 g/cm ³ (Bulk density)
Vapor pressure	N/A
Henry's Law constant	N/A
Dissociation constant	N/A
Oxidizing	Not oxidizing
Partition coefficient	N/A
Solubility	Dispersible in water
Explosive properties	N/A

Section 10. Stability and Reactivity

- 10.1 Reactivity** No reactive under normal conditions.
- 10.2 Chemical stability** Stable under recommended storage conditions.

10.3 Conditions to avoid	Extreme heat or moisture
10.4 Incompatibilities with other materials	May react with strong oxidizing agents, such as chlorates, nitrates, peroxides etc
10.5 Hazardous decomposition products	Will not occur.

Section 11. Toxicological Information

11.1 Information on Toxicological Effects

Acute oral toxicity	LD50 (rat): >5000 mg/kg
Acute inhalation toxicity	LC50 (rat): >4.79 mg/l; Exposure time: 4 h
Acute dermal toxicity	LD50 (rat): >2000 mg/kg
Skin irritation	Non- irritating (rabbit)
Eye irritation	Slightly irritation. (rabbit)
Sensitization	Not a sensitizer. (guinea pig)
Long term toxicity:	NOAEL: (78 w) for mice 4.3 mg/kg daily
Mutagenicity	No genotoxic potential.
Carcinogenicity	Not carcinogenic
Reproductive toxicity	No reproductive effect.

Section 12. Ecological Information

12.1 Toxicity	
Toxicity to fish	LC50 (96 h) for rainbow trout and bluegill sunfish >180 mg/l
Toxicity to aquatic invertebrates	Daphnia magna EC50 (48 h) 700 mg/l.
Toxicity to aquatic plants	Alga ErC50 (72hours) = 150 mg/L
Toxicity to other organisms	Bird Acute oral LD50 for bobwhite quail >2250 mg/kg; Bee: LD50 (contact) >100 µg/bee; Earthworms LC50 (14d) 8000 mg/kg.
12.2 Persistence and Degradability	In soil, DT50 <15 d.
12.3 Bioaccumulative Potential	Does not bioaccumulate.
12.4 Mobility in Soil	Moderately mobile

Section 13. Disposal Considerations

13.1 Waste Disposal	Wastes resulting from manufacture and formulation that cannot be used or chemically reprocessed should be disposed of by incinerator equipped with scrubber in accordance with all applicable regulations.
13.2 Container Disposal	See product label.

Section 14. Transport Information
--

14.1 DOT	Not regulated
14.2 IATA	Not regulated
14.3 IMDG	Not regulated

Section 15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

Section 16. Other Information

This MSDS summarizes our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.