



บริษัท ออสเวล เอนเตอร์ไพรส์ จำกัด

OSWALE ENTERPRISE CO.,LTD

1558/81 Mooban Banklangkrung, Debaratna Road., South Bangna, Bangna, Bangkok 10260 Thailand

Tel: +66 (0) 2182-0212-4 Fax: +66 (0) 2182-0215 E-mail : info@oswale.com

Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

Product name: Furavet-GLX

2. HAZARDS IDENTIFICATION



Signal word: Danger

Hazard statement:

H318 - Causes serious eye damage

H302 - Harmful if swallowed

H315 - Causes skin irritation

H402 - Harmful to aquatic life

Precautionary statement:

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a physician.

P330+P301+P312 - If swallowed: Rinse mouth and call a physician.

P302+P352 - If on skin: Wash with plenty of soap and water

P270 - Do not eat, drink or smoke when using this product.

P264 - Wash your hand thoroughly after handling.

P362 - Take off contaminated clothing and wash before reuse.

P280 - Wear protective gloves/eye protection.

P285 - In case of inadequate ventilation wear respiratory protection.

P273 - Avoid release to the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Recommended use: Adjuvant

Appearance: Amber liquid.

CHEMICAL ENTITY	PROPORTION (% weight/weight)
Blend of surfactants	HIGH

PROPORTION (% weight per weight)

VHIGH >60, HIGH 30-60, MED 10-20, LOW 1-9, VLOW <1

4. FIRSTAID MEASURES

Ingestion: Immediately rinse mouth with water. If swallowed do NOT induce vomiting. Give water to drink. Seek immediate medical assistance.

Eye contact: If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or medical centre.

Skin contact: If skin or hair contact occurs, remove contaminated clothing and wash with plenty of soap and water. If irritation occurs seek medical advice. Wash contaminated clothing before re-use.

Inhalation: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

Hazards from combustion products: Decomposition products may include the following materials: carbon dioxide, carbon monoxide, nitrogen oxides

Precautions for fire fighters and special protective equipment: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8). Hazard of slipping on spilt product.

Environmental precautions: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up: Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled drums for disposal. Wash area down with excess water to remove residual material.

7. HANDLING AND STORAGE

Handling: Avoid skin and eye contact. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Do not dispose of material to sewers or waterways.

Storage: Store in a cool place and out of direct sunlight. Store away from foodstuffs and oxidizing agents. Keep containers closed at all times – check regularly for leaks.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Use only in well ventilated areas. Keep containers closed when not in use.

Personal protection equipment:

Respiratory Protection: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand Protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: PVC gloves

Eye Protection: Safety eye wear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental Exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form / Colour / Odour: Clear to slight hazy amber liquid

Specific Gravity (25°C): 1.03

Flash Point (°C): > 150

Autoignition Temp (°C): Not applicable

pH (1% aqueous solution) : 8-10

Sublimation Point: Not applicable

Viscosity (@ 25 °C): 100 cps. min

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of use.

Materials to avoid: Reactive with strong oxidizing agents.

Hazardous decomposition products: carbon dioxide, carbon monoxide, nitrogen oxides

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity:

LD₅₀ (rat): 1,467 mg/kg

GHS: Category 4

Skin irritation:

Contact with skin will result in irritation. Will have a degreasing action on the skin; Repeated or prolonged skin contact may lead to irritant contact dermatitis.

GHS: Category 2

Eye irritation:

A severe eye irritant; Contamination of the eyes can result in permanent injury. Corrosive to eyes; contact can cause corneal burns.

GHS: Category 1

Long Term Effects:

No information available for product.

12. ECOLOGICAL INFORMATION

EC₅₀ (Daphnia) 48 hr 12.25 mg/l

GHS: Category 3


Avoid contaminating waterways.

13. DISPOSAL CONSIDERATIONS

Disposal methods: Empty containers should be forwarded to an approved agent for recycling. Avoid unauthorised discharge to sewer.

Special precautions for landfill or incineration: Material suitable for disposal by incineration or landfill through an approved agent.

14. TRANSPORT INFORMATION ROAD AND RAIL TRANSPORT

Regulatory information	UN number	Class	Packing Group	Label
ADR/RID Classification	3082	9	III	
IMO/IMDG Classification	3082	9	III	
ICAO/IATA Classification	3082	9	III	

15. REGULATORY INFORMATION

The labelling of the product is indicated in Section 2

16. OTHER INFORMATION

Information in this MSDS are based on our present knowledge. However, it is provided without any warranty and shall be used only as a guide.

The Company shall not be liable for damages were caused by incorrect usage or storage of the product according to the usage or storage instructions, warnings or information concerning the product which has been correctly, clearly and appropriately prescribed by the Company.