

MSDS for ANTIFOAM B(R) SILICONE EMULSION

Page 1

THANANT DF 920

1 - PRODUCT IDENTIFICATION

PRODUCT NAME: ANTIFOAM B(R) SILICONE EMULSION
FORMULA:
FORMULA WT: .00
CAS NO.:
PRODUCT CODES: B531
EFFECTIVE: 03/11/86
REVISION #01

PRECAUTIONARY LABELLING

BAKER SAF-T-DATA(TM) SYSTEM

HEAT SENSITIVITY - 1 SLIGHT
FLAMMABILITY - 1 SLIGHT
REACTIVITY - 0 NONE
CORROSIVITY - 1 SLIGHT

HAZARD RATINGS ARE 0 TO 4 (0 = NO HAZARD; 4 = EXTREME HAZARD).

LABORATORY PROTECTIVE EQUIPMENT

SAFETY GLASSES; LAB COAT

PRECAUTIONARY LABEL STATEMENTS

CAUTION

MAY CAUSE IRRITATION
DURING USE AVOID CONTACT WITH EYES, SKIN, CLOTHING. WASH THOROUGHLY AFTER
HANDLING. WHEN NOT IN USE KEEP IN TIGHTLY CLOSED CONTAINER.

2 - HAZARDOUS COMPONENTS

COMPONENT

CAS NO.

NOT APPLICABLE

3 - PHYSICAL DATA

BOILING POINT: 100 C (212 F) VAPOR PRESSURE(MM HG): 30
MELTING POINT: N/A VAPOR DENSITY(AIR=1): N/A
SPECIFIC GRAVITY: 1.00 EVAPORATION RATE: N/A
(H2O=1) (BUTYL ACETATE=1)
SOLUBILITY(H2O): APPRECIABLE (MORE THAN 10 %) VOLATILES BY VOLUME: 100
APPEARANCE & ODOR: WHITE LIQUID WITH VERY LITTLE ODOR.

MSDS for ANTIFOAM B(R) SILICONE EMULSION

Page 2

4 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (CLOSED CUP): N/A

FLAMMABLE LIMITS: UPPER - N/A % LOWER - N/A %

FIRE EXTINGUISHING MEDIA

USE WATER SPRAY, ALCOHOL FOAM, DRY CHEMICAL OR CARBON DIOXIDE.

SPECIAL FIRE-FIGHTING PROCEDURES

FIREFIGHTERS SHOULD WEAR PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN POSITIVE PRESSURE MODE.

5 - HEALTH HAZARD DATA

CARCINOGENICITY: NTP: NO IARC: NC Z LIST: NO OSHA REG: NO

EFFECTS OF OVEREXPOSURE

CONTACT CAN CAUSE EYE IRRITATION.

irritation *การระคายเคือง*

TARGET ORGANS

NONE IDENTIFIED

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NONE IDENTIFIED

ROUTES OF ENTRY

NONE INDICATED

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: IF SWALLOWED AND THE PERSON IS CONSCIOUS, IMMEDIATELY GIVE LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION.

INHALATION: IF A PERSON BREATHES IN LARGE AMOUNTS, MOVE THE EXPOSED PERSON TO FRESH AIR. GET MEDICAL ATTENTION.

EYE CONTACT: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

SKIN CONTACT: IMMEDIATELY WASH WITH PLENTY OF SOAP AND WATER FOR AT LEAST 15 MINUTES.

6 - REACTIVITY DATA

STABILITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: NONE DOCUMENTED

INCOMPATIBLES: STRONG OXIDIZING AGENTS

MSDS for ANTIFOAM B(R) SILICONE EMULSION

Page 3

7 - SPILL AND DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN THE EVENT OF A SPILL OR DISCHARGE
WEAR SUITABLE PROTECTIVE CLOTHING. TAKE UP WITH SAND OR OTHER NONCOM-
BUSTIBLE ABSORBENT MATERIAL AND PLACE INTO CONTAINER FOR LATER DISPOSAL.
FLUSH SPILL AREA WITH WATER.

DISPOSAL PROCEDURE

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL
ENVIRONMENTAL REGULATIONS.

8 - PROTECTIVE EQUIPMENT

VENTILATION:

USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION
TO KEEP VAPOR AND MIST LEVELS AS LOW AS POSSIBLE.

RESPIRATORY PROTECTION:

NONE REQUIRED WHERE ADEQUATE VENTILATION
CONDITIONS EXIST. IF AIRBORNE CONCENTRATION IS
HIGH, USE AN APPROPRIATE RESPIRATOR OR DUST MASK.

EYE/SKIN PROTECTION:

SAFETY GOGGLES, UNIFORM, APRON, PROPER GLOVES ARE
RECOMMENDED.

9 - STORAGE AND HANDLING PRECAUTIONS

SPECIAL PRECAUTIONS

PROTECT FROM FREEZING.

KEEP CONTAINER TIGHTLY CLOSED. SUITABLE FOR ANY GENERAL CHEMICAL STORAGE
AREA.

10 - TRANSPORTATION DATA AND ADDITIONAL INFORMATION

DOMESTIC (D.O.T.)

PROPER SHIPPING NAME CHEMICALS, N.O.S. (NON-REGULATED)

INTERNATIONAL (I.M.O.)

PROPER SHIPPING NAME CHEMICALS, N.O.S. (NON-REGULATED)

BASF Aktiengesellschaft

2. 666666 02

BASF**Safety data sheet**

according to 91/155/EEC

Page 1 of 4

BASF Safety data sheet
Date / revised: 15.02.1996
Product: EMULAN* ELP

ES 01118-A (D/E)
version 5

(Print date: 05.07.1996)

1. Substance/preparation and company name

EMULAN* ELP

Company:
BASF Aktiengesellschaft

D-67056 Ludwigshafen
Tel.: 0621-60-0

Emergency information:
BASF works fire brigade Ludwigshafen
Tel.: 0621-60-4333

Fax: 0621-60-92664

2. Composition/information on ingredients

Chemical nature
Castor oil, ethoxylated

3. Possible hazards

Critical hazards to man and the environment:
not necessary

4. First aid measures

General advice:
Remove contaminated clothing.

On skin contact:
Wash with soap and water.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Rinse mouth and then drink plenty of water.

Note to physician:
Treat according to symptoms (decontamination, vital functions), no known specific antidote.


5. Fire fighting measures

Suitable extinguishing media:
water, dry extinguishing media, foam, carbon dioxide (CO2)

The following can be given off in a fire: gases/vapours.
The degree of risk is governed by the burning substance and the fire conditions.

Special protective equipment:
In case of fire, wear a self contained breathing apparatus.

Further information:
Contaminated extinguishing water must be disposed of in accordance with local regulations.



BASF Safety data sheet
Date / revised: 15.02.1996
Product: EMULAN* ELP

ES 01118-A (D/E)
version 5

6. Accidental release measures

Personal precautions:

Pick up immediately as product renders floors slippery.

Environmental precautions:

Do not discharge product into natural waters without pretreatment (biological treatment plant).

Methods for cleaning up:

Contain with absorbent material and dispose.

7. Handling and storage

Handling:

No special measures necessary.

Protection against fire and explosion:

No special measures necessary.

Storage:

Containers should be stored tightly sealed in a cool and dry place.
Protect against temperatures of above 60°C.

8. Exposure controls and personal protection

Additional information on the lay-out of technical plant
(see 7)

Personal protective equipment

Hand protection:
protective gloves

Eye protection:
goggles

General safety and hygiene measures:

The usual precautions for the handling of chemicals must be observed.

9. Physical and chemical properties

Form: liquid
Colour: yellowish
Odour: product specific

Change in physical state:

Solidification temperature: approx. -30 °C

Flash point: >100 °C (ISO 2592)

Ignition temperature: >200 °C (DIN 51794)

Explosion hazard: no explosion hazard

Density: (20 °C) approx. 1.01 g/cm³

Solubility in water: sparingly soluble, emulsifiable
Solubility in other solvents: soluble in polar solvents

pH value: (approx. 10 g/l, 23°C) approx. 7

Viscosity: (20 °C) approx. 700 mPas (Brookfield)

BASF Safety data sheet
Date / revised: 15.02.1996
Product: EMULAN* ELP

Page 3 of 4
ES 01118-A (D/E)
version 5

10. Stability and reactivity

Conditions to avoid:
Protect against moisture.

Hazardous reactions:
None provided product is correctly processed.

Hazardous decomposition products:
None provided product is correctly processed.

11. Toxicological information

Acute toxicity

LD50/oral/rat: >2000 mg/kg

Primary skin irritation/rabbit/OECD 404: non-irritant
Primary mucous membrane irritation/rabbits' eyes/OECD 405:
non-irritant

12. Ecological information

Elimination information

Degree of elimination: >=90% BIAS (on average)
in accordance with EC Directive 73/404

Test method: OECD 301A/ ISO 7827
Method of analysis: DOC reduction
Degree of elimination: 80-90% (28 d)
Evaluation: readily biodegradable

Behaviour and environmental fate

Inhibition of degradation activity in activated sludge is not to be
anticipated during correct introduction of low concentrations.

Ecotoxic effects

Toxicity to bacteria:
EC50 (h): >1000 mg/l, OECD 209

Toxicity to daphnia (acute):
EC50 (48 h): >1000 mg/l

Toxicity to algae:
EC50 (72 h): >1000 mg/l

Toxicity to fish (by analogy):
LC50/Leuciscus idus: 100-500 mg/l/48h

Further ecological information

AOX: This product contains no organically bound halogen.

13. Disposal considerations

Product: Must be disposed of by special means, e.g. suitable
incineration, in accordance with local regulations.

Disposal code no. for unused product: 59402(Germany)

Contaminated packaging:
Uncontaminated parts can be re-used.
Packs that cannot be cleaned should be disposed of in the same manner
as the contents.

14. Transport information

Not classified as hazardous under transport regulations.

BASF Safety data sheet
Date / revised: 15.02.1996
Product: EMULAN* ELP

ES 01118-A (D/E)
version 5

15. Regulatory information

Labelling according to EC Directives

not subject to labelling

National legislation/regulations

Water hazard class: WGK 1 (Germany)

16. Other information

n.a. = not applicable
n.d.a. = no data available

A backslash in the left hand margin indicates an amendment from the previous version.

The information contained herein is based on the present state of our knowledge and does not therefore guarantee certain properties. Recipients of our product must take responsibility for observing existing laws and regulations.