

UMONIUM³⁸

NEUTRALIS



✓ สูตรปราศจาก

- สารที่มีส่วนประกอบของซีเอ็มอาร์**
- สารที่ขัดขวางการทำงานของต่อมไร้ท่อ

“ผลิตภัณฑ์ทำความสะอาด-
ทำลายเชื้อที่ไม่มีสี และกลิ่น
สำหรับอุปกรณ์การแพทย์”



UMONIUM³⁸ NEUTRALIS เป็นผลิตภัณฑ์ทำความสะอาด-ทำลายเชื้อระดับสูงที่ปราศจากสีและกลิ่น ซึ่งพัฒนามาเป็นพิเศษสำหรับใช้ในโรงพยาบาล สถานพยาบาลที่มีความเสี่ยง (โซน3และ4) โดยผลิตภัณฑ์มีความปลอดภัยสูงเมื่อนำไปใช้งานในสภาพแวดล้อมที่มีตัวอ่อน(ได้ผ่านการทดสอบและยืนยันความปลอดภัยในตัวอ่อนของหนู) ผลิตภัณฑ์นี้สามารถับประกันการทำลายเชื้อได้อย่างสมบูรณ์สำหรับอุปกรณ์ทางการแพทย์ เป็นผลิตภัณฑ์ทำลายเชื้อที่แนะนำให้ใช้สำหรับตอบทาร์กแรกเกิด ห้องปฏิบัติการเด็กหลอดแก้ว เครื่องมือผ่าตัด ห้องปลอดเชื้อ หนากากสำหรับการรักษาด้วยการฝังยาละออง เครื่องมือ และอุปกรณ์ในห้องปฏิบัติการ ฯลฯ



** สารก่อมะเร็ง สารก่อกลายพันธุ์
และสารที่เป็นพิษต่อระบบสืบพันธุ์



บริษัท บางกอก แอดวานซ์ เทคโนโลยี จำกัด
46/168 ถนนบ่อวินทร์ แขวงบ่อวินทร์ เขตฉะเชิงเทรา
กรุงเทพฯ 10230
โทรศัพท์ 02-1842514-8
โทรสาร 02-1842520



LOW TOXICITY

Product	LD ₅₀ (mg/kg)*
Concentrate	
- Instrument	5,840 oral rat
- Neutralis	5,840 oral rat
- Sterily	> 2,000 oral rat
- Pure matic	ไม่มีข้อมูล
- Advance	5,840 oral rat
Ready to use	
- Medical Spray	200,000 oral rabbit
- Microjet	> 2,000 oral rabbit
- Medical Tissues	> 53,000 oral rat
- Air Control Matic alpha-pinene	3,700 mg/kg oral rat > 5,000 mg/kg dermal rabbit
beta-pinene	> 4,700 mg/kg oral rat

* ข้อมูลจากเอกสารข้อมูลด้านความปลอดภัย
จาก Laboratoire HUCKERT'S INTERNATIONAL

สำนักงานคณะกรรมการอาหารและยา
กำหนดให้ผลิตภัณฑ์ที่มีค่า LD₅₀ มากกว่า 2000 mg/kg
เป็นผลิตภัณฑ์ที่ปลอดภัย

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : UMONIUM 38 NEUTRALIS
 Type of product : Solution, Disinfectant

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Consumer use, Professional use, Industrial use
 Industrial/Professional use spec : Hospital.
 Pharmaceutical industry.
 Industrial
 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
 Use of the substance/mixture : Public sector
 Health services
 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
 Function or use category : Disinfectant, Medical devices

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Fabricant / Notifiant / Editeur FDS:

Laboratoire HUCKERT'S INTERNATIONAL

Avenue Lavoisier, 20-22

B-1300 WAVRE

+32 (0) 67 89 41 00

+32 (0) 67 84 37 67

info@huckerts.net

1.4. Emergency telephone number

Emergency number : +32 (0)70-245.245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225

Skin corrosion/irritation, Category 1B H314

Serious eye damage/eye irritation, Category 2 H319

Skin corrosion/irritation, Category 2 H315

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H315 - Causes skin irritation
H319 - Causes serious eye irritation

Precautionary statements (CLP) :

P264 - Wash hands thoroughly after handling

UMONIUM 38 NEUTRALIS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P302+P352 - IF ON SKIN: Wash with plenty of soap and water
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P332+P313 - If skin irritation occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzalkonium chloride	(CAS No) 68424-85-1 (EC no) 270-325-2	1 - 10	Xn; R22 C; R34 N; R50	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400
Alcohol		1 - 10	F; R11 Xi; R36 R67	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of R- and H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

UMONIUM 38 NEUTRALIS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

In case of repeated or prolonged contact wear gloves

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Respiratory protection:

Respiratory protection not required in normal conditions

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Transparent.
Colour : Colourless.
Odour : Odourless.
Odour threshold : No data available
pH : 7
pH solution : 7
Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : > 93 °C
Flash point : No data available
Auto-ignition temperature : No data available

UMONIUM 38 NEUTRALIS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: < 5 hPa
Relative vapour density at 20 °C	: No data available
Relative density	: 1
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 50 mPa.s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

UMONIUM 38 NEUTRALIS	
LD50 oral rat	5840 mg/kg
LD50 dermal rat	> 2000 mg/kg
Benzalkonium chloride (68424-85-1)	
LD50 oral rat	≈ 344 mg/kg
LD50 dermal rabbit	≈ 3340 mg/kg

Skin corrosion/irritation	: Causes severe skin burns and eye damage. Causes skin irritation. pH: 7
Serious eye damage/irritation	: Causes serious eye irritation. pH: 7
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

UMONIUM 38 NEUTRALIS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified
Chronic aquatic toxicity : Not classified

UMONIUM 38 NEUTRALIS	
EC50 Daphnia 1	0.39 mg/l OECD 202
ErC50 (algae)	0.25 mg/l OECD203
ErC50 (other aquatic plants)	0.55 mg/l OECD203
Benzalkonium chloride (68424-85-1)	
LC50 fish 1	0.28 mg/l
NOEC (acute)	<
TLM fish 1	<

12.2. Persistence and degradability

UMONIUM 38 NEUTRALIS	
Persistence and degradability	Not established.
Biochemical oxygen demand (BOD)	< 5 g O ₂ /g substance
Chemical oxygen demand (COD)	19.5 g O ₂ /g substance
Biodegradation	81.1 % OECD 301B

12.3. Bioaccumulative potential

UMONIUM 38 NEUTRALIS	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
Benzalkonium chloride (68424-85-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment. No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. If discharging to domestic sewage treatment plant, no onsite wastewater treatment required.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

UMONIUM 38 NEUTRALIS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : III

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Vehicle for tank carriage : FL

Transport category (ADR) : 3

- Transport by sea

MFAG-No : 127

- Air transport

No data available

- Inland waterway transport

No data available

- Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

UMONIUM 38 NEUTRALIS

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Indication of changes:

Section	Changed item	Change	Comments
1.2			

Other information : None.

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
R11	Highly flammable
R22	Harmful if swallowed
R34	Causes burns
R36	Irritating to eyes
R50	Very toxic to aquatic organisms
R67	Vapours may cause drowsiness and dizziness
C	Corrosive
F	Highly flammable
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

EC Certificate Full Quality Assurance System: Certificate BE19/819943486

The management system of

Laboratoire Huckert's International sprl

Avenue Lavoisier 20
1300 Wavre, Belgium

has been assessed and certified as meeting the requirements of

Directive 93/42/EEC on medical devices, Annex II (excluding Section 4)

For the following products

The scope of registration appears on page 2 of this certificate.

This certificate is valid from 28/06/2019 until 25/07/ 2022
and remains valid subject to satisfactory surveillance audits.


Issue 1. Certified since 25/07/1999

And first certified by SGS Belgium on 28/06/2019

Re certification audit due before 25/06/2020

Certification is based on reports numbered BE/AND 200467

Authorised by




Pieter Weterings
Certification Manager

SGS Belgium NV, Notified Body 1639

SGS House Noorderlaan 87 2030 Antwerp Belgium
t +32 (0)3 545-48-48 f +32 (0)3 545-48-49 www.sgs.com

LPMD5007 - Certificate CE1639 Annex II-4_EN rev. 02

Page 1 of 2



This document is issued by the Company subject to its General Conditions of Certification Services, unless otherwise agreed, accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at <http://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Laboratoire Huckert's International sprl

Directive 93/42/EEC

on medical devices, Annex II (excluding Section 4).

Issue 1

Detailed scope

Concentrated UMONIUM38® dedicated to disinfection of invasive medical devices (Surgical instruments) and surface disinfection of non-invasive medical devices.

Ready to be used UMONIUM38® dedicated to disinfection of invasive medical devices (Surgical instruments) and surface disinfection of non-invasive medical devices.

Details

Surface disinfectants for non invasive medical devices

- Umonium 38 ® Equipments (125ml, 1L, 5L, 25L)
- Umonium 38 ® Medical Tissues (1, 10, 100, 200)
- Umonium 38 ® Neutralis tissue (100 wipes)

Disinfectants for invasive and non-invasive medical devices, with the exclusion of contact lenses

- U38 Instrument (125ml, 1L and 5L)
- U38 Instrument & Equipment (25ml, 125ml, 1L and 5L)
- U38 Medical Spray (spray 50ml, 250ml, 500ml and 1L)
- U38 Labocid (2L, 25L)
- U38 Neutralis (25ml, 125ml, 1L and 5L)
- U38 Neutralis Spray (250 and 500 ml)
- U38 Sterily (125ml, 1L and 5L)





Certificate BE99/507500

The management system of

Laboratoire Huckert's International sprl

Avenue Lavoisier 20
1300 Wavre, Belgium

Has been assessed and certified as meeting the requirements of

ISO 9001:2015

For the following activities

Design, development, manufacture and distribution of hygiene products and disinfectants for invasive and non-invasive medical devices, with the exclusion of contact lenses.

This certificate is valid from 26/01/2021 until 25/07/2023 and remains valid subject to satisfactory surveillance audits.

Issue 13. Certified since 25/07/1999.

Re certification audit due before 25/06/2023.



Authorised by

Pieter Weterings
Certification Manager
SGS Belgium NV

SGS House Noorderlaan 87 2030 Antwerp Belgium
t +32 (0)3 545-48-48 f +32 (0)3 545-48-49 www.sgs.com



Accreditation Number
005-CMS
EN ISO/IEC 17021-1:2015

Page 1 of 1

SGS 9001-15 01 0109



SGS

SGS

SGS

SGS

SGS

SGS

SGS

This document is issued by the Company subject to its General Conditions of Certification Services, unless otherwise agreed, accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at <https://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate BE19/819943487

The management system of

Laboratoire Huckert's International sprl

Avenue Lavoisier 20
1300 Wavre, Belgium

has been assessed and certified as meeting the requirements of

ISO 13485:2016 EN ISO 13485:2016

For the following activities

**Design, development, manufacture and distribution of disinfectants
for invasive and non invasive medical devices,
with the exclusion of contact lenses.**


This certificate is valid from 06 August 2020 until 25 July 2023
and remains valid subject to satisfactory surveillance audits.

Issue 2. Certified since 25 July 1999

Re certification audit due before 25 June 2023

*The audit leading to this certificate commenced on 26 March 2020
Previous issue certificate validity date was until 25 July 2020*

Authorised by



Pieter Weterings
Certification Manager

SGS Belgium NV
SGS House Noorderlaan 87 2030 Antwerp Belgium
t +32 (0)3 545-48-48 f +32 (0)3 545-48-49 www.sgs.com

SGS Belgium 13485-2 0308

Page 1 of 1



Accreditation Number

005-QMS
EN ISO/IEC 17021-1:2015



This document is issued by the Company subject to its General Conditions of Certification Services, unless otherwise agreed, accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at <https://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.