

MATERIAL SAFETY DATA SHEET

Page 1 of 7

SOLUTOL PC22

Date of Issue: March 01. 2022

Section 1: Identification

PRODUCT NAME: SOLUTOL PC22

PRODUCT USE: Blend of anionic and nonionic surfactant

COMPANY NAME & CONTACT DETAILS: SOLUTECH ASIA CO.,LTD
135 INTRAWAT RD.BANG RAMAT, TALING CHAN, BANGKOK 10170
+662-443-3913-4

PHONE: +662-443-3913-4

EMERGENCY TELEPHONE NUMBER:

Section 2: Hazards identification

CLASSIFICATION ACCORDING TO GHS: Acute toxicity : Oral Category 4
Acute toxicity : Dermal Category 4
Skin corrosion / Irritation Category 4

PICTOGRAMS OF GHS:



SIGNAL WORD: Warning

HAZARD STATEMENT:

HEALTH:

H224 :Flammable liquid and vapour

H303 :May be harmful if swallowed

H315 :Causes skin irritation

H319 :Causes serious eye irritation

H317 :May causes an allergic skin reaction

H336 :May causes drowsiness or dizziness

H373 :May causes damage to organs (Liver, Kidney, Blood) through prolonged or repeated exposure (Oral)



MATERIAL SAFETY DATA SHEET

Page 2 of 2

SOLUTOL PC22

Date of Issue: March 01, 2022

PRECAUTIONARY STATEMENT:

P210	: Keep away from heat/sparks/open flames/ hot surface – No smoking
P233	: Keep container tightly closed
P242	: Use only non-sparking tools
P260	: Do not breathe vapour or spray of this product
P280	: Wear protective gloves/eye protection and face protection
P302+P352	: If on skin; wash with plenty of soap and water
P332+P313	: If skin irritation occurs; get medical advice
P362	: Take off contaminated clothing and wash before reuse
P305+P351+P338	: If in eyes; rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337+P313	: If eye irritation persists; get medical advice
P304+P340	: If inhaled; remove victim to fresh air and keep at rest in a position comfortable for breathing
P312	: Call a physician if you feel unwell

STORAGE:

Store locked up.

P405

DISPOSAL

Dispose of contents/container to approved method and / or local regulations.

P501

Section 3: Composition / Information on Ingredients

Chemical entity	CAS Number	Concentration %
Calcium Alkyl benzene sulfonate	26264-06-2	30.0 -40.0
Castor oil ethoxylate	127087-87-0	50.0 -70.0
Alcohol	71-36-3	5.0 – 10.0



MATERIAL SAFETY DATA SHEET

Page 3 of 3

SOLUTOL PC22

Date of Issue: March 01, 2022

Section 4: First Aid Measures

EYE:	Immediately flush eyes with a copious amount of water for at least 15 minutes. Call a physician if you feel unwell
INHALATION:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Obtain medical attention immediately.
SKIN:	After contact with skin, wash immediately with plenty of soap and water. Wash clothing before reuse. Clean shoes thoroughly before reuse. Obtain medical attention immediately.
INGESTION:	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Rinse mouth with water. Give plenty of water to drink. Call a physician if you feel unwell
ADVICE TO DOCTOR:	Symptomatic treatment and supportive therapy as indicated. Following severe exposure the patient should be kept under medical review for at least 48 hours.

Section 5: Fire Fighting Measures

EXTINGUISHING MEDIA:	
SUITABLE:	Use carbon dioxide, water-fog, foam or dry powder extinguishers.
NOT SUITABLE:	Do not use water jet.
SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:	None.
SPECIAL PROTECTIVE ACTION FOR FIRE-FIGHTERS:	Wear self-contained breathing apparatus and chemical-protective clothing.

Section 6: Accidental Release Measures

PERSONAL PRECAUTIONS: Immediately contact emergency personnel. Eliminate all ignition sources. Keep



บริษัท WPS Office

MATERIAL SAFETY DATA SHEET

Page 4 of 4

SOLUTOL PC22

Date of Issue: March 01, 2022

ENVIRONMENTAL PRECAUTIONS:

unnecessary personnel away. Clean up immediately. Use suitable protective equipment (section 8). Do not touch or walk through spilt material. Hazard of slipping on spilt product.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

If emergency personnel are unavailable, contain spilt material. For small spills, add absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills, dyke spilt material or otherwise contain it to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal.

Section 7: Handling and Storage

PRECAUTIONS FOR SAFE HANDLING:

Avoid contact with eyes, skin and clothing. Keep container closed. Use only with adequate ventilation. Avoid breathing vapour or mist. Keep away from heat, sparks and flame. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Wash thoroughly after handling. Do not dispose of material to sewers or waterways.

PRECAUTIONS FOR SAFE STORAGE:

Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame). The recommended storage temperature should be below 30°C. Store away from oxidising agents. Keep containers closed at all times - check regularly for leaks.

Section 8: Exposure Controls and Personal Protection

NATIONAL EXPOSURE STANDARDS:

No occupational exposure limits known. Read the manual before using.

ENGINEERING CONTROLS:

Use only in well ventilated areas. Keep containers closed when not in use.

PERSONAL PROTECTIVE EQUIPMENT:

Wear safety glasses and appropriate chemical resistance protective gloves and clean up after work.

Section 9: Physical and Chemical Properties

APPEARANCE: ODOUR:



Viscous Liquid, Yellowish color
low smells

WPS Office

MATERIAL SAFETY DATA SHEET

Page 5 of 5

SOLUTOL PC22

Date of Issue: March 01, 2022

pH:	6.7 – 8.7 @ 25°C (1% solution)
FREEZING POINT:	Not determined
BOILING POINT/RANGE:	Not determined
FLASH POINT:	
EVAPORATION RATE:	Not applicable
FLAMMABILITY:	Not determined
VAPOUR PRESSURE:	Non-flammable
	Not determined
VAPOUR DENSITY:	Not determined
SOLUBILITY IN WATER AT 25°C:	>100 g/L
SPECIFIC GRAVITY:	0.937 – 1.137 Kg/L @ 20°C
PARTITION COEFFICIENT n-OCTANOL/WATER:	Not determined
FLAMMABLE LIMITS:	
(LEL)%	Not applicable
(UEL)%	Not applicable
AUTO-IGNITION TEMPERATURE:	Not determined
DECOMPOSITION TEMPERATURE:	Not determined

Section 10: Stability and Reactivity

REACTIVITY:	No hazardous reactions if stored and handled as indicated.
CHEMICAL STABILITY:	Stable under normal conditions of storage and use
POSSIBILITY OF HAZARDOUS REACTIONS:	No hazardous reactions if stored and handled as indicated.
CONDITIONS TO AVOID:	Avoid heat, sparks and open flames. Avoid extremes of temperature, e.g. below 0°C and above 40°C.
INCOMPATIBLE MATERIALS:	Strong oxidizing agent, Strong bases.
HAZARDOUS DECOMPOSITION PRODUCT:	Combustion or thermal decomposition will evolve carbon and nitrogen oxides and Halogen compounds.

Section 11: Toxicological Information

Acute Toxicity



แก้ไขด้วย WPS Office

MATERIAL SAFETY DATA SHEET

Page 6 of 6

SOLUTOL PC22

Date of Issue: March 01, 2022

Acute Toxicity (Oral)	: LD ₅₀ = 4,000 mg/Kg, rat => Category 4
Acute Toxicity (Dermal)	: LD ₅₀ = >2000 mg/Kg, rabbit => Category 4
Acute Toxicity (Inhalation)	: LC ₅₀ = >1.7 mg/l, 4 hrs., rat => Category 4

Skin Corrosion/Irritation : Not classified.

Serious Eye Damage/Eye Irritation : Not classified.

Respiratory or Skin Sensitization

Respiratory sensitization	: Classification not possible.
Skin sensitization	: Not classified.

Germ Cell Mutagenicity : Not classified.

Carcinogenicity : Not classified.

Reproductive toxicity : Not classified.

Specific Target Organ Toxicity/Single Exposure : Not classified.

Specific Target Organ Toxicity/Repeated Exposure : Not classified.

Aspiration Hazard : Not classified..

Section 12: Ecological Information

TOXICITY: HAZARDOUS TO THE AQUATIC ENVIRONMENT

Short-Term (Acute) Hazard	: Not classified.
Long-term (Chronic) Hazard	: Not classified.

PERSISTENCE AND DEGRADABILITY:

This product is expected to be decomposed immediately. (readily biodegradable) Stable to degradation in the environment.

BIOACCUMULATIVE POTENTIAL:

This product is not expected to bio accumulate.

MOBILITY IN SOIL:

Leaching potential of Permethrin and its degradates show that very little Downward movement occurs in soil. Permethrin in aquatic environment absorbs to vegetation and hydro soil.

OTHER ADVERSE EFFECTS:

No data available.

Section 13: Disposal Considerations



เปิดด้วย WPS Office

MATERIAL SAFETY DATA SHEET

Page 7 of 7

SOLUTOL PC22

Date of Issue: March 01, 2022

WASTE TREATMENT METHOD: Empty containers should be forwarded to an approved agent for recycling.
Avoid unauthorised discharge to sewer..

Special precautions for landfill or incineration: Material suitable for disposal by incineration or landfill through an approved agent..

Section 14: Transport Information

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None Allocated	None Allocated	None Allocated
14.2 Proper Shipping Name	None Allocated	None Allocated	None Allocated
14.3 Transport hazard class	None Allocated	None Allocated	None Allocated
14.4 Packing Group	None Allocated	None Allocated	None Allocated

14.5 Environmental hazards: No information provided

14.6 Special precautions for user: None Allocated

Section 15: Regulatory Information

LAW ENFORCEMENT IN THAILAND: No data available..

Section 16: Other Information

SOLUTECH ASIA CO.,LTD

135 INTTHRAWAT RD.BANG RAMAT, TALING CHAN, BANGKOK 10170

Phone: ++662-443-3913-4

Emergency Telephone number: All hours +662-443-3913-4

SDS Creation date: March 01, 2022

Disclaimer

The above information comes from the knowledge that there is currently preparing information and altruism to explain the impact of the product on health, safety and the environment only. It should not be construed as a guarantee of any particular features of the products mentioned herein.

END OF MSDS



แก้ไขด้วย WPS Office