บริษัท เคมมิน จำกัด

CHEMMIN CORPORATION

53/6 หมู่ 6 ถนนกิ่งแก้ว ตำบลราชาเทวะ อำเภอบางพลี จังหวัดสมุทรปราการ 10540 โทร. (02) 175-2131/45 โทรสาร (02) 175-2152/3

53/6 Moo 6, Kingkaew Rd., Tambon Rachatewa, Amphur Bangplee, Samutprakarn 10540 Tel. (02) 175-2131/45 Fax. (02) 175-2152/3

http://www.chemmin.com, Contact Supply Section : supply@chemmin.net, Contact Sales Section : sales@chemmin.net, Job Apply : jobs@chemmin.net

SAFETY DATA SHEET

SECTION 1 : IDENTIFICATION OF THE PREPARATION AND COMPANY

Product : Calcium Carbonate (Marble) CAS No. : 1317 - 65 - 3

Chemical Formula : $CaCO_3$ EINECS : 207 - 439 - 9

Trade Names :

325 MESH

Product Uses : Mineral filler and extender in rubber, plastics, paints and opacifying filler and coating pigment in paper

Manufacturer 's Name :

Address :

SECTION 2 : COMPOSITION / IMFORMATION ON INGREDIENTS

Chemical characterization : Calcium carbonate is a pure form of ground marble, white powder, odorless and nontoxic

Ingredients :	% by Wt. (dry) :	
Marble ($CaCO_3$)	95.0	Appearance and Odor : White powder and mild odor
$MgCO_3$	0.8	Specific Gravity : 2.7 g / ml
Fe_2O_3	0.02	Solubility in Water : 1.3 mg / 100 g @ 18 ° C

(naturally occurring component of marble)

SECTION 3 : HAZARDS IDENTIFICATION OF THE PREPARATION

Hazardous Material Identification System : (National Paint & Coating Association)	Category	Rating Dry
	Health	1
	Flammability	0
	Reactivity	0
	Personal Protection	E

SECTION 4 : FIRST AID MEASURES

Inhalation (dust) :	Remove to fresh air . Obtain medical advice if required.
Eye Contact:	Immediately flush the contaminated eye(s) with luke warm, gently flowing water, for 10 minutes, holding the eyelid (s) open . If irritation persists , obtain medical advice immediately.
Skin Contact :	Wash with warm and mild soap. If irritation occures , obtain medical advice immediately.
Ingestion :	Never give anything by mouth if victim is rapidly losing consciousness or is unconscious or convulsing . Rinse mouth thoroughly with water . Do not induce vomiting . Drink 8 to 10 ounces (240 to 300 ml) of water to dilute material in stomach. Obtain medical advice immediately.

SECTION 5 : FIRE AND EXPLOSION DATA

Flash Point : Non - flammable.

Special Fire fighting Procedures : None

Unusual Fire and Explosion Hazards : None

บริษัท เคมมิน จำกัด
CHEMMIN CORPORATION
53/6 หมู่ 6 ถนนกิ่งแก้ว ตำบลราชาเทวะ อำเภอบางพลี จังหวัดสมุทรปราการ 10540 โทร. (02) 175-2131/45 โทรสาร (02) 175-2152/3
53/6 Moo 6, Kingkaew Rd., Tambon Rachatewa, Amphur Bangplee, Samutprakarn 10540 Tel. (02) 175-2131/45 Fax. (02) 175-2152/3
http://www.chemmin.com, Contact Supply Section : supply@chemmin.net, Contact Sales Section : sales@chemmin.net, Job Apply : jobs@chemmin.net

SECTION 6 : ACCIDENT RELEASE MEASURES

Personal safety precautions : Follow the protective measure given in section 8.

Precaution for protection of the environment : Prevent discharge into the sawer

Measures of cleaning / collecting : Clean the area with large quantities of water.
Collect product with suitable means avoiding dust formation .

SECTION 7 : HANDING AND STORAGE

Handling : Engineering control methods such as (but not limited to) process enclosure and exhaust ventilation may be necessary to control exposures. Supply sufficient replacement air to make up for air removed by exhaust systems.If engineering controls and work practices are not effective in controlling exposures , appropriate personal protective equipment including a NIOSH / OSHA approved dust respirator should be worn. When prolonged or repeated contact with hands is likely ,the use of appropriate gloves is recommended. Safety glasses with side shield should be worn as minimum eye protection.

Storage Conditions : Store in closed containers in a dry place separate from incompatible materials.
(should be kept away from sunlight.)

Spill and Leak procedure Measures may be necessary to reduce and protect against airborne dust during cleanup operations, including wetting spilled material and / or use of respiratory protective equipment.

Disposal : From a waste perspective, these products are not considered hazardous and may be disposed of as a solid waste in accordance with applicable federal, state, provincial , and local regulations.

SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls : Premises ventilation

Exposure Limits :

ACGIH TLV : Total dust , 10 mg / m^3 TWA

OSHA PEL : Total dust , 15 mg / m^3 TWA
Respirable dust , 5 mg / m^3 TWA

ACGIH TLV : Respirable dust , 0.1 mg / m^3 TWA

OSHA PEL : Respirable dust , 0.1 mg / m^3 TWA

Personal protection :

Respiratory protection : In case of dust cloud / fog / fumes , dust mask type P1

Hand protection : Protective gloves . Recommended material PVC , neoprene , rubber.

Eye protection : Wear protective goggles for all indrustrial operations.

Skin protection : Wear suitable protective clothing

SECTION 9 :PHYSICAL AND CHEMICAL PROPERTIES

Form : Crystals, Powder

Colour : White

Odour : Odourless

pH value at 20° C : 8.0 - 10.0

Specific gravity : 2.71 g / cc

Change in condition : Melting point / range : Not applicable (Decomposition)

Boiling point / range : Not applicable

Flash point : Non applicable

Danger of exposion : Non - exposive

Solubility : Very slightly soluble in water 14 mg / l , Temperature 25 °C

บริษัท เคมมิน จำกัด

CHEMMIN CORPORATION

53/6 หมู่ 6 ถนนกิ่งแก้ว ตำบลราชาเทวะ อำเภอบางพลี จังหวัดสมุทรปราการ 10540 โทร. (02) 175-2131/45 โทรสาร (02) 175-2152/3

53/6 Moo 6, Kingkaew Rd., Tambon Rachatewa, Amphur Bangplee, Samutprakarn 10540 Tel. (02) 175-2131/45 Fax. (02) 175-2152/3

http://www.chemmin.com, Contact Supply Section : supply@chemmin.net, Contact Sales Section : sales@chemmin.net, Job Apply : jobs@chemmin.net

SECTION 10 : STABLELITY AND REACTIVITY

Stability : Stable.

Recommend use before : 3 years from delivery date

Reactivity in Water : None

Hazardous Decomposition Products : None

Hazardous Polymerization : Will not occur

Minimum shelf lift : Calcium carbonate has a very long shelf life when kept dry, store away from heat and moisture.

Incompatibility (Material to Avoid) : Reacts with strong acid to liberate carbon dioxide.

SECTION 11 : TOXICOLOGICAL INFORMATION

Non Toxicity	LD50 (oral , rat) 6450 mg / Kg
Primary irrititant effect :	
Inhalation (dust) :	Can be irritating to the respiratory tract. Symptoms include sneezing and slight nose irritation.
Eye contact :	Mild irritation. Symptoms include watering and irritation.
Skin contect :	Repeated or prolonged exposure may have a drying effect on the skin.
	May cause mild skin irritation . Symptoms include redness and irritation.
Ingestion :	Ingestion of very large quantities may result in intestinal obstruction and / or constipation.

SECTION 12 : ECOLOGICAL IMFORMATION

No experimental ecological data are available on the preparation as such

SECTION 13 : DISPOSAL CONSIDERATIONS

Waste treatment :	Dispose in compliance with local / federal and national regulations .
	Dispose of product at a landfill authorized for industrial waste.
Packaging treatment	Container that cannot be cleaned must be treated as waste. Or , The empty and clean containers
	are to be reused in conformity with regulations.

SECTION 14 : TRANSPORT INFORMATION

Domestic delivery is 1-3 days and international 1-4 weeks.

SECTION 15 : REGULATORY INFORMATION

EC Labelling : Not dangerous according to Dir. 92 / 32 EEC.

SECTION 16 : OTHER INFORMATION

-