⊙ 20 мин.

SQL Quiz

15 questions

- * Обязательно
- * В этой форме будет записано ваше имя. Введите ваше имя.

SQL Quiz

1

You have a table Customers. In order to get all Contact Names, Cities and Countries what query should we type ? * (Баллов: 4)

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Mexico
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22	Sweden

\bigcirc	SELECT * FROM Customers
\bigcirc	SELECT Customer Name, City, Country FROM Customers
\bigcirc	SELECT Customer Name, City, Country FROM Customer
\bigcirc	SELECT CustomerName, City, Country FROM Customers
	2
	he AND operator displays a record if all the conditions separated by AND re False, choose Yes or No * (Баллов: 4)
\bigcirc	Yes
\bigcirc	No

10.05.2023, 01:58

The following SQL statement selects all the columns from the "Customers" table: "SELECT ALL FROM Customers;". Choose True or False. * (Баллов: 4)

	_	
()	False
		1 4150

(١.	True
\	- /	Hue

4

In order to add new record with values ("AO KBTU", "Some Person", "Tole bi, 59", "Almaty", "050000", "Kazakhstan") to the table Customers what query should we type? (please use upper case and double quotation marks). CustomerID is **autoincremented**. * (Баллов: 4)

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Mexico
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22	Sweden

10.05.2023, 01:58 SQL Quiz

5

REQUIRE

In order to change the value of ContactName of "Ana Trujillo" to "Trujillo Ana" for table Customers what command should we use ? (please use upper case and double quotation marks) * (Баллов: 4)

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Mexico
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22	Sweden

	6
	n order to receive required data which command should we use ? * Баллов: 4)
\bigcirc	GET
\bigcirc	RECEIVE
\bigcirc	SELECT

Is the following query correct ? SELECT * FROM Customers WHERE City='Berlin' OR 'München'; Choose Yes or No * (Баллов: 4)
○ No
Yes
8
How do you feel about the course ?
$\triangle \ \triangle \ \triangle \ \triangle \ \triangle$
9
In order to change some values which command should we use ? (Баллов: 4)
UPGRADE
○ UPDATE
CORRECT
☐ IMPROVE

10 What does SQL stand for ? * (Баллов: 4) Structurized Query Language Standard Question Language Structured Query Language Standard Query Language 11 If you are adding values for all the columns of the table, you necessarily need to specify the column names in the SQL query, choose True or False * (Баллов: 4) True False

10.05.2023, 01:58 SQL Quiz

12

In order to receive data from all columns what query should we type? * (Баллов: 4)

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Mexico
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22	Sweden

	SELECT * FROM Customers
	SELECT ALL FROM Customers
	SELECT CustomerID, CustomerName, ContactName, Address, City, PostalCode, Country FROM Customers
	SELECT CustomerName, ContactName, Address, City, PostalCode, Country FROM Customers
	13
V	VHERE clause is used to filter records, choose True or False * (Баллов: 4)
\bigcirc	True
	False

14

The INSERT INTO statement is used to insert new records in a table, choose True or False * (Баллов: 4)

	1	_
()	Irue

()	Fa	lse

15

In order to receive ContactName of a customer who lives in USA and Lives in Kirkland what query should we type? (please type kywords with uppercase letters) * (Баллов: 4)

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Country
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Germany
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Mexico
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mexico
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK
5	Berglunds snabbköp	Christina Berglund	Berguvsvägen 8	Luleå	S-958 22	Sweden

(

16

SQL command are case sensitive, choose True or False * (Баллов: 4)

/	-)	Ealco
	1	raise
/	/	

True

10.05.2023, 01:58 SQL Quiz

Этот контент не создавался и не подтверждался корпорацией Майкрософт. Предоставленные вами данные отправляются владельцу формы.

