

Data for Mightex LEDs

Specifications:

Spectra for available LEDs attached.


Available LEDs highlighted in green:

Part Number	Type	Wavelength (nm)	Half Diverging Angle(deg.)	I _{op} (A)	V _{op} (V)	Typical Output Power (mW) ²
			φ 22mm ¹			
LCS-0365-76-22	H	365	5	18	4.2	10000
LCS-0405-65-22	H	405	5	18	3.6	8300
LCS-0470-50-22	H	470	5	13	3.8	3300
LCS-0525-60-22	H	525	5	13	4.6	1300
LCS-0560-68-22	H	560 broadband	5	18	3.8	3500
LCS-0625-38-22	H	625	5	13	2.9	1100
LCS-0730-77-22	H	730	5	18	5.9	3500
LCS-0850-68-22	H	850	5	18	3.75	5500
LCS-6500-65-22	H	glacier white, 6,500K	5	18	3.7	3500

Attached files


365nm_Spectrum.png

sha256: 7d00f5955668b7760bcc864f2b45ea73aa19d29fb98140702a29c298bca1f7fa




405nm_Spectrum.png

sha256: e20573a976e807cff7f5628db44e307d6751098c925787971ace273293fb8048



470nm_Spectrum.png

sha256: 00f1ea7005d93a4adcb3688e6be83247bf0cab2ae8daaa426e70f4151bbb95c3




Led_collimator_sources_high_power_datasheet_v19_June_2020.pdf

sha256: 74416ba3e76051b6ed5b465a7e1d6a76b0103aaa38bc084e21b47714574a1dcf



6500K_Spectrum.png

sha256: 13de889bb283da5716a5dd4fdd74911d66f321a4475366bfa96b2ef6d80af60d



Comment

On 2024-03-12 11:56:32 Jacob Schneidewind wrote:

Notes:

* Linking light sources



Unique eLabID: 20221109-9a6195d55e0c3d3943393cca51983d17c475241a

Link: <https://elab.water-splitting.org/database.php?mode=view&id=43>