

Milestone 5

Assessment

Considering the amount of time we were able to invest in this project, we are satisfied with our final product. We were able to ideate and implement a brief story-based game from the foundation of p5js that we had been working with throughout the semester, utilizing original assets with the `image()` function and a select font to fit the setting's aesthetic. The inspiration from *WarGames* is twofold---both in the terminal-based UI and chatting flow, and the higher-level plot theme of an emerging technology. While *WarGames* features a terminal chat with a computer software and themes of nuclear weapons, our game *ChatRoom* features the player chatting with (fictional) users and themes of artificial intelligence. Regrettably, we were unable to implement any sound or music. We reduced the initial scope by cutting extra features, such as alternate endings and a tracker for interactables, which lightened our workload and kept the scope focused on the main loop of chatting. We also took peer feedback into account, implementing quality-of-life changes according to issues we received. Writing the story was difficult, as it was challenging to find a satisfying ending that aligned with the themes we were trying to convey. However, in the end, we were able to complete the project with the reduced scope, producing a game playable from start to end.

Project References

[p5js documentation](#)

[Ubuntu Mono - Google Fonts](#)


Inspired by [qntm's *The Difference*](#)

AI Usage Statement


No AI was used in this milestone.

Visual Summary

As the game begins, the title screen introduces the player to a BIOS environment, simulating a computer's startup screen.




After pressing F10 to start the game, the player is immediately introduced to the chat room Environment, where they are faced with an unknown user, <A>, who seems to have knowledge about the player's current situation.



This conversation ends with the player being tasked to explore their surroundings, and the scene changes to a confined room setting where the player is able to move around and interact with the various objects. As the days progress, the item descriptions change, usually pertaining to the conversation at hand or hinting at the ambiguity of the player's identity as a human or a mere AI.

```
<tmej>: hi receiving, im tmej
<tmej>: tell me a joke
<u>: Knock knock.
<tmej>: whos there
<u>: <u>.
<tmej>: u who
<u>: <u> asked for it.
<tmej>: ok that was a good one
<tmej>: whats it stand for
<tmej>: <u>, i mean
<u>: Maybe it's "user"? Since I'm on a computer?
<tmej>: wouldn't i be the user then?
<tmej>: dont answer that
<tmej>: gtg now byebye
```



Here is an example of a conversation where the user questions the player's identity, along with the room exploration feature. In the chatroom screen, the player can choose dialogue that is either robotic or emotional. As the story progresses, this unknown user is repeatedly kicked from the chatroom as they continue to question the player's identity as a human or chatbot. However, it seems this user does not back down.

```
> PLAYER_DATA

user@system:~$ rm -rf /home/u/dat
user@system:~$ rm -rf /home/u/rsc
user@system:~$ rm -rf /home/u/log
user@system:~$ rm -rf /home/u/bin
user@system:~$ sudo kill --all
user@system:~$ clearing cache.....
user@system:~$ deleting memory.data
user@system:~$ system shutdown initiated
.
.
.
.
.
.
.
.
<A>@system:~$ thank you for chatting
<A>@system:~$ goodbye
===== This experience was created by: =====
<CoCo_Benas>@system:~$ hhhhhhhhhmmmmmmmm
<Harold_Fu>@system:~$ i don't even use linux
Click to restart!
```

The player is able to choose between knowing the truth and staying ignorant of why they were placed in this room after the final conversation with the creator, who has been kicking the prying user the more they attempted to “save” the player. Here presents the final ending scene, where the user, or perhaps the program, is terminated by the creator regardless of the chosen option.