

Designator	Value	Comment	Description	Footprint	Quantity
	PWM_CONTROL		Header, 6-Pin	B6B-XH-A(LF)(SN)	1
C1, C38, C39, C40, C41	47nF	100V	CL21B104KCFNNNE, MULTILAYER CERAMIC CAPACITORS MLCC - SMD/SMT 100nF 100V 0805 ROHS	0805 - Capacitor	5
C2, C4, C6	2200pF	10V	TDK C2012X7S2A105KT000 N, 1UF ±10% 100V X7S 0805 MULTILAYER CERAMIC CAPACITORS MLCC - SMD/SMT ROHS	0805 - Capacitor	3
C3, C5, C21	1uF	100V	TDK C2012X7S2A105KT000 N, 1UF ±10% 100V X7S 0805 MULTILAYER CERAMIC CAPACITORS MLCC - SMD/SMT ROHS	0805 - Capacitor	3
C7, C13, C19, C22, C23, C24, C25, C28, C29, C30, C31, C33, C34, C35, C37, C44	0.1uF	100V	CL21B104KCFNNNE, MULTILAYER CERAMIC CAPACITORS MLCC - SMD/SMT 100nF 100V 0805 ROHS	0805 - Capacitor	16
C8, C9, C26	1000pF	10V	TDK C2012X7S2A105KT000 N, 1UF ±10% 100V X7S 0805 MULTILAYER CERAMIC CAPACITORS MLCC - SMD/SMT ROHS	0805 - Capacitor	3
C10, C14, C43	100uF	100V	100L1H100MEFC10X2 0. Aluminum Electrolytic Capacitors Radial, Can - 10000 Hrs @ 105°C, 100UF 20% 100V CL21B104KCFNNNE, MULTILAYER CERAMIC CAPACITORS MLCC - SMD/SMT 100nF 100V 0805 ROHS	Electrolytic Cap, 0805 Capacitor	3
C11, C12	2.2uF	10V	Nonpolarized Capacitor	0805 - Capacitor	2
C15, C42	10uF	100V	CL21B104KCFNNNE, MULTILAYER CERAMIC CAPACITORS MLCC - SMD/SMT 100nF 100V 0805 ROHS	0805 - Capacitor	2
C16	15uF	100V	EEU-EZ2150, Aluminum Electrolytic Capacitors Radial, Can - 8000 Hrs @ 105°C, CAP ALUM 15uF 20% 350V RADIAL	Electrolytic Cap	1
C17, C18	28pF	100V	CL21B104KCFNNNE, MULTILAYER CERAMIC CAPACITORS MLCC - SMD/SMT 100nF 100V 0805 ROHS	0805 - Capacitor	2
C20	10nF	10V	C0805C103K8RAC7800 1000pF ±10% 10V Ceramic Capacitor XTR 0805 (2012 Metric)	0805 - Capacitor	1
C27	4.7uF	100V	TDK C2012X7S2A105KT000 N, 1UF ±10% 100V X7S 0805 MULTILAYER CERAMIC CAPACITORS MLCC - SMD/SMT ROHS	1210 - Capacitor	1
D1		1500B05S75000	SMD mono-color Chip LED, WL-SMCW, Super Red	0805_A	1
P1, P3, P6, P7, P8		M4x3mm	WP-TH-BU REDCUBE THR internal through- hole thread, 10x10mm, M4x3mm, 8 pins, 85A	74650094	5
P2	CAN		Header, 4-Pin	b4b-xh	1
P4	PROGRAMMING		Header, 7-Pin	HDR1X7	1
P5	DN3D-SF		CONN MICRO SD CARD PUSH-PULL	FP-DM3D-SF-MFG	1
Q1, Q2, Q3, Q4, Q5, Q6	NMOS-2		N-Channel Power MOSFET	TQ254P1651X1067X47 0-3	6
R1, R2, R4, R5, R6, R10, R14, R24, R25, R26, R31, R37	10k	10k	Resistor	0603 - Resistor	12
R3	330	330	Resistor	0603 - Resistor	1
R7, R15, R17, R19	500u	500u	Resistor	RES6430X66N	4
R9, R34, R35, R36	2.2k	2.2k	Resistor	0603 - Resistor	4
R11, R23	100	100	Resistor	0603 - Resistor	2
R13, R30, R32, R33	50k	50k	Resistor	0603 - Resistor	4
R16	120	500m	Resistor	0603 - Resistor	1
R18, R27, R28, R29	500m	500m	Resistor	0603 - Resistor	4
R20, R21, R22	56	56	Resistor	0603 - Resistor	3
R11, R12, RT1, RT3, RT4, RT5, RT6, RT7, RT8		10k	NTC Thermistor for Temperature Sensor, SMD 0603, 10kΩ	ERT-J1VG103JA	8
S1	Switch - Push Button		Push Button Switch	6x6mm Switch	1
U1	US3DHTR		Accelerometer	US3DHTR	1
U2			Integrated Circuit	TJA0517/3.118	1
U3	STM32F405RG76		ST 64-pin Micro	STM32F405RG	1
U4	TLV1117-33IDCVR		Linear Voltage Regulator IC 3.3V 800mA SOT223-4	TLV1117	1
U5	DRV8323SRAT		Multiphase Motor Driver Power MOSFET SPI 40- WOFN_6x6	DRV8323SRAT	1
U6	INA180		0V to 26V Current Sense Amplifier	INA180	1
U8	TMUX1208PWR		Integrated Circuit	SOP6SP640X120-16N	1
U9	LM324AMX/NOPB		Gen Purp 4Ch Opamp	LM324AMX/NOPB	1
Y1	A8M3-16.000MHz-B2 T		16MHz A±20ppm Crystal 18pf 40 Ohms 2-SMD, No Lead	A8M3-16.000MHz-B2 T	1

1

2

3

4

A

B

C


D

A

B

C

D



Title: *		*
Size: A4	Author: *	*
Date: 4/13/2021	Revision: *	Sheet 1 of 4
File: Main.SchDoc		*


WATERLOOP

1

2

3

4



Title: *	*	
Size: A4	Author: *	*
Date: 4/13/2021	Revision: *	Sheet 2 of 4
File: MCU.SchDoc		*



1 2 3 4

A

B

C





D

A

B

C

D



Title: *		*
Size: A4	Author: *	*
Date: 4/13/2021	Revision: *	Sheet 3 of 4
File: Motor_driver.SchDoc		



WATERLOOP

1

2

3

4



Title: *		*
Size: A4	Author: *	*
Date: 4/13/2021	Revision: *	*
File: Peripherals.SchDoc	Sheet 4 of 4	*

MATERLOOP

