Coursera Capstone project

Coursera IBM Data Science Certification

Ridwan Ramadhan

2020

Report Content

- 1. Introduction Section:
- The "business problem" to be solved by this project and who may be interested
- 2. Data Section:
- Describe Data requirements and Sources needed to solve the problem
- 3. Methodology section:
- Main component of the report Execute data processing, describe/discuss any exploratory data analysis and/or inferential statistical testing performed, and/or machine learnings used.
- 4. Results section:
- Discussion of the results and finding of answer
- 5. Discussion section:
- Discussion of observations noted and any recommendations
- 6. Conclusion section:
- Answer chosen and conclusions.

1.0 Introduction

1.1 Scenario and Background

I am currently living in Jakarta, within walking distance to several public transport onwe of it is Dukuh Atas MRT metro station. I also enjoy great venues and attractions, such as international cuisine, entertainment and shopping. I have an offer to move to work to Manhattan NY and I would like to move if I can find a place to live similar with similar venues.

2. Problem to be resolved:

How to find an apartment in Manhattan with the following conditions:

- Apartment with min 2 bedrooms
- Monthly rent not to exceed US\$7000/month
- Located within walking distance (<=1.0 mile, 1.6 km) from a subway metro station in Manhattan
- Venues and amenities as in my current residence.

3. Interested Audience

I believe the methodology, tools and strategy used in this project is relevant for a person or entity considering moving to a major city in US, Europe or Asia. Europe, US or Asia, Likewise, it can be helpful approach to explore the opening of a new business. The use of FourSquare data and mapping techniques combined with data analysis will help resolve the key questions arisen. Lastly, this project is a good practical case for a person developing Data Science skills.

2.0 Data Section

2.1 Data Requirements

- Geodata for current residence in Jakarta with venues established using Foursquare.
- -List of Manhattan (MH) neighborhoods with clustered venues established via Foursquare (as in Course Lab). https://en.wikipedia.org/wiki/List_of_Manhattan_neighborhoods#Midtown_neighborhoods
- -List of subway metro stations in Manhattan with addresses and geo data (lat,long): https://
- en.wikipedia.org/wiki/List_of_New_York_City_Subway_stations_in_Manhattan), (https://www.google.com/maps/search/manhattan+subway+metro+stations/@40.7837297,-74.1033043,11z/data=!3m1!4b1)
- -List of apartments for rent in Manhattan area with information on neighborhood location, address, number of beds, area size, monthly rent price and complemented with geo data via Nominatim. https://www.nestpick.com/search?
- Place to work in Manhattan (Park Avenue and 53rd St) for reference

2.2 Data Sources, Data Processing and Tools used

- Jakarta data and map is to be created with use of Nominatim, Foursquare and Folium mapping
- -Manhattan neighborhoods were obtained from Wikipedia and organized by Neighborhoods with geodata via Nominatim for mapping with Folium.
- List of Subway stations was obtained via Wikipedia, NY Transit web site and Google map,
- -List of apartments for rent was consolidated from web-scraping real estate sites for MH. The geolocation (lat,long) data was found with algorithm coding and using Nominatim.
- -Folium map was the basis of mapping with various features to consolidate all data in ONE map where one can visualize all details needed to make a selection of apartment

3.0 Methodology

The Strategy to find the answer:

The strategy is based on mapping the described data in section 2.0, in order to facilitate the choice of at least two candidate places for rent. The information will be consolidated in ONE MAP where one can see the details of the apartment, the cluster of venues in the neighborhood and the relative location from a subway station and from work place. A measurement tool icon will also be provided. The popups on the map items will display rent price, location and cluster of venues applicable.

The Tools:


Web-scraping of sites is used to consolidate data-frame information which was saved as csv files for convenience and to simply the report. Geodata was obtained by coding a program to use Nominatim to get latitude and longitude of subway stations and also for each of (144 units) the apartments for rent listed.

Geopy_distance and Nominatim were used to establish relative distances. Seaborn graphic was used for general statistics on rental data.

Maps with popups labels allow quick identification of location, price and feature, thus making the selection very easy

4.0 Execution and Results


Current residence Neighborhood in Jakarta



Venues around Neighborhood in

Out[8]:				
	name	categories	lat	Ing
0	Hard Rock Cafe Jakarta	American Restaurant	-6.225280	106.810270
1	The Ritz-Carlton Jakarta Pacific Place	Hotel	-6.224051	106.809820
2	Pacific Place	Shopping Mall	-6.224843	106.809792
3	Kem Chicks	Grocery Store	-6.224707	106.809806
4	THE GOODS DEPT •	Department Store	-6.224947	106.810339
5	Cork&Screw	Wine Bar	-6.225700	106.808919
6	Shaburi	Shabu-Shabu Restaurant	-6.224868	106.809158
7	Tanamera Coffee	Coffee Shop	-6.223594	106.809684
8	GROM - IL GELATO COME UNA VOLTA	Ice Cream Shop	-6.224901	106.809233
9	Gahyo Korean Grill & Cuisine	Korean Restaurant	-6.226630	106.809873

Manhattan Map - Neighborhoods and Cluste<mark>r of</mark> Venues





GeoData Manhattan apts for rent


0.45473		Z IIIII_renc.nea	.,										
Out[17]:		Address	Area	Price_per_ft2	Rooi	ns Area	-ft2 F	Rent_Price	La	at Lor	ıg		
	0	West 105th Street	Upper West Side	2.94	;	5.0 3	400	10000	40.79977	1 -73.96621	13		
	1	East 97th Street	Upper East Side	3.57	;	3.0 2	100	7500	40.78858	5 -73.95527	77		
	2	West 105th Street	Upper West Side	1.89	4	4.0 2	800	5300	40.79977	1 -73.96621	13		
	3	CARMINE ST.	West Village	3.03	2	2.0 1	650	5000	40.73052	3 -74.00187	73		
	4	171 W 23RD ST.	Chelsea	3.45	2	2.0 1	450	5000	40.74411	8 -73.99529	99		
In [18]:		1 mh_rent.ta	il()										
Out[18]:		Add	ress		Area	Price_p	er_ft2	Rooms	Area-ft2	Rent_Price	Lat	Long	
	139	9 200 East 72nd S	treet	Rental in Lend	x Hill		5.15	3.0	1700	8750	40.769465	-73.960339	
	140	50 Murray S	treet N	lo fee rental in Tr	ibeca		7.11	2.0	1223	8700	40.714051	-74.009608	
	14	1 300 East 56th S	treet No fee	rental in Midtown	East		3.87	3.0	2100	8118	40.758216	-73.965190	
	142	2 1930 Broad	dway No fee renta	l in Central Park	West		5.06	2.0	1600	8095	40.772474	-73.981901	Manhattan Map
	143	3 33 West 9th S	treet Renta	l in Greenwich V	illage		6.67	2.0	1500	10000	40.733691	-73.997323	

Rental Price Statistics MH Apartments


Budget US7000/month is around the mean








Apartments for Rent in MH



MH apts for rent with venue clusters



Venues of cluster

3

kk is the cluster number to explore
kk = 3
manhattan_merged.loc[manhattan_merged['Cluster Labels'] == kk, manhattan_merged.columns[[1] + list(range(5, manhattan_merged))

	Neighborhood	1st Most Common Venue	2nd Most Common Venue	3rd Most Common Venue	4th Most Common Venue	5th Most Common Venue	6th Most Common Venue	7th Most Common Venue	8th Most Common Venue	9th Most Common Venue	10th Most Common Venue
3	Inwood	Mexican Restaurant	Lounge	Pizza Place	Café	Wine Bar	Bakery	American Restaurant	Park	Frozen Yogurt Shop	Spanish Restaurant
5	Manhattanville	Deli / Bodega	Italian Restaurant	Seafood Restaurant	Mexican Restaurant	Sushi Restaurant	Beer Garden	Coffee Shop	Falafel Restaurant	Bike Trail	Other Nightlife
10	Lenox Hill	Sushi Restaurant	Italian Restaurant	Coffee Shop	Gym / Fitness Center	Pizza Place	Burger Joint	Deli / Bodega	Gym	Sporting Goods Shop	Thai Restaurant
12	Upper West Side	Italian Restaurant	Bar	Bakery	Vegetarian / Vegan Restaurant	Indian Restaurant	Coffee Shop	Cosmetics Shop	Wine Bar	Mexican Restaurant	Sushi Restaurant
16	Murray Hill	Sandwich Place	Hotel	Japanese Restaurant	Gym / Fitness Center	Coffee Shop	Salon / Barbershop	Burger Joint	French Restaurant	Bar	Italian Restaurant
17	Chelsea	Coffee Shop	Italian Restaurant	Ice Cream Shop	Bakery	Nightclub	Theater	Art Gallery	Seafood Restaurant	American Restaurant	Hotel
18	Greenwich Village	Italian Restaurant	Sushi Restaurant	French Restaurant	Clothing Store	Chinese Restaurant	Café	Indian Restaurant	Bakery	Seafood Restaurant	Electronics Store
27	Gramercy	Italian Restaurant	Restaurant	Thrift / Vintage Store	Cocktail Bar	Bagel Shop	Coffee Shop	Pizza Place	Mexican Restaurant	Grocery Store	Wine Shop
29	Financial District	Coffee Shop	Hotel	Gym	Wine Shop	Steakhouse	Bar	Italian Restaurant	Pizza Place	Park	Gym / Fitness Center
31	Noho	Italian Restaurant	French Restaurant	Cocktail Bar	Gift Shop	Bookstore	Grocery Store	Mexican Restaurant	Hotel	Sushi Restaurant	Coffee Shop

Manhattan subway stations geodata

20

21


14 Street / 8 Av

```
sub address
                                                                             lat
                                                                                       long
click to scroll output; double click to hide
                                 170 Nagle Ave, New York, NY 10034, USA 40.861857 -73.924509
    Dyckman Street Subway Station
          57 Street Subway Station
                                               New York, NY 10106, USA 40.764250
                                                                                 -73.954525
                        Broad St
                                               New York, NY 10005, USA 40.730862 -73.987156
                175 Street Station 807 W 177th St, New York, NY 10033, USA 40.847991 -73.939785
                   5 Av and 53 St
                                               New York, NY 10022, USA 40.764250 -73.954525
# removing duplicate rows and creating new set mhsubl
mhsubl=mh.drop duplicates(subset=['lat','long'], keep="last").reset index(drop=True)
mhsubl.shape
(22, 4)
 mhsubl.tail()
                                                     sub_address
                  sub station
                                                                         lat
                                                                                   long
  17 190 Street Subway Station
                               Bennett Ave, New York, NY 10040, USA 40.858113 -73.932983
      59 St-Lexington Av Station
                                  E 60th St, New York, NY 10065, USA 40.762259 -73.966271
  19
               57 Street Station
                                   New York, NY 10019, United States 40.764250 -73.954525
```

New York, NY 10014, United States 40.730862 -73.987156

MTA New York City 525 11th Ave, New York, NY 10018, USA 40.759809 -73.999282

Apts for rent (blue) and subway stations (red)




Selected Apartment!

The ONE consolidated map shows all information for decision:

Apartments address, price, neighborhood, cluster of venues and subway station nearby.

Blue dots=apts, Red dots=Subway station, Bubbles=Cluster of Venues



Apartment Selection


Using the "one map" above, I was able to explore all possibilities since the popups provide the information needed for a good decision.

Apartment 1 rent cost is US7500 slightly above the US7000 budget. Apt 1 is located 400 meters from subway station at 59th Street and work place (Park Ave and 53rd) is another 600 meters way. I can walk to work place and use subway for other places around. Venues for this apt are as of Cluster 2 and it is located in a fine district in the East side of Manhattan.

Apartment 2 rent cost is US6935, just under the US7000 budget. Apt 2 is located 60 meters from subway station at Fulton Street, but I will have to ride the subway daily to work, possibly 40-60 min ride. Venues for this apt are as of Cluster 3.¶

Based on current Jakarta venues, I feel that Cluster 2 type of venues is a closer resemblance to my current place. That means that APARTMENT 1 is a better choice since the extra monthly rent is worth the conveniences it provides.

I will walk to work Walk from home to work is less than 1 km!



Venus in Cluster 2 near future home

kk is the cluster number to explore

kk = 2
manhattan merged.loc[manhattan merged['Cluster Labels'] == kk, manhattan merged.columns[[1] + list(range(5, manhattan m

	Neighborhood	1st Most Common Venue	2nd Most Common Venue	3rd Most Common Venue	4th Most Common Venue	5th Most Common Venue	6th Most Common Venue	7th Most Common Venue	8th Most Common Venue	9th Most Common Venue	10th Most Common Venue
0	Marble Hill	Coffee Shop	Discount Store	Yoga Studio	Steakhouse	Supplement Shop	Tennis Stadium	Shoe Store	Gym	Bank	Seafood Restaurant
1	Chinatown	Chinese Restaurant	Cocktail Bar	Dim Sum Restaurant	American Restaurant	Vietnamese Restaurant	Salon / Barbershop	Noodle House	Bakery	Bubble Tea Shop	Ice Cream Shop
6	Central Harlem	African Restaurant	Seafood Restaurant	French Restaurant	American Restaurant	Cosmetics Shop	Chinese Restaurant	Event Space	Liquor Store	Beer Bar	Gym / Fitness Center
9	Yorkville	Coffee Shop	Gym	Bar	Italian Restaurant	Sushi Restaurant	Pizza Place	Mexican Restaurant	Deli / Bodega	Japanese Restaurant	Pub
14	Clinton	Theater	Italian Restaurant	Coffee Shop	American Restaurant	Gym / Fitness Center	Hotel	Wine Shop	Spa	Gym	Indie Theater
23	Soho	Clothing Store	Boutique	Women's Store	Shoe Store	Men's Store	Furniture / Home Store	Italian Restaurant	Mediterranean Restaurant	Art Gallery	Design Studio
26	Morningside Heights	Coffee Shop	American Restaurant	Park	Bookstore	Pizza Place	Sandwich Place	Burger Joint	Café	Deli / Bodega	Tennis Court
34	Sutton Place	Gym / Fitness Center	Italian Restaurant	Furniture / Home Store	Indian Restaurant	Dessert Shop	American Restaurant	Bakery	Juice Bar	Boutique	Sushi Restaurant
39	Hudson Yards	Coffee Shop	Italian Restaurant	Hotel	Theater	American Restaurant	Café	Gym / Fitness Center	Thai Restaurant	Restaurant	Gym

5.0 Discussion

- In general, I am positively impressed with the overall organization, content and lab works presented during the Coursera IBM Certification Course
- ◆ I feel this Capstone project presented me a great opportunity to practice and apply the Data Science tools and methodologies learned.
- ◆ I have created a good project that I can present as an example to show my potential.
- ◆ I feel I have acquired a good starting point to become a professional Data
 Scientist and I will continue exploring to creating examples of practical cases.

6.0 Conclusions

- I feel rewarded with the efforts, time and money spent. I believe this course with all the topics covered is well worthy of appreciation.
- This project has shown me a practical application to resolve a real situation that has impacting personal and financial impact using Data Science tools.
- The mapping with Folium is a very powerful technique to consolidate information and make the analysis and decision thoroughly and with confidence. I would recommend for use in similar situations.
- One must keep abreast of new tools for DS that continue to appear for application in several business fields.