P8160 - Bayesian Modeling of Hurricane Trajectories

Paulina Han, Waveley Qiu, Yida Wang, Lin Yang, Jibei Zheng, Haolin Zhong

2022-05-09

Introduction

Data

ID: ID of hurricanes

Year: In which the hurricane occurred

Month: In which the hurricane occurred

Nature: Nature of the hurricane

ET: Extra TropicalDS: Disturbance

► NR: Not Rated

SS: Sub Tropical

TS: Tropical Storm

Time: dates and time of the record

Latitude and Longitude: The location of a hurricane check point

Wind.kt: Maximum wind speed (in Knot) at each check point


Gibbs Sampling

Initialize
$$\Theta_0 = (\mathbf{B}_0, \boldsymbol{\mu}_0, \sigma_0^2, \boldsymbol{\Sigma}_0)$$


for iteration $\mathbf{i} = 1,2,...$ do
Sample $\mathbf{B}_i \sim \pi(\mathbf{B}|\boldsymbol{\mu}_{i-1}, \sigma_{i-1}^2, \boldsymbol{\Sigma}_{i-1}, \mathbf{Y})$
Sample $\boldsymbol{\mu}_i \sim \pi(\boldsymbol{\mu}|\mathbf{B}_i, \sigma_{i-1}^2, \boldsymbol{\Sigma}_{i-1}, \mathbf{Y})$
Sample $\sigma_i^2 \sim \pi(\sigma^2|\mathbf{B}_i, \boldsymbol{\mu}_i, \boldsymbol{\Sigma}_{i-1}, \mathbf{Y})$
Sample $\boldsymbol{\Sigma}_i \sim \pi(\boldsymbol{\Sigma}|\mathbf{B}_i, \boldsymbol{\mu}_i, \sigma_i^2, \mathbf{Y})$

end for


Results




Results




Results



EDA of β_i



EDA of β_i



Seasonal Analysis

Model 1:

$$Beta_i = \alpha_0 + \alpha_1 I(Month = M) + \alpha_2 \times Year + \alpha_3 I(Type = N)$$

Coefficients of Model 1 for β_i

	Beta0		Beta1		Beta2		Beta3		Beta4	
	Estimate	Pr(> t)								
(Intercept)	3.8722305	0.0000000	1.4200232	0.0000000	-0.0807485	0.6123701	-0.7395516	0.0012896	0.8052773	0.0590557
factor(month)4	0.0211436	0.5897652	0.0316515	0.3472330	-0.0115682	0.7896176	-0.0234552	0.7064830	-0.0053003	0.9635270
factor(month)5	0.0202412	0.5405684	0.0281544	0.3215509	-0.0113447	0.7563959	-0.0120033	0.8192595	-0.0390352	0.6897011
factor(month)6	0.0159306	0.6239449	0.0246013	0.3779221	-0.0148705	0.6789563	0.0098662	0.8483886	0.0112067	0.9071129
factor(month)7	0.0078141	0.8090619	0.0404591	0.1453332	-0.0165819	0.6428643	-0.0027461	0.9573635	0.0199011	0.8350861
factor(month)8	0.0019068	0.9527290	0.0425000	0.1241205	-0.0260312	0.4643250	-0.0112584	0.8255944	0.0229217	0.8095080
factor(month)9	0.0009337	0.9768273	0.0472980	0.0868820	-0.0233893	0.5105760	-0.0075900	0.8818256	0.0389302	0.6820459
factor(month)10	0.0074737	0.8163761	0.0411045	0.1371659	-0.0168883	0.6351370	-0.0007253	0.9886799	0.0268667	0.7776519
factor(month)11	0.0057884	0.8588527	0.0448708	0.1086605	-0.0079430	0.8253327	0.0043686	0.9326594	0.0387334	0.6872898
factor(month)12	0.0048248	0.8874129	0.0308019	0.2926123	-0.0208686	0.5797518	0.0072339	0.8936869	0.0283150	0.7786590
year	-0.0000290	0.6794636	-0.0002769	0.0000050	0.0000378	0.6260392	0.0001587	0.1544308	-0.0001713	0.4088111
factor(type)ET	0.0075408	0.4379949	0.0086401	0.3006911	-0.0108462	0.3131136	-0.0192894	0.2118151	-0.0222770	0.4382889
factor(type)NR	0.0005575	0.9705947	0.0072156	0.5784605	-0.0132239	0.4292334	-0.0418405	0.0819304	0.0070952	0.8739144
factor(type)SS	0.0074733	0.2505823	0.0082071	0.1417607	-0.0038667	0.5906999	0.0003254	0.9748646	-0.0225589	0.2407159
factor(type)TS	0.0057948	0.2474418	0.0009877	0.8182988	-0.0024415	0.6592917	-0.0141969	0.0746373	-0.0108813	0.4623952

Seasonal Analysis

Model 2:

$$Beta_i = \alpha_0 + \alpha_1 I(Season = S) + \alpha_2 \times Year + \alpha_3 I(Type = N)$$

Coefficients of Model 2 for β_i

	Beta 0		Beta 1		Beta 2		Beta 3		Beta 4	
	Estimate	Pr(> t)								
(Intercept)	3.8777185	0.0000000	1.4515958	0.0000000	-0.1108749	0.4777627	-0.7432739	0.0009368	0.8246599	0.0469629
factor(season)spring	0.0165743	0.0386414	-0.0161701	0.0195181	0.0080903	0.3613959	-0.0095303	0.4529259	-0.0700505	0.0029939
factor(season)summer	0.0017442	0.4921921	-0.0054774	0.0126824	-0.0021923	0.4356701	-0.0020772	0.6061277	-0.0145208	0.0520294
factor(season)winter	0.0004419	0.9695014	-0.0175939	0.0782636	0.0012626	0.9214169	0.0101974	0.5781775	-0.0099913	0.7687012
year	-0.0000297	0.6721280	-0.0002706	0.0000093	0.0000429	0.5814228	0.0001589	0.1539417	-0.0001639	0.4270083
factor(type)ET	0.0090086	0.3383681	0.0086688	0.2860439	-0.0058182	0.5765098	-0.0167604	0.2616162	-0.0206719	0.4547698
factor(type)NR	0.0017339	0.9077767	0.0079185	0.5401551	-0.0073224	0.6586863	-0.0384250	0.1059825	0.0085343	0.8462012
factor(type)SS	0.0077248	0.2318002	0.0080589	0.1486481	-0.0023967	0.7374924	0.0006525	0.9492157	-0.0222179	0.2419930
factor(type)TS	0.0047623	0.3404235	0.0024950	0.5629051	-0.0029696	0.5913088	-0.0157040	0.0477883	-0.0093683	0.5233984

Forcasting Hurricane Impact

ID: ID of the hurricanes

Season: In which year the hurricane occurred **Month**: In which month the hurricane occurred

Nature: Nature of the hurricane

Damage: Financial loss (in Billion U.S. dollars) caused by

hurricanes

Deaths: Number of death caused by hurricanes

Maxspeed: Maximum recorded wind speed of the hurricane

Meanspeed: Average wind speed of the hurricane

Maxpressure: Maximum recorded central pressure of the hurricane

Meanpressure: Average central pressure of the hurricane

Hours: Duration of the hurricane in hours

Total.Pop: Total affected population

Percent.Poor: % affected population that reside in low GDP

counties

Percent.USA: % affected population that reside in the United

States

LASSO Model for Damage

	Coefficients
(Intercept)	-533.5099174
season	3.3837824
deaths	0.0000000
monthJuly	0.0000000
monthJune	0.0000000
monthNovember	0.0000000
monthOctober	0.0000000
monthSeptember	0.0000000
natureNR	0.0000000
natureTS	0.0000000
maxspeed	1.2117851
meanspeed	0.0000000
maxpressure	0.0000000
meanpressure	0.0000000
hours	0.0000000
total pop	0.3187361
percent_poor	0.0000000
percent_usa	0.7073409
beta0	0.0000000
beta1	0.0000000
beta2	0.0000000
beta3	0.0000000
beta4	0.0000000

Refitted Linear Regression Model

Model: Y = γ_0 + γ_1 x season + γ_2 x maxspeed + γ_3 x total_pop + γ_4 x percent_usa

	Coefficients
(Intercept)	-1316.7386136
season	0.6485139
maxspeed	0.1968674
$total_pop$	0.0000033
percent_usa	0.1356486

Poisson Model for Dealths

	Estimate	Std. Error	z value	$\Pr(> z)$
(Intercept)	-199.5331639	11.8792784	-16.7967411	0.0000000
season	-0.0404185	0.0028048	-14.4104991	0.0000000
damage	0.0220163	0.0005679	38.7649762	0.0000000
monthJuly	-10.2286750	0.1604645	-63.7441688	0.0000000
monthJune	0.3928062	0.0989170	3.9710698	0.0000716
monthNovember	1.8733767	0.1664682	11.2536625	0.0000000
monthOctober	-1.6041896	0.0787720	-20.3649754	0.0000000
monthSeptember	1.2490015	0.0575033	21.7205350	0.0000000
natureNR	2.0903864	0.1371766	15.2386495	0.0000000
natureTS	-1.1903051	0.1118619	-10.6408484	0.0000000
maxspeed	0.0035207	0.0013988	2.5168778	0.0118400
meanspeed	-0.1978651	0.0039977	-49.4953412	0.0000000
maxpressure	0.0048106	0.0075485	0.6372945	0.5239331
meanpressure	0.0021204	0.0001759	12.0515409	0.0000000
total_pop	0.0000009	0.0000000	31.4237737	0.0000000
percent_poor	0.0873434	0.0010058	86.8433730	0.0000000
percent_usa	-0.0080185	0.0004884	-16.4173000	0.0000000
beta0	41.3531048	0.5634443	73.3934206	0.0000000
beta1	132.8784572	1.9305164	68.8305252	0.0000000
beta2	-10.7339527	0.5001340	-21.4621524	0.0000000
beta3	-0.4736994	0.5091748	-0.9303277	0.3522014
beta4	4.4919244	0.1971025	22.7897893	0.0000000

Discussion

Strength & Limitation of MCMC methods

- Bypass coefficient optimization process and directly sample coefficients from their assumed distributions
- ▶ Often computationally expensive and can be inefficient
- Convergence is not guaranteed

Why Non-convergence?

▶ $\beta_i \sim N(\beta, \Sigma)$ may be a too strong assumption




Figure 1: Distribution of β_i s obtained by performing OLS for each hurricane (red line: β obtained by performing OLS on the whole training dataset)

Future work: use a more adequate distribution assumption of β_i which can account for skewness