8 of 26 problems Time left: 20:03

$$2 \quad -5 \quad -4 \quad -7 \quad -16 \quad -27 \quad ?$$

$-43$ $-34$ $-50$ $-23$ $-31$

NEW TEST BACK SKIP FINISH

# Score Report

Number Right: 7

Number Skipped: 19

Number Wrong: 0

**Final Score: 7**

---

**Problem 1** Right

$$3 \quad 4 \quad 12 \quad \frac{1}{3} \quad 4 \quad \frac{1}{12} \quad ?$$

---

Answer = 1/3

Alternate dividing and multiplying the last two numbers.

3*4=12

4/12=1/3

12*(1/3)=4

(1/3)/4=1/12

4*(1/12)=1/3

### Problem 2

Right

$-1 \quad 5 \quad 9 \quad 23 \quad 55 \quad 133 \quad ?$

---

Answer=321

Starting with the second entry, to get the next entry, multiply by 2, and add the prior entry.

### Problem 3

Right

$-9 \quad -3 \quad 0 \quad -3 \quad 9 \quad -30 \quad ?$

---

Answer=99

Starting with the second entry, to get the next entry, multiply by -3, and add the prior entry.

### Problem 4

Right

$8 \quad 72 \quad 76 \quad 68 \quad 612 \quad 616 \quad ?$

---

Answer=608

Multiply by 9, add 4, and add -8. Repeat

### Problem 5

Right

$5 \quad 10 \quad 23 \quad 58 \quad 155 \quad 430 \quad ?$

---

Answer=1223

The difference between the i-th entry and the (i-1) entry is 2^i + 3^i.

### Problem 6

Right

$3 \quad 6 \quad -14 \quad -2 \quad -31 \quad -10 \quad ?$

Answer=-48

This is a double sequence. For the odd entries, you add -17. On the even entries, add -8.

### Problem 7

Right

$$8 \quad 10 \quad 13 \quad 18 \quad 25 \quad 36 \quad ?$$

Answer = 49.

The differences in consecutive numbers are the primes: 2, 3, 5, 7, 11, 13.

### Problem 8

Skip

$$2 \quad -5 \quad -4 \quad -7 \quad -16 \quad -27 \quad ?$$

Answer=-50

Add the last 3 entries to get the next.

### Problem 9

Skip

$$9 \quad 18 \quad \frac{9}{2} \quad 9 \quad \frac{9}{4} \quad \frac{9}{2} \quad ?$$

Answer = 9/8

Alternate multiplying by 2, and then by 1/4.

### Problem 10

Skip

$$\frac{7}{10} \quad \frac{10}{11} \quad \frac{11}{14} \quad \frac{14}{17} \quad \frac{17}{26} \quad \frac{26}{35} \quad ?$$

Answer=35/62

The denominator of the current number becomes the numerator of the next.

The gap between the denominator and numerator are 3^(floor(i/2)), where i is the entry number.

## Problem 11

Skip

$$6 \quad 26 \quad 49 \quad 75 \quad 104 \quad ?$$

---

Answer=136

The diffs are 17 + (i-1)*3, where i is the entry number.

## Problem 12

Skip

$$2 \quad \frac{3}{4} \quad \frac{5}{9} \quad \frac{1}{2} \quad \frac{13}{25} \quad \frac{7}{12} \quad ?$$

---

Answer=34/49

You can re-write the fractions so that the denominators are the square numbers, and the numerators are found by adding the prior 2 numerators.

## Problem 13

Skip

$$3 \quad 8 \quad 11 \quad 14 \quad 25 \quad 36 \quad ?$$

---

Answer=61

To get the n-th entry, we always alternate between adding the (n-1) entry and the (n-2) entry and the (n-1) entry and the (n-3) entry.

## Problem 14

Skip

$$2 \quad 7 \quad 10 \quad 18 \quad 29 \quad 48 \quad ?$$

---

Answer=78

The first two differences are 5 and 3. Each subsequent diff is the sum of the two prior diffs.

## Problem 15

Skip

$$9^5 \quad 12^6 \quad 16^8 \quad 21^{11} \quad ?$$

---

Answer = 27^15.

The base increases by 3, and then by one more each time.

The exponent increases by 1, and then by one more each time.

### Problem 16

Skip

$$3 \quad \frac{17}{6} \quad \frac{11}{4} \quad \frac{27}{10} \quad \frac{8}{3} \quad \frac{37}{14} \quad ?$$

---

Answer=21/8

The difference between the i-th entry and the (i-1) entry is 1/(i)(i+1).

### Problem 17

Skip

FREE Guide 2026 Quant Firm Tier List→

WallStreetQuants Book Your Quant Consult

sequence.

### Problem 18

Skip

$$-9 \quad -11 \quad -14 \quad -19 \quad -26 \quad -37 \quad ?$$

---

Answer = -50.

The differences in consecutive numbers are the primes: 2, 3, 5, 7, 11, 13.

### Problem 19

Skip

$$4 \quad 9 \quad 13 \quad -10 \quad 22 \quad -29 \quad ?$$

---

Answer=31

This is a double sequence. For the odd entries, you add 9. On the even entries, add -19.

### Problem 20

Skip

$$2 \quad 10 \quad 3 \quad 50 \quad 5 \quad 250 \quad 8 \quad ?$$

Answer=1250

Every even entry is the prior even entry x5. The odd entries are the Fibonacci sequence.

## Problem 21

Skip

$$2 \quad 1 \quad 3 \quad 4 \quad 5 \quad 16 \quad 8 \quad ?$$

Answer=64

Every even entry is the prior even entry x4. The odd entries are the Fibonacci sequence.

## Problem 22

Skip

$$2 \quad \frac{9}{7} \quad 8 \quad \frac{14}{12} \quad 14 \quad \frac{19}{17} \quad ?$$

Answer = 20

For each even entry, take the prior even entry and add 5 to numerator and denominator.

For each odd entry, take the prior odd entry and add 6.

## Problem 23

Skip

$$2 \quad 7 \quad 11 \quad 20 \quad 33 \quad 55 \quad ?$$

Answer=90

The first two differences are 5 and 4. Each subsequent diff is the sum of the two prior diffs.

## Problem 24

Skip

$$3 \quad 8 \quad 64 \quad 16 \quad 21 \quad ?$$

Answer=168

The sequence repeatedly adds 5, multiplies by 8 and divides by 4.

## Problem 25

Skip

$\frac{6}{5} \quad \frac{5}{6} \quad \frac{6}{9} \quad \frac{9}{12} \quad \frac{12}{21} \quad \frac{21}{30} \quad ?$

---

Answer=30/57

The denominator of the current number becomes the numerator of the next.

The gap between the denominator and numerator are 3^(floor(i/2)), where i is the entry number.

## Problem 26

Skip

$3 \quad 5 \quad 10 \quad 17 \quad 29 \quad 48 \quad ?$

---

Answer=79

The first two differences are 2 and 5. Each subsequent diff is the sum of the two prior diffs.



© 2024 WallStreetQuants. All rights reserved.

This site is not a part of the Facebook website or Facebook Inc. Additionally, This site is NOT endorsed by Facebook in any way. FACEBOOK is a trademark of FACEBOOK, Inc. Finally, this site is not endorsed by or affiliated with any of the companies or firms mentioned. This course is independently developed and is not endorsed, affiliated, or sponsored by any of the corporations mentioned. All trademarks and copyrights belong to the respective owners.