Codebook for HumanActivityRecognition

Autogenerated data summary from dataMaid

2020-12-28 16:22:49

Data report overview

The dataset examined has the following dimensions:

Feature	Result
Number of observations	180
Number of variables	68

Codebook summary table

Label	Variable	Class	# unique values	Missing	Description
	subject	integer	30	0.00 %	
	activity	character	6	0.00 %	
	tBodyAcc-mean()-X	numeric	180	0.00 %	
	tBodyAcc-mean()-Y	numeric	180	0.00 %	
	tBodyAcc-mean()-Z	numeric	180	0.00 %	
	tBodyAcc-std()-X	numeric	180	0.00 %	
	tBodyAcc-std()-Y	numeric	180	0.00 %	
	tBodyAcc-std()-Z	numeric	180	0.00 %	
	tGravityAcc-mean()-X	numeric	180	0.00 %	
	tGravityAcc-mean()-Y	numeric	180	0.00 %	
	tGravityAcc-mean()-Z	numeric	180	0.00 %	
	tGravityAcc-std()-X	numeric	180	0.00 %	
	tGravityAcc-std()-Y	numeric	180	0.00 %	
	tGravityAcc-std()-Z	numeric	180	0.00 %	
	tBodyAccJerk-mean()-X	numeric	180	0.00 %	
	tBodyAccJerk-mean()-Y	numeric	180	0.00 %	
	tBodyAccJerk-mean()-Z	numeric	180	0.00 %	
	tBodyAccJerk-std()-X	numeric	180	0.00 %	
	tBodyAccJerk-std()-Y	numeric	180	0.00 %	
	tBodyAccJerk-std()-Z	numeric	180	0.00 %	
	tBodyGyro-mean()-X	numeric	180	0.00 %	
	tBodyGyro-mean()-Y	numeric	180	0.00 %	
	tBodyGyro-mean()-Z	numeric	180	0.00 %	
	tBodyGyro-std()-X	numeric	180	0.00 %	
	tBodyGyro-std()-Y	numeric	180	0.00 %	
	tBodyGyro-std()-Z	numeric	180	0.00 %	
	tBodyGyroJerk-mean()-X	numeric	180	0.00 %	
	tBodyGyroJerk-mean()-Y	numeric	180	0.00 %	
	tBodyGyroJerk-mean()-Z	numeric	180	0.00 %	

Label	Variable	Class	# unique values	Missing	Description
	tBodyGyroJerk-std()-X	numeric	180	0.00 %	
	tBodyGyroJerk-std()-Y	numeric	180	0.00 %	
	tBodyGyroJerk-std()-Z	numeric	180	0.00 %	
	tBodyAccMag-mean()	numeric	180	0.00 %	
	tBodyAccMag-std()	numeric	180	0.00 %	
	tGravityAccMag-mean()	numeric	180	0.00 %	
	tGravityAccMag-std()	numeric	180	0.00 %	
	tBodyAccJerkMag-mean()	numeric	180	0.00 %	
	tBodyAccJerkMag-std()	numeric	180	0.00 %	
	tBodyGyroMag-mean()	numeric	180	0.00 %	
	tBodyGyroMag-std()	numeric	180	0.00 %	
	tBodyGyroJerkMag-mean()	numeric	180	0.00 %	
	tBodyGyroJerkMag-std()	numeric	180	0.00 %	
	fBodyAcc-mean()-X	numeric	180	0.00 %	
	fBodyAcc-mean()-Y	numeric	180	0.00 %	
	fBodyAcc-mean()-Z	numeric	180	0.00 %	
	fBodyAcc-std()-X	numeric	180	0.00 %	
	fBodyAcc-std()-Y	numeric	180	0.00 %	
	fBodyAcc-std()-Z	numeric	180	0.00 %	
	fBodyAccJerk-mean()-X	numeric	180	0.00 %	
	fBodyAccJerk-mean()-Y	numeric	180	0.00 %	
	fBodyAccJerk-mean()-Z	numeric	180	0.00 %	
	fBodyAccJerk-std()-X	numeric	180	0.00 %	
	fBodyAccJerk-std()-Y	numeric	180	0.00 %	
	fBodyAccJerk-std()-Z	numeric	180	0.00 %	
	fBodyGyro-mean()-X	numeric	180	0.00 %	
	fBodyGyro-mean()-Y	numeric	180	0.00 %	
	fBodyGyro-mean()-Z	numeric	180	0.00 %	
	fBodyGyro-std()-X	numeric	180	0.00 %	
	fBodyGyro-std()-Y	numeric	180	0.00 %	
	fBodyGyro-std()-Z	numeric	180	0.00 %	
	fBodyAccMag-mean()	numeric	180	0.00 %	
	fBodyAccMag-std()	numeric	180	0.00 %	
	fBodyBodyAccJerkMag-mean()	numeric	180	0.00 %	
	fBodyBodyAccJerkMag-std()	numeric	180	0.00 %	
	fBodyBodyGyroMag-mean()	numeric	180	0.00 %	
	fBodyBodyGyroMag-std()	numeric	180	0.00 %	
	fBodyBodyGyroJerkMag-mean()	numeric	180	0.00 %	
	fBodyBodyGyroJerkMag-std()	numeric	180	0.00 %	

Variable list

subject

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	30
Median	15.5
1st and 3rd quartiles	8; 23
Min. and max.	1; 30

activity

| Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	6
Mode	"LAYING"

- Observed factor levels: "LAYING", "SITTING", "STANDING", "WALKING", "WALKING_DOWNSTAIRS", "WALKING_UPSTAIRS".

tBodyAcc-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.28
1st and 3rd quartiles	0.27; 0.28
Min. and max.	0.22; 0.3

tBodyAcc-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.02
1st and 3rd quartiles	-0.02; -0.01
Min. and max.	-0.04; 0

tBodyAcc-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.11
1st and 3rd quartiles	-0.11; -0.1
Min. and max.	-0.15; -0.08

tBodyAcc-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.75
1st and 3rd quartiles	-0.98; -0.2
Min. and max.	-1; 0.63

tBodyAcc-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.51
1st and 3rd quartiles	-0.94; -0.03
Min. and max.	-0.99; 0.62

tBodyAcc-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.65
1st and 3rd quartiles	-0.95; -0.23
Min. and max.	-0.99; 0.61

tGravityAcc-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.92
1st and 3rd quartiles	0.84; 0.94
Min. and max.	-0.68; 0.97

tGravityAcc-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.13
1st and 3rd quartiles	-0.23; 0.09
Min. and max.	-0.48; 0.96

tGravityAcc-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.02
1st and 3rd quartiles	-0.12; 0.15
Min. and max.	-0.5; 0.96

tGravityAcc-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.97
1st and 3rd quartiles	-0.98; -0.95
Min. and max.	-1; -0.83

tGravityAcc-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.96
1st and 3rd quartiles	-0.97; -0.94
Min. and max.	-0.99; -0.64

tGravityAcc-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.95
1st and 3rd quartiles	-0.96; -0.92
Min. and max.	-0.99; -0.61

tBodyAccJerk-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.08
1st and 3rd quartiles	0.07; 0.08
Min. and max.	0.04; 0.13

tBodyAccJerk-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.01
1st and 3rd quartiles	0; 0.01
Min. and max.	-0.04; 0.06

tBodyAccJerk-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0
1st and 3rd quartiles	-0.01; 0
Min. and max.	-0.07; 0.04

tBodyAccJerk-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.81
1st and 3rd quartiles	-0.98; -0.22
Min. and max.	-0.99; 0.54

tBodyAccJerk-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.78
1st and 3rd quartiles	-0.97; -0.15
Min. and max.	-0.99; 0.36

tBodyAccJerk-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.88
1st and 3rd quartiles	-0.98; -0.51
Min. and max.	-0.99; 0.03

tBodyGyro-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.03
1st and 3rd quartiles	-0.05; -0.02
Min. and max.	-0.21; 0.19

tBodyGyro-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.07
1st and 3rd quartiles	-0.09; -0.06
Min. and max.	-0.2; 0.03

tBodyGyro-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	0.09
1st and 3rd quartiles	0.07; 0.1
Min. and max.	-0.07; 0.18

tBodyGyro-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.79
1st and 3rd quartiles	-0.97; -0.44
Min. and max.	-0.99; 0.27

tBodyGyro-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.8
1st and 3rd quartiles	-0.96; -0.42
Min. and max.	-0.99; 0.48

tBodyGyro-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.8
1st and 3rd quartiles	-0.96; -0.31
Min. and max.	-0.99; 0.56

tBodyGyroJerk-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.1
1st and 3rd quartiles	-0.1; -0.09
Min. and max.	-0.16; -0.02

tBodyGyroJerk-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.04
1st and 3rd quartiles	-0.05; -0.04
Min. and max.	-0.08; -0.01

tBodyGyroJerk-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.05
1st and 3rd quartiles	-0.06; -0.05
Min. and max.	-0.09; -0.01

tBodyGyroJerk-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.84
1st and 3rd quartiles	-0.98; -0.46
Min. and max.	-1; 0.18

tBodyGyroJerk-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.89
1st and 3rd quartiles	-0.98; -0.59
Min. and max.	-1; 0.3

tBodyGyroJerk-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.86
1st and 3rd quartiles	-0.98; -0.47
Min. and max.	-1; 0.19

tBodyAccMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.48
1st and 3rd quartiles	-0.96; -0.09
Min. and max.	-0.99; 0.64

tBodyAccMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.61
1st and 3rd quartiles	-0.94; -0.21
Min. and max.	-0.99; 0.43

tGravityAccMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.48
1st and 3rd quartiles	-0.96; -0.09
Min. and max.	-0.99; 0.64

tGravityAccMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.61
1st and 3rd quartiles	-0.94; -0.21
Min. and max.	-0.99; 0.43

tBodyAccJerkMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.82
1st and 3rd quartiles	-0.98; -0.25
Min. and max.	-0.99; 0.43

tBodyAccJerkMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.8
1st and 3rd quartiles	-0.98; -0.22
Min. and max.	-0.99; 0.45

tBodyGyroMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.66
1st and 3rd quartiles	-0.95; -0.22
Min. and max.	-0.98; 0.42

tBodyGyroMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.74
1st and 3rd quartiles	-0.95; -0.36
Min. and max.	-0.98; 0.3

tBodyGyroJerkMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.86
1st and 3rd quartiles	-0.99; -0.51
Min. and max.	-1; 0.09

tBodyGyroJerkMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.88
1st and 3rd quartiles	-0.98; -0.58
Min. and max.	-1; 0.25

fBodyAcc-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.77
1st and 3rd quartiles	-0.98; -0.22
Min. and max.	-1; 0.54

fBodyAcc-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.59
1st and 3rd quartiles	-0.95; -0.06
Min. and max.	-0.99; 0.52

fBodyAcc-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.72
1st and 3rd quartiles	-0.96; -0.32
Min. and max.	-0.99; 0.28

fBodyAcc-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.75
1st and 3rd quartiles	-0.98; -0.2
Min. and max.	-1; 0.66

fBodyAcc-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.51
1st and 3rd quartiles	-0.94; -0.08
Min. and max.	-0.99; 0.56

fBodyAcc-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.64
1st and 3rd quartiles	-0.95; -0.27
Min. and max.	-0.99; 0.69

fBodyAccJerk-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.81
1st and 3rd quartiles	-0.98; -0.28
Min. and max.	-0.99; 0.47

fBodyAccJerk-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.78
1st and 3rd quartiles	-0.97; -0.2
Min. and max.	-0.99; 0.28

fBodyAccJerk-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.87
1st and 3rd quartiles	-0.98; -0.47
Min. and max.	-0.99; 0.16

fBodyAccJerk-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.83
1st and 3rd quartiles	-0.98; -0.25
Min. and max.	-1; 0.48

fBodyAccJerk-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.79
1st and 3rd quartiles	-0.97; -0.17
Min. and max.	-0.99; 0.35

fBodyAccJerk-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.9
1st and 3rd quartiles	-0.98; -0.54
Min. and max.	-0.99; -0.01

fBodyGyro-mean()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.73
1st and 3rd quartiles	-0.97; -0.34
Min. and max.	-0.99; 0.47

fBodyGyro-mean()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.81
1st and 3rd quartiles	-0.97; -0.45
Min. and max.	-0.99; 0.33

fBodyGyro-mean()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.79
1st and 3rd quartiles	-0.96; -0.26
Min. and max.	-0.99; 0.49

fBodyGyro-std()-X

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.81
1st and 3rd quartiles	-0.98; -0.48
Min. and max.	-0.99; 0.2

fBodyGyro-std()-Y

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.8
1st and 3rd quartiles	-0.96; -0.42
Min. and max.	-0.99; 0.65

fBodyGyro-std()-Z

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.82
1st and 3rd quartiles	-0.96; -0.39
Min. and max.	-0.99; 0.52

fBodyAccMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.67
1st and 3rd quartiles	-0.96; -0.16
Min. and max.	-0.99; 0.59

fBodyAccMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.65
1st and 3rd quartiles	-0.95; -0.37
Min. and max.	-0.99; 0.18

fBodyBodyAccJerkMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.79
1st and 3rd quartiles	-0.98; -0.19
Min. and max.	-0.99; 0.54

fBodyBodyAccJerkMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.81
1st and 3rd quartiles	-0.98; -0.27
Min. and max.	-0.99; 0.32

fBodyBodyGyroMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.77
1st and 3rd quartiles	-0.96; -0.41
Min. and max.	-0.99; 0.2

fBodyBodyGyroMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.77
1st and 3rd quartiles	-0.95; -0.43
Min. and max.	-0.98; 0.24

fBodyBodyGyroJerkMag-mean()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.88
1st and 3rd quartiles	-0.98; -0.58
Min. and max.	-1; 0.15

fBodyBodyGyroJerkMag-std()

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	180
Median	-0.89
1st and 3rd quartiles	-0.98; -0.61
Min. and max.	-1; 0.29