

APPENDIX A

Slash Command Reference and Built-in Tools

Every command and alias in the interactive prompt, one line each, then the built-in tools whose names appear in permission prompts, rules, and hook matchers. Bundled skills are marked in Chapter 9; commands that only work in the terminal are noted in Chapters 19 and 20.

Generated from the official docs snapshot of 2026-09-10 (Claude Code v2.1.267) by tools/gen_appendices.py. Do not edit by hand; rerun the script for the next edition.

Slash commands

- `/add-dir <path>`: add working directory for file access this session
- `/advisor [model|off]`: enable or disable advisor second-model tool
- `/agents`: reminder to ask Claude to manage subagents
- `/artifacts`: list, attach, open, or copy artifacts
- `/auto-mode-setup`: draft `autoMode.environment` entries from project
- `/autocompact [auto|<tokens>]`: set auto-compact context window threshold
- `/autofix-pr [prompt]`: spawn web session fixing PR CI and reviews

- `/background [prompt]`: detach session as background agent; alias `/bg`
- `/batch <instruction>`: parallel large-scale changes via worktree subagents
- `/branch [name]`: branch conversation at this point
- `/btw [question]`: side question outside conversation history
- `/bug [report]`: report bug or share conversation; alias `/share`
- `/cd <path>`: move session to new working directory
- `/chrome`: configure Claude in Chrome settings
- `/claude-api [migrate|upgrade|managed-agents-onboard|prompt-audit|cost-optimize|build-eval|hillclimb]`: load Claude API reference and tools
- `/clear [name]`: new conversation with empty context; aliases `/reset`, `/new`
- `/code-review [level] [--fix] [--comment] [target]`: review diff or PR for bugs; alias `/review`
- `/color [color|default]`: set prompt bar color for session
- `/compact [instructions]`: summarize conversation to free context
- `/config [key=value ...]`: open settings or set keys directly; alias `/settings`
- `/context [all]`: visualize context window usage
- `/copy [N]`: copy Nth-latest response to clipboard
- `/cost`: alias for `/usage`
- `/dataviz [request]`: chart and dashboard design guidance
- `/debug [description]`: enable debug logging and troubleshoot
- `/deep-research <question>`: fan out web research into cited report
- `/design [brief]`: draft UI mockups as design canvas artifact
- `/design-login`: authorize design-system access for `/design-sync`
- `/design-sync [hint]`: upload repo design system to Claude Design
- `/desktop`: continue session in Desktop app; alias `/app`
- `/diff`: review working-tree changes; a live panel beside the conversation in full-screen (v2.1.260+), the diff viewer elsewhere
- `/doctor`: setup checkup that diagnoses and fixes; alias `/checkup`
- `/effort [level|auto|status]`: set reasoning effort level
- `/exit`: exit CLI or detach background session; alias `/quit`
- `/export [filename]`: export conversation as plain text

- `/fast [on|off]`: toggle fast mode
- `/feedback [report]`: send product feedback or review drafts
- `/fewer-permission-prompts`: add read-only allowlist from transcript scan
- `/focus`: toggle focus view (fullscreen only)
- `/fork [prompt]`: copy conversation into new background session
- `/goal [condition|clear]`: set goal Claude works toward across turns
- `/heapdump`: write heap snapshot and memory diagnostics
- `/help`: show help and available commands
- `/hooks`: view hook configurations
- `/ide`: manage IDE integrations and status
- `/import [codex|gemini|cursor] [--dry-run] [--yes]`: import config from Codex, Gemini CLI, or Cursor
- `/init`: initialize project with `CLAUDE.md`
- `/insights`: generate HTML usage report
- `/install-github-app`: install Claude GitHub App
- `/install-slack-app`: install Claude Slack app
- `/keybindings`: open keyboard shortcuts file
- `/list-agents`: list messageable subagents, teammates, sessions; alias `/peers`
- `/login`: sign in to Anthropic account
- `/logout`: sign out
- `/loop [interval] [prompt]`: run prompt repeatedly; alias `/proactive`
- `/mcp [reconnect|enable|disable ...]`: manage MCP servers and OAuth
- `/memory`: edit `CLAUDE.md` and manage auto memory
- `/mobile`: show QR code for mobile app; aliases `/ios`, `/android`
- `/model [model]`: switch model and save default
- `/passes`: share free week of Claude Code
- `/permissions`: manage allow, ask, deny rules; alias `/allowed-tools`
- `/plan [description]`: enter plan mode
- `/plugin [subcommand]`: manage plugins
- `/powerup`: interactive feature lessons
- `/pr-comments [PR]`: removed in v2.1.91

- `/privacy-settings`: view and update privacy settings
- `/radio`: open Claude FM lo-fi radio
- `/rate-limit-options`: options when usage limit blocks request
- `/recap`: one-line session summary
- `/release-notes`: view changelog in version picker
- `/reload-plugins [--force]`: reload active plugins without restart
- `/reload-skills`: re-scan skill and command directories
- `/remote-control`: enable Remote Control from claude.ai; alias `/rc`
- `/remote-env`: choose default cloud agent environment
- `/rename [name]`: rename current session
- `/resume [session]`: resume conversation or open picker; alias `/continue`
- `/review [...]`: alias of `/code-review`
- `/rewind`: rewind conversation and/or code; aliases `/checkpoint`, `/undo`
- `/run`: launch and drive project's app
- `/run-skill-generator`: write per-project skill for `/run` and `/verify`
- `/sandbox`: toggle sandbox mode
- `/schedule [description]`: manage cloud routines; alias `/routines`
- `/scroll-speed`: adjust mouse wheel scroll speed
- `/security-review`: analyze branch diff for security vulnerabilities
- `/setup-bedrock`: Amazon Bedrock configuration wizard
- `/setup-vertex`: Google Cloud Agent Platform configuration wizard
- `/simplify [target]`: review changed code and apply cleanups
- `/skills`: list and manage skill visibility
- `/skill-doctor`: show what each loaded skill costs in context and how often it is used; v2.1.252+ with feature flags
- `/stats`: alias for `/usage`, Stats tab
- `/status`: show version, model, account, connectivity
- `/statusline`: configure status line
- `/stickers`: order Claude Code stickers
- `/stop`: stop current background session
- `/subtask <task>`: spawn forked subagent inheriting conversation

- `/tasks`: view background work; alias `/bashes`
- `/team-onboarding`: generate team onboarding guide from usage
- `/teleport`: pull web session into terminal; alias `/tp`
- `/terminal-setup`: install Shift+Enter binding and terminal fixes
- `/theme`: change color theme
- `/tui [default|fullscreen]`: set terminal UI renderer
- `/ultraplan <prompt>`: removed; use plan mode
- `/ultrareview [PR or branch]`: alias for `/code-review ultra`
- `/upgrade`: open plan upgrade page
- `/usage`: session cost, plan limits, activity stats
- `/usage-credits`: configure or request usage credits; previously `/extra-usage`
- `/verify`: confirm change by running the app
- `/vim`: removed in v2.1.92; use `/config` Editor mode
- `/voice [hold|tap|off]`: toggle voice dictation
- `/web-setup`: connect GitHub account to Claude Code on the web
- `/workflow-authoring`: load dynamic workflow script reference
- `/workflows`: open workflow progress view

Built-in tools

The 45 tools Claude can call, with whether each one asks before running in Manual mode. Chapter 1 introduces the loop they serve, Chapter 5 the rules that name them, and Chapter 14 which of them subagents get.

TOOL	WHAT IT DOES	ASKS
Agent	Spawns a subagent with its own context window to handle a task	No
Artifact	Publishes an HTML or Markdown file as an artifact: a private, interactive page on <code>claude.ai</code>	Yes

TOOL	WHAT IT DOES	ASKS
AskUserQuestion	Asks multiple-choice questions to gather requirements or clarify ambiguity	No
Bash	Executes shell commands in your environment	Yes
CronCreate	Schedules a recurring or one-shot prompt within the current session	No
CronDelete	Cancels a scheduled task by ID	No
CronList	Lists all scheduled tasks in the session	No
Edit	Makes targeted edits to specific files	Yes
EndConversation	Ends the session, in rare cases of sustained abusive input or when you ask Claude to demonstrate the tool	No
EnterPlanMode	Switches to plan mode to design an approach before coding	No
EnterWorktree	Creates an isolated git worktree and switches into it	Yes
ExitPlanMode	Presents a plan for approval and exits plan mode	Yes
ExitWorktree	Exits a worktree session and returns to the original directory	No
Glob	Finds files based on pattern matching	No

TOOL	WHAT IT DOES	ASKS
Grep	Searches for patterns in file contents	No
ListAgents	Lists the agents Claude can message with SendMessage: subagents in the session, agent team teammates, your other local Claude Code sessions, and, while this session is connected to Remote Control, your Claude Code on the web sessions and your Remote Control sessions on other machines	No
ListMcpResourcesTool	Lists resources exposed by connected MCP servers	No
LSP	Code intelligence via language servers: jump to definitions, find references, report type errors and warnings	No
Monitor	Runs a command in the background and feeds each output line back to Claude, so it can react to log entries, file changes, or polled status mid-conversation	Yes
NotebookEdit	Modifies Jupyter notebook cells	Yes
PowerShell	Executes PowerShell commands natively	Yes

TOOL	WHAT IT DOES	ASKS
PushNotification	Sends a desktop notification, and a phone push when Remote Control is connected, so a long-running task or scheduled task can reach you when you step away	No
Read	Reads the contents of files	No
ReadMcpResourceTool	Reads a specific MCP resource by URI	No
RemoteTrigger	Creates, updates, runs, and lists Routines on claude.ai	No
ReportFindings	Reports code-review findings as a structured list, with a file, summary, and failure scenario per finding, so Claude Code can render them instead of printing them as text	No
ScheduleWakeup	Reschedules the next iteration of a self-paced /loop	No
SendFeedback	Drafts a feedback report about Claude Code, covering a product problem or Claude's own behavior in the session, and queues it on your machine for you to review	No

TOOL	WHAT IT DOES	ASKS
SendMessage	Sends a message to another agent: an agent team teammate, a subagent it resumes by agent ID or name, or one of your other Claude Code sessions, on this machine or beyond it	No
SendUserFile	Sends files from the session to you with an optional caption, so a generated report, diagram, screenshot, or built artifact reaches your device instead of only being mentioned in the transcript	No
ShareOnboardingGuide	Uploads ONBOARDING.md and returns a share link teammates can open in Claude Code	Yes
Skill	Executes a skill within the main conversation	Yes
TaskCreate	Creates a new task in the task list	No
TaskGet	Retrieves full details for a specific task	No
TaskList	Lists all tasks with their current status	No
TaskOutput	Retrieves output from a background task	No
TaskStop	Stops a running background task by ID	No

TOOL	WHAT IT DOES	ASKS
TaskUpdate	Updates task status, dependencies, details, or deletes tasks	No
TodoWrite	Manages the session task checklist	No
ToolSearch	Searches for and loads deferred tools when tool search is enabled	No
WaitForMcpServers	Waits for one or more MCP servers that are still connecting in the background, so a request can use their tools without restarting the session	No
WebFetch	Fetches content from a specified URL	Yes
WebSearch	Performs web searches	Yes
Workflow	Runs a dynamic workflow: a script that orchestrates many subagents in the background and returns one consolidated result	Yes
Write	Creates or overwrites files	Yes