Social Loginizer for Prestashop

Contents

Introduction

Social Loginizer plugin enables end-point users to Login into the store using their Facebook, Google Plus, Twitter, Yahoo, Windows Live, LinkedIn, Amazon, Instagram, Paypal, Foursquare, Github, Disqus, Vkontakte, WordPress and Dropbox credentials. The plugin gives the freedom to the store admin to enable or disable login through several platforms, the admin can also change the behavior of the plugin at the front-end and also enables or disable login through any available social platform.

2.0 Technology for Development

Language: PHP

FrameWork: PrestaShop

3.0 Social Loginizer Plug-in for PrestaShop

Installation Guide

1. Folder structure of the Social Loginizer plugin folder.

2. Copy the whole folder named as "socialloginizer" into your modules folder of the root directory of your PrestaShop store through FTP.

3. You can also upload zip folder of module by clicking on "Add New Module" button, which should appear just in the top right corner of module listing page.

4. After that you will be able find the plug-in ready to be installed in the "Modules" in your PrestaShop store as shown below.

5. Click on the Install link to install the plugin.

4.0 Admin Module

Here store owner can change the various settings of this plugin according to the requirements, which will be reflected on front end as well as in admin panel.

After installing plug-in into store, the plug-in will provide following tabs in the interface:

1. General Settings

2. Statistics

3. Facebook Settings

4. Google Plus Settings

5. Live Settings

6. Linkedin Settings

7. Twitter Settings

8. Yahoo Settings

9. Instagram Settings

10. Amazon Settings

11. Paypal Settings

12. Foursquare Settings

13. Github Settings

14. Disqus Settings

15. Vkontakte Settings

16. Wordpress Settings

17. Dropbox Settings

18. FAQs

19. Suggestions

20. Other Plugins

Each tab is explained below.

General Settings

On clicking on configure link on module listing page (configure link will automatically appear once you install the plugin), system will open general settings tabs by default as shown in screen below:

Initially fields in above form will be already filled with their default values.

1. **Enable/Disable:** Initially, this will be "OFF". Admin can enable/disable plug-in by turning ON/OFF this setting.

2. **Show Popup:** Initially, this will be "ON". By using this option Admin can control whether the api login page display in new tab or in popup.

3. **Button Arrangement :** Here admin can change the sequence of the buttons as they appear at the front-end.

4. **Show on Supercheckout :** We have a another plugin named Supercheckout if the Admin have both the plugin Supercheckout and Socialloginizer then by using this option it can show the login buttons on our Supercheckout page.

5. There is a table that describes the page, status, position, title and button size of login option.

   i. **Page:** Set the page on which you want to display this social button.

   ii. **Status:** To enable/disable this module from respective page.

   iii. **Position:** To set the position on respective page where you want to display social button. These position are Header, Footer, Left Column and Right Column. There are two extra position for Login page create account form and login form.

   iv. **Title:** Here you can set the some title for this social loginizer block. For example: Sign Up With

   v. **Button Size:** There are two option of button size: small and Large. According to your need and front end UI, you can set the button size to be displayed on respective page.

   You can also specify the title and icon size for each position individually.

Icon Size (Button Size)

There are two type of icons available to display on website as per need website front end interface. There are as follow:

1. Small Icon

2. Large Icon

f Facebook	8+ Google	in Linkedin
Live	Twitter	Y! Yahoo
a amazon	instagram	P PayPal
Disqus	Dropbox	Foursquare
Github	VK Vkontakte	WordPress

Statistics

Statistcs Tab will let you know about the number of customer register through Social login option.

Statisctcs will consist a Bar graph Login vs Registered Count. This will show the information of Login and Registerd Customer through each login option .

There is a Table which tells about the Total Customer Register through a particular option.

Total Registrations (1)

S. No.	Account Type	Total Registrations	Action
1	Facebook	1	View Details
2	Google	0	View Details
3	Live	0	View Details
4	Linkedin	0	View Details
5	Twitter	0	View Details
6	Yahoo	0	View Details
7	instagram	0	View Details
8	amazon	0	View Details
9	PayPal	0	View Details
10	Foursquare	0	View Details
11	Github	0	View Details
12	Disqus	0	View Details
13	Vkontakte	0	View Details
14	WordPress	0	View Details
15	Dropbox	0	View Details

Admin Can also see and edit the details of a customer registered via social loginizer by click on view details .

A popup modal will consist the username and email of customer by click on it admin can edit their details also.

Social Customers (Facebook)

Show : 10

Search Email   SEARCH

S.No	User Name	Email
1		com

Note: Not showing deleted customers

Close

Facebook Settings

Follow below steps to get app id and app secret.

Enter your desired app name. eg: Storename social login

Create a New App ID

Create **Test Store** App?

NO   Is this a test version of another app? Learn More.

Category

Choose a Category ▾

- ✓ Choose a Category
- Apps for Pages
- Books
- Business
- Communication
- Education
- Entertainment
- Fashion
- Finance
- Food & Drink
- Games
- Health & Fitness

⑦

the Facebook Platform Policies   Cancel   **Create App ID**

⑥   **Select category**

Start Over   Skip Quick Start

WWW

Quick Start for Website

⚙ Test Store   ✕

⑧

| Setup SDK | App Configuration | Test | Finished |

Setup the Facebook SDK for JavaScript

| Basic | Advanced | Migrations |

⑨

Select Platform   Show

Facebook Canvas   **Website**   **iOS**   **Android**

Windows App   **Page Tab**   **Xbox**   **PlayStation**

Save Changes

Cancel

App Domains:

Yourdomain.com is **correct**

Yourdomain.com/store is **incorrect**

www.domain.com is **incorrect**

Under status and review tab, enable its live feature.

Your App Name — APP ID: 583105468525763 — View Analytics — Tools & Support — Docs

Dashboard
Settings
Roles
Alerts
App Review

PRODUCTS
+ Add Product

Make Your App Name public?

No — Your app is in **development** and unavailable to the public.

13 → **Enable this option**

Submit Items for Approval

Some Facebook integrations require approval before public usage. Before submitting your app for review, please consult our **Platform Policy** and **Review Guidelines**.

Start a Submission

Approved items [?]

LOGIN PERMISSIONS

○ **email** [?]
Provides access to the person's primary email address. This permission is approved by default.

○ **public_profile** [?]
Provides access to a person's basic information, including first name, surname, profile picture, gender and age range. This permission is approved by default.

○ **user_friends** [?]
Provides access to a person's list of friends that also use your app. This permission is approved by default.

facebook for developers

facebook for developers

Your App Name ○

14 **Copy App ID**

This app is in development mode and can only be used by app admins, developers and testers [?]

API Version [?]
v2.6

App ID
583105468525763

App Secret 15 **Copy Secret Key**
99a984fabf5ee260bf07827e7734310d — Reset

Facebook Settings

16 **Paste App Id and Secret below**

Click here to get Facebook app id and app secret

Enable/Disable: ❷ — ON

*Facebook App Id: ❷
1509270539365104

17 **Enter MailChimp key Here**

*Facebook App Secret: ❷
189ba0dceca7cfa2106a004229d0f300

19 **Select MailChimp List**

18

MailChimp Api Key: ❷
2f85f2298a86253c772f64ce2f399ff9-us11 — **Get List**

MailChimp List: ❷
Test1

Google Plus Settings

Follow below steps to get client id and client secret.

1. Click on the highlighted link.

Q | ① My Project ▾ | ▦ | ⓘ | ? | 🔔 | ⋮ | 👤

Credentials

Credentials | OAuth consent screen | Domain verification

All projects

Manage all projects

Create a project...

②

New Project

Project name ⓘ

your project name ③

Your project ID will be your-project-name-1071 ⓘ Edit

④

Show advanced options...

Create | Cancel

API ⑤

Overview

Credentials

⑥

Credentials

Credentials | OAuth consent screen | Domain verification

APIs
Credentials

You need credentials to access APIs. Enable the APIs you plan to use and then create the credentials they require. Depending on the API, you need an API key, a service account, or an OAuth 2.0 client ID. Refer to the API documentation for details.

⑦ Create credentials ▾

API key
Identifies your project using a simple API key to check quota and access.
For APIs like Google Translate.

OAuth client ID
Requests user consent so your app can access the user's data.
For APIs like Google Calendar.

Service account key
Enables server-to-server, app-level authentication using robot accounts.
For use with Google Cloud APIs.

Help me choose
Asks a few questions to help you decide which type of credential to use.

Create credentials ▾

Create client ID

⚠ To create an OAuth client ID, you must first set a product name on the consent screen   Configure consent screen

Application type
⊙ Web application
⊙ Android Learn more
⊙ Chrome App Learn more
⊙ iOS Learn more
⊙ PlayStation 4
⊙ Other

If you have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/module/socialloginizer/google

If you don't have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/index.php?fc=module&module=socialloginizer&controller=google

Live Settings

Follow below steps to get client id and client secret.

Enable your application to use Microsoft accounts

This site will allow your web-based Android and iOS applications to authenticate users via Microsoft accounts.

If you want to register an application for Windows 8.1 or Windows Phone 8.1, go to the Windows Store Dashboard **instead.**

Provide the name of your application that users will see.

Application name*

App name ②

Use letters, digits, and underscores only. 129-character limit.

Language*

English (United States) ▼

Select your application's primary language.

Clicking **I accept** means that you agree to the Microsoft services terms of use. Read Privacy & Cookies.

I accept **Cancel** ③

Settings

Basic Information

API Settings

App Settings

Localization

Mobile or desktop client app:

○ Yes ◉ No **Set it to No** ④

Mobile client applications use a different OAuth 2.0 authentication flow. Selecting Yes will allow mobile clients to use this authentication flow. Learn More

Target domain:

http://www.mysite.com/store ⑤

This is the domain that other apps will use when they request a JWT for your app on Windows (such as www.contoso.com).

Restrict JWT issuing:

◉ Yes ○ No **Set it to Yes** ⑥

Limits the issuing of JSON Web Tokens (JWT) for your domain to exclusively this application.

Root domain:

http://www.mysite.com/store ⑦

All redirect URLs must fall within your root domain.

Redirect URLs:

⑧

http://www.mysite.com/store/index.php?
fc=module&module=socialloginizer&controller=live
OR
http://www.mysite.com/store/module/socialloginizer/live

Add another redirect URL

⑨ → **Save** **Cancel**

For client secret and PSID information, select App Settings.


If you have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/module/socialloginizer/live

If you don't have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/index.php?fc=module&module=socialloginizer&controller=live

LinkedIn Settings

Follow below steps to get Api key and Secret key

LinkedIn Settings

Have some doubt or issue? Get prompt help from us.   Contact us   Save   Cancel

General Settings
Facebook Settings
Google Plus Settings
Live Settings
LinkedIn Settings
Twitter Settings

LinkedIn Settings

① → Click here to get Linked in api key and secret key

Enable/Disable: ?   OFF

*LinkedIn API Key: ?

*LinkedIn Secret Key: ?

My Applications

Create Application

②

Applications allow you manage desktop and mobile software that leverage LinkedIn APIs.

You do not have any applications.

Create a New Application

Company Name: *
③

Name: *
App name   ④

Description: *
⑤

Application Logo URL: *
Upload logo to your server and paste its url here   ⑥

Application Use: *
Select One...   ⑦ ←   **Select category that suits you best.**

Website URL: *
http://www.mysite.com/store   ⑧

Business Email: *
⑨   Please provide an email address for a business contact responsible for this application.

Business Phone: *
⑩

☐ I have read and agree to the LinkedIn API Terms of Use. ⑪   **Accept terms and conditions.**

Submit   Cancel

⑫

If you have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/module/socialloginizer/linkedin

If you don't have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/index.php?fc=module&module=socialloginizer&controller=linkedin

Twitter Settings

Follow below steps to get Api key and Api Secret.

If you have SEO url enabled on your site then use below callback URL

http://www. yourstore .com/module/socialloginizer/twitter

If you don't have SEO url enabled on your site then use below callback URL

http://www. yourstore .com/index.php?fc=module&module=socialloginizer&controller=twitter

test socialloginizer

Test OAuth

Details   Settings   **Keys and Access Tokens**   Permissions

Application Settings

Keep the "Consumer Secret" a secret. This key should never be human-readable in your application.

Consumer Key (API Key)   ePLPyw93VQiJ7VQ8YMejjTxuv   ⑨   **Copy it**

Consumer Secret (API Secret)   9j5jkqr0zEK6Boi4qV6N4diXusy6ni3Egyab2M0VlLtdz9uUtT   ⑩   **Copy it**

Access Level   Read and write (modify app permissions)

Owner

Owner ID   93134979

Twitter Settings   ⑪   **Paste Api key and Secret Below**

Click here to get Twitter api key and api secret

Enable/Disable: ❓   OFF

*Twitter API Key: ❓   ePLPyw93VQiJ7VQ8YMejjTxuv

⑫

*Twitter API Secret: ❓   9j5jkqr0zEK6Boi4qV6N4diXusy6ni3Egyab2M0VlLtdz9uUtT   ⑭   **Select Mailchimp List**   ⑬

Enter Mailchimp Api Key Here   →   MailChimp Api Key: ❓   2f85f2298a86253c772f64ce2f399ff9-us11   **Get List**

MailChimp List: ❓   test3   ▼

Yahoo Settings

Follow below steps to get consumer key and consumer secret.

Create Application

Application Name

[   ] ← App name eg: Social login ← ③

Application Type

◉ Web Application ← ④ Select this
○ Installed Application

This application is accessed by a web browser. Requires a valid callback domain.

Description (Optional)

[   ]

Home Page URL (Optional)

[   ]

Callback Domain

[Domain name eg: mysite.com   ] ← ⑤

Please specify the domain to which your application will be returning after successfully authenticating. Yahoo OAuth flow will redirect users to a URL only on this domain (or its sub-domain) after they authorize access to their private data.

Premium API Services

☐ I want to enable Yahoo BOSS for this project. (Yahoo BOSS offers premium Search and Geo services)

API Permissions

Select private user data APIs that your application needs to access.

☒ Contacts ← ⑥ Select this option.
   ◉ Read - With your user's permission, you can read their Contacts information.
   ○ Read/Write - With your user's permission, you can read and write their Contacts information.

☒ Fantasy Sports ← ⑦ Select this option.
   ◉ Read - With your user's permission, you can read their Fantasy Sports teams and leagues.
   ○ Read/Write - With your user's permission, you can read and write their Fantasy Sports teams and leagues.

☒ Mail ← ⑧ Select this option.
   ◉ Read - With your user's permission, you can read their Mail information including message headers and content.
   ○ Read/Write - With your user's permission, you can read, write, and delete their Mail information including message, folders, and filters.
   ○ Full Access - With your user's permission, you will have full access (read, write, delete) to all aspects of their Mail information.

☒ Messenger ← ⑨ Select this option.
   ◉ Read/Write - With your user's permission, your application can access key IM functionality including contact management, fetching user presence, and sending and receiving instant messages.

☒ Profiles (Social Directory) ← ⑩ Select this option.
   ◉ Read Public - With your user's permission, you can read their Profile information that is marked as either public or shared with Connections.
   ○ Read/Write Public - With your user's permission, you can read and write their Profile information that is marked as either public or shared with Connections. Write access to Contact information is excluded.
   ○ Read/Write Public and Private - With your user's permission, you can read and write their Profile information that is marked as either public or shared with Connections. Write access to Contact information is excluded.

☒ Relationships (Social Directory) ← ⑪ Select this option.
   ◉ Read/Write - With your user's permission, you can read and write their information about social relationships to people and things.

[Create App] Cancel ⑫ Click here

By clicking Create App you agree to be bound by the Yahoo Developer Network Terms of Use.

Yahoo Settings

⑬ **Paste Consumer Key and Secret Below**   Click here to get Yahoo client id and client secret

Enable/Disable: ❓ [OFF]

*Yahoo Consumer Key: ❓ [dj0yJmk9NTJHZHAydkZDTWdHJmQ9WVdrOWQybE1JVFJETnpRbWNHbzlNQS0tJnM9Y29uc3VtZXJzZWNyZXQmeD1jJnw--]

⑭ **Enter Mailchimp Api Key Here**

*Yahoo Consumer Secret: ❓ [8700b63cbc395cedf356f072757b31e62e55a48a]   ⑯ **Select Mailchimp List**   ⑮

MailChimp Api Key: ❓ [2f85f2298a86253c772f64ce2f399ff9-us11]   [Get List]

MailChimp List: ❓ [test3   ▼]

Instagram Settings

Follow below steps to get client id and client Secret.

Register new Client ID

As of September 1st, 2015, the 'Enforce signed header' setting is deprecated. Clients still using this setting should consider using the 'Enforce signed requests' instead. For more information please read the Developer Blog at http://developers.instagram.com

Details   **Security**

Application Name   ④

Do not use Instagram, IG, Insta or gram in your app name. Make sure to adhere to the API Terms of Use and Brand Guidelines .

Description   ⑤

Website URL   ⑥   http://www.mysite.com/store

Valid redirect URIs   ⑦   http://www.yourstore.com/module/socialloginizer/instagram
or
http://www.yourstore.com/index.php?fc=module&module=socialloginizer&controller=instagram

The redirect_uri specifies where we redirect users after they ha

Contact email   ⑧

An email that Instagram can use to get in touch with you. Pleas
information about your app.

Type the words abo...

Register   **Cancel**   ⑨

If you have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/module/socialloginizer/amazon

If you don't have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/index.php?fc=module&module=socialloginizer&controller=amazon

Manage Clients

Report Issue | Register a New Client

test1

DELETE | EDIT

CLIENT INFO

CLIENT ID   d9b4251c4ab14c859194121b2c6fdb29 ⑩

CLIENT SECRET   c4ea39b3680f41da95ae9e0fd3f1bd2a ⑪

WEBSITE URL   http://yourstore.com

REDIRECT URI   http://www.yourstore.com/module/socialloginizer/instagram

SUPPORT EMAIL

**Copy Both id and secret key**

this is test1 app

Instagram Settings

⑫ **Paste Id and Secret Key below**

Click here to get Instagram client id and client secret

Enable/Disable: ❷   OFF

*Instagram Client Id: ❷   476532bd8b6246f8a92d58e45952d317

⑬ **Enter Mailchimp APi Key Here**

*Instagram Client Secret: ❷ 6b2dfcc5f1a8452688530f5d5cb92821

⑮ **Select Mailchimp List**

⑭

MailChimp Api Key: ❷   2f85f2298a86253c772f64ce2f399ff9-us11   Get List

MailChimp List: ❷   Test1

Amazon Settings

Follow below steps to get client id and client secret.

Register Your Application

Application Information

③

Name: ▣ [   ] ← **App Name eg: Demo Store**

Description: ▣ [   ] ← **App Description eg: App for login**

Privacy Notice URL: ▣ [   ]

Logo Image: ▣ [Browse...] No file selected.
(Optional)

[Save]

? **test**

[Settings] [Metrics]   App ID: amzn1.application.8e317a9916134a54809e11bc54392349

Application Information

Name: ▣ test

Description: ▣ this is test app

Privacy Notice URL: ▣ http://youstore.com

Logo Image: ▣
(Optional)

[Edit]

Web Settings

Client ID: ▣ amzn1.application-oa2-client.7e70b8162ddc4e19a59bb5e95686762d

Client Secret: ▣ [Show Secret]

Allowed JavaScript Origins: ▣
(Optional)

Allowed Return URLs: ▣
(Optional)

④

[Edit] → **Click here**

○ Android Settings

○ iOS Settings

test

App ID: amzn1.application.8e317a9916134a54809e11bc54392349

Settings | Metrics

Application Information

Name: 🔲 test

Description: 🔲 this is test app

Privacy Notice URL: 🔲 http://youstore.com

Logo Image: 🔲
(Optional)

[Edit]

Web Settings

⑤ → **Copy it**

Client ID: 🔲 amzn1.application-oa2-client.7e70b8162ddc4e19a59bb5e95686762d

Client Secret: 🔲 [Show Secret] ⑥ → **Click and copy secret key**

Allowed JavaScript Origins: 🔲 [https://www.yourstore.com]
(Optional) Add Another

Allowed Return URLs: 🔲 [https://www.yourstore.com/index.php?fc=module&module=socialloginizer]
(Optional) Add Another

[Cancel] [Save]

◎ Android Settings
◎ iOS Settings

---

test

App ID: amzn1.application.8e317a9916134a54809e11bc54392349

Settings | Metrics

Application Information

⑦ **Your domain name
https://www.yoursite.com/store**

Name: 🔲 test

Description: 🔲 this is test app

Privacy Notice URL: 🔲 http://youstore.com

⑧ **https://www.yoursite.com/store/index.php?
fc=module&module=socialloginizer&contr
oller=amazon
or
https://www.yoursite.com/store/module/soc
ialloginizer/amazon**

Logo Image: 🔲
(Optional)

[Edit]

Web Settings

Client ID: 🔲 amzn1.application-oa2-client.7e70b8162ddc4e19a59bb5e95686762d

Client Secret: 🔲 [Show Secret]

Allowed JavaScript Origins: 🔲 [https://www.yourstore.com] ⑦
(Optional) Add Another

Allowed Return URLs: 🔲 [https://www.yourstore.com/index.php?fc=module&module=socialloginizer] ⑧
(Optional) Add Another

[Cancel] [Save] ← ⑨

◎ Android Settings
◎ iOS Settings

If you have SEO url enabled on your site then use below return URL

http://www. yourstore .com/module/socialloginizer/amazon

If you don't have SEO url enabled on your site then use below return URL

http://www. yourstore .com/index.php?fc=module&module=socialloginizer&controller=amazon

Paypal Settings

Follow below steps to get client id and Client Secret

test1

App display name: test1 ✏

SANDBOX API CREDENTIALS

Sandbox account

Sandbox endpoint   api.sandbox.paypal.com

Credential Pairs

Client ID   At8DhxsW4ZsjiWkJmICE1plyrpA0zJqx6uFyikf4eS0VUEhJTLuGKld-_DHa_StVglZohJ7HefNqGlvB

Secret   EFBu3nld7TJu0Kt1T8fEkBldriaelkZXyE26gowvc2pvPslcdQa6mHo56d_bsYyyImzMMDL3czojzSsH

SANDBOX WEBHOOKS

With webhooks, your app can be notified when certain events occur. You can create upto 10 webhooks at a time. Learn more about listening to webhooks in our webhooks documentation.

Webhook	Webhook ID	Events tracked
This app has no webhooks at the moment.		

Add Webhook

SANDBOX APP SETTINGS

Return URL - Where users will be redirected after test transactions. Please allow up to 3 hours for the change to go into effect.

[Return URL]

App feature options

☑ **Accept payments** Accept one-time and subscription payments from PayPal members using PayPal and direct credit card processing. Advanced options

☑ **Invoicing** Issue invoices for payments owed, manage partial balances due, and enable custom net payment terms.

☒ **Payouts** Send batch payments to multiple PayPal accounts at once. You can vary the amount by recipient and select if you'd like it delivered by phone number or email.

☐ **PayPal Here** Process swiped/card-present card transactions.

☒ **Log In with PayPal** Identity service that enables your customers to log in with their PayPal login. Advanced options

Save

⑥

If you have SEO url enabled on your site then use below return URL

http://www. yourstore .com/module/socialloginizer/paypal

If you don't have SEO url enabled on your site then use below return URL

http://www. yourstore .com/index.php?fc=module&module=socialloginizer&controller=paypal

LIVE APP SETTINGS

Return URL - Where users will be redirected after live transactions. Please allow up to 3 hours for the change to go into effect.

Return URL

App feature options

☒ **Accept Payments** Accept one-time and subscription payments from PayPal members using PayPal and direct credit card processing. Advanced Options

☒ **Invoicing** Issue invoices for payments owed, manage partial balances due, and enable custom net payment terms.

☒ **Payouts** Send batch payments to multiple PayPal accounts at once. You can vary the amount by recipient and select if you'd like it delivered by phone number or email.

☐ **PayPal Here** Process swiped/card-present card transactions.

☒ **Log In with PayPal** Identity service that enables your customers to log in with their PayPal login. Hide

> **Information requested from customers**
> Select scope attributes for OpenID connect (OAuth) protocol. You are requesting your customers to share this data with you.
>
> ☒ Basic authentication
>   No information is requested from customers. Only a unique identifier (PPID) is provided to you.
>
> ☒ Personal Information Customize ⑪
> ☒ Address Information Customize ⑫
> ☐ Account Information Customize
>
> **Select both of these options**
>
> **Links shown on customer consent page**
> Privacy policy URL
> [ ] ⑬
>
> User agreement URL
> [ ] ⑭
>
> **Enter your site url here eg. http://www.mysite.com/store**
>
> Add customer support email ID
>
> Preview the customer consent page
>
> **Additional PayPal permissions**
>
> ☐ ⑮ Seamless Checkout
>   After your customers login with PayPal, they don't need to log in again at checkout (within an hour)
>
> ☐ Allow the customers who haven't yet confirmed their email address with PayPal, to log in to your app.

[Save] Cancel

Paypal Settings

⑯ **Paste Id and Secret Key below**

Click here to get Paypal client id and client secret

Enable/Disable: ❓ [ON]

*Paypal Client Id: ❓ Ab4DvjAEkJN18hGGwcbyGcst9pvYuZg9UjeqhzroFYq-78Nk1o3iueTkSry58j8Z3qjeWThfMnCsFe7R

⑰ **Enter Mailchimp Api Key Here**

*Paypal Client Secret: ❓ EP0wXm4z8v1E57_h33J3PkcfcT9HZTh3iYZ4ULjJuHZlaQiGTPXoiqZNdn5ZnsnU

⑲ **Select Mailchimp List** ⑱

MailChimp Api Key: ❓ 2f85f2298a86253c772f64ce2f399ff9-us11   [Get List]

MailChimp List: ❓ Test1 ▾

Foursquare Settings

Follow below steps to get Client id and Client Secret.


If you have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/module/socialloginizer/foursquare

If you don't have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/index.php?fc=module&module=socialloginizer&controller=foursquare

test

EDIT THIS APP

App Details

ADMINISTRATIVE INFORMATION

Owner

Client id

YMPT3CCHMCPJRLQEEUG5FJRW20JWC2FIQXNCYECA5FQ1RT04 ⑦ **Copy this**

Client secret

0PC25FQCRLF3PMJIECEW0GB33FSBFIU3RJV0MORGUMAILEPR ⑧ **Copy this**

Edit App

Icons and Images

Reset or Delete App

0
users have connected this app

WEB ADDRESSES

Download / welcome page url
http://yourstore.com

Your privacy policy url
None provided

Redirect URI(s)
http://yourstore.com

Access Token URL
https://foursquare.com/oauth2/access_token

Foursquare Settings

⑨ **Paste Client Id and Secret below**

Click here to get Foursquare client id and client secret

Enable/Disable: ❓ **OFF**

*Foursquare Client Id: ❓ YMPT3CCHMCPJRLQEEUG5FJRW20JWC2FIQXNCYECA5FQ1RT04

⑩ **Enter Mailchimp Api Key Here**

*Foursquare Client Secret: ❓ 0PC25FQCRLF3PMJIECEW0GB33F5BFIU3RJV0MORGUMAILEPR ⑫ **Select Mailchimp**

⑪

MailChimp Api Key: ❓ 2f85f2298a86253c772f64ce2f399ff9-us11 **Get List**

MailChimp List: ❓ Test1

Github Settings

Follow below steps to get client id and Client Secret

If you have SEO url enabled on your site then use below callback URL

http://www. yourstore .com/module/socialloginizer/github

If you don't have SEO url enabled on your site then use below callback URL

http://www. yourstore .com/index.php?fc=module&module=socialloginizer&controller=github

test

owns this application.

0 users

Copy it ⑥ → Client ID
4e0f37300d84da445891

Copy it ⑦ → Client Secret
29d3d31f3c8c2a5163ae52e6f686939525ccc4ef

[Revoke all user tokens] [Reset client secret]

Github Settings

⑧ **Paste Client Id and secret below**   Click here to get github client id and client secret

Enable/Disable: ❓ [ON]

*Github Client Id: ❓   d3c9724c9c2b322415fe

⑨ **Enter Mailchimp Api Key Here**

*Github Client Secret: ❓   507f54c0d6304e4fdc7b09eb8053e7c3e1723cf6

⑪ **Select Mailchimp List**   ⑩

MailChimp Api Key: ❓   2f85f2298a86253c772f64ce2f399ff9-us11   [Get List]

MailChimp List: ❓   Test1   ▾

Disqus Settings

Follow below steps to get Api Key and Api Secret.

Icon:

Browse...   No file selected.

The icon for your application.

Settings

Domains:

**Domain name eg:
mysite.com
do not use
http://mysite.com**

⑧

Domains linked to your public key (for referral checks).

Enter one domain per line. Entering 'disqus.com' will include all subdomains.

Authentication

Default Access:

Read and Write   You may request other permissions when authorizing a user

using the **scope** parameter.

Callback URL:

http://www.mysite.com/store   ⑨

Where should we return users to after successfully authentication? For AudienceSync applications,

this is the postback URL.

Organization

Organization:

Your organization, or company.

Terms of Service URL:

URL to your website's Terms of Service.

✓ Save Changes   ⟵   ⑩

Documentation **Applications** Console

Applications

test   Register new application

Secret Key:

LTELe5P9AbsNjy0GbAbuQp9Md6HqlxJGJPPgGm30XUwGcFYdAORk38x2zrQBU2Se ⑪

Public Key:

LUG0fN0FuYxHWp7Vlkx4DIox0DtOqCfYocgJehUECQ7BgL2qFkN6QSQ21Fec2r0X ⑫

Domains:

yourstore.com

```
Copy both keys
```

Disqus Settings

⑬ ```Paste Key and Secret below```   Click here to get disqus api key and api secret

Enable/Disable: ❓   OFF

*Disqus Api Key : ❓   LUG0fN0FuYxHWp7Vlkx4DIox0DtOqCfYocgJehUECQ7BgL2qFkN6QSQ21Fec2r0X   ⑮

⑭   *Disqus Api Secret: LTELe5P9AbsNjy0GbAbuQp9Md6HqlxJGJPPgGm30XUwGcFYdAORk38x2zrQBU   ⑯ ```Select MailChimp List```

```Enter MailChimp Api Key Here```   MailChimp Api Key: ❓   2f85f2298a86253c772f64ce2f399ff9-us11   Get List

MailChimp List: ❓   Test1   ▾

Vkontakte Settings

Follow below steps to get Application Id and Secure Key.

If you have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/module/socialloginizer/vk

If you don't have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/index.php?fc=module&module=socialloginizer&controller=vk

WordPress Settings

Follow below steps to get Client id and Client Secret.

Create an application

This feature is available for developers. Most WordPress.com users will not find this useful.

Are you moving from WordPress.com to a self-hosted blog? You don't need to create an application for that, just export your content and then import it to your new blog.

Name	③ →	**App name eg: Social login**

The name of your application. This is used in the authorization dialogs.

Description

The description of your application.

④ → **eg. App to allow social login.**

Website URL ⑤ → **http://www.mysite.com/store**

The URL to an informational home page about your application.

Redirect URL ⑥ →
http://www.yourstore.com/module/socialloginizer/wordpress
or
http://www.yourstore.com/index.php?
fc=module&module=socialloginizer&controller=wordpress

The URL we should redirect to during the authorization process.

Javascript Origins ⑦ → **http://www.mysite.com/store**

Unauthenticated GET requests can be made to the API via JavaScript. If you want to make authenticated calls the origins (e.g. `http://example.com`) need to be whitelisted above. Please enter one URL (with the protocol) per line.

What is 2 + 4? ⑧ → **Math test :)**

Type ⑨ → **Select this.**
- ◉ **Web** clients must be able to keep the generated secret private and should do all authenticated API calls server to server.
- ○ **Native** clients are those that cannot keep the generated secret private. They usually live in a user's browser or mobile device and make client-side authenticated API calls.

Follow Developer blog ☐ Follow the WordPress.com developer blog via email for the latest updates on our APIs.

⑩ ↓

By creating an application you agree to the WordPress.com Developer Guidelines.

Create

If you have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/module/socialloginizer/wordpress

If you don't have SEO url enabled on your site then use below redirect URL

http://www. yourstore .com/index.php?fc=module&module=socialloginizer&controller=wordpress

Your application has been created.

(11) Click on it. "Test" is my App name here. Your app name will be shown here.

Editing test

Name
test

The name of your application. This is used in the authorization dialogs.

Description
this is test app

OAuth Information

Client ID	42550	(12) Copy it
Client Secret	X4K0poPOmmt3480aaIdyqfkqjinjqA92uvK1Cgjc0rQ4LhlPKaEOkEuaUSUPrlMv	(13) Copy it Reset Key
Redirect URL	http://yourstore.com	
Javascript Origins		
Type	Web	
Request token URL	https://public-api.wordpress.com/oauth2/token	

Wordpress Settings

(14) Paste Id and Secret Key Below

Click here to get wordpress client id and client secret

Enable/Disable: ❓ ON

*Wordpress Client Id: ❓ 42550 (16)

(15)

*Wordpress Client Secret: ❓ X4K0poPOmmt3480aaIdyqfkqjinjqA92uvK1Cgjc0rQ4LhlPKaEOkEua

(17) Select MailChip List

Enter Mailchimp Api Key Here → MailChimp Api Key: ❓ 2f85f2298a86253c772f64ce2f399ff9-us11 Get List

MailChimp List: ❓ test2 ▾

Dropbox Settings

Follow below steps to get Client id and Client Secret.

If you have SEO url enabled on your site then use below redirect URL

https://www. yourstore .com/module/socialloginizer/dropbox

If you don't have SEO url enabled on your site then use below redirect URL

https://www. yourstore .com/index.php?fc=module&module=socialloginizer&controller=dropbox

FAQs

This tab contains several questions (with answers to them) that are asked by our customers. We recommend you to go through the questions before raising any ticket for this plugin.

Suggestions

In case you want to give any suggestions for some new features to be included in the new version of this plugin than you can use this tab.

Other Plugins

This tab redirects to our developer page having list of other plugins developed by us. If you like this plugin than you can try our other plugins as well.

5.0 MailChimp

MailChimp is an email marketing service by which you can send an email to your Social Customer about your sale and offers. MailChimp also provides many attractive Templates and many more features. Our module allows you to add customer email to mailchimp list as soon as they register using our module.

For using MailChimp You need to have an Api Key.

Steps to Configure MailChimp :

1. Login to your MailChimp Account.

2. Click on the right corner tab > Choose Profile > Extras > API Keys.

3. Here Admin Can Create an API key by click on "Create a Key" Button.

4. Copy the API key.

5. Admin can also make Different list for Each Social login customer By click on "List" in the Top Menu Bar.

6. Now Paste the API Key in the Provided option under Each Social login option Tab and click on "Get List" Button.

7. Select the list from Dropdown menu.

6.0 Front End Module

On front end, customer can see the social login buttons where you want to configure them from module setting. For example, we have set the small button in header of website, then module will display them as given below:

If set in Left Column/Right Column

Short Code Functionality

In case you want to display social login buttons somewhere else where module have no access. So, there is short code functionality providing you a way to display social login buttons anywhere throughout your site. To do this, you just have to put a line of code in your respective tpl file accordingly. The line of code is given below:

<u>Code for display small icon</u>

<script>document.write(loginizer_small);</script>

<u>Code for display large icon</u>

<script>document.write(loginizer_large);</script>

7.0 Recommendations

Refresh home page of your store every time you enable/disable plugin.

If plugin is not working after installation then please check permissions on modules folder. The folder should be writable. Please make the folder permission to 755.

X---------------------------- End of Document ----------------------------X