Core Design Features

5-3 Brand Elements

5-3-1 Green Gradation Line: Colors


The Green Gradation Line comprises five colors based on the corporate color Fujifilm Advanced Green. The gradation should start with Green 1 on the leftmost side, and progress sequentially until it ends with Cyan on the rightmost side.


The digital master data is available for download on the Brand Guidelines portal site. The RGB data and the CMYK data must be used in different ways as stated below.

(When to use RGB data)
Designs viewed using electronic devices, such as websites and digital advertisements, presentation materials projected on screens, and items that are printed in RGB.

(When to use CMYK data)
Items such as product catalogs and brochures that are mainly ink printed in CMYK.

The digital master data must be used in actual designs to reproduce the colors accurately according to the following standards.






5-3-1 Green Gradation Line: Only the Line (basic)


Shown on the right are the regulations when a design is composed of only the line. During the creation of a new design that uses the Green Gradation Line, the US letter size digital master data should be adjusted and used according to the shape of the design.

Note: The standard line height (0.028 inch to 0.056 inch) shown on the right is just a guide when the size is US letter. For larger designs such as outdoor advertisements and smaller designs such as digital advertisements, the height and length of the line can be adjusted provided that it gives off the same impression.


Common master data / US letter size
(Default line height is set at 0.028 inch)



1. When composed of only the line (US letter size)




When producing media bigger than US letter size, enlarge the master data at the same aspect ratio.




Length adjustment of the Green Gradation Line

For media using only the Green Gradation Line, please provide clear space.



Ensure a margin of 0.1A or more from the tip of the Green Gradation Line.

Reference dimensions for US letter size
(A = 8.5 inch, 0.1A = 0.85 inch)



The length of the Green Gradation Line should be more than 0.2A.

Reference dimensions for US letter size
(A = 8.5 inch, 0.1A = 1.7 inch)


5-3-1 Green Gradation Line: Line and Photo

Shown on the right are the regulations when a design is composed of the line and a photo. Use the positioning examples as a reference and make sure to leave a margin on both sides or one side of the photo.


When incorporating the Green Gradation Line into a design, the US letter size digital master data should be adjusted and used according to the shape of the design using the regulations as a reference.

Note: The standard line height (0.028 inch to 0.056 inch) shown on the right is just a guide when the size is US letter. For larger designs such as outdoor advertisements and smaller designs such as digital advertisements, the height and length of the line can be adjusted provided that it gives off the same impression.


Common master data / US letter size
(Default line height is set at 0.028 inch)



2. When composed of the line and a photo (US letter size)




When producing media bigger than US letter size, enlarge the master data at the same aspect ratio.




Positioning examples

Ensure margins on either one side or both sides of the photos.



When there are margins on both sides (or top and bottom) of the photo, do not fully extend the line to the width or both sides (or top and bottom) of the length.



When there is a margin on only one side of the photo, fully extend the line to the width or both sides (or top and bottom) of the length.


Incorrect examples




✕ When there is space on both sides of the photo, do not fully extend the line to both sides.



✕ Do not end the line at positions other than the edge of the photo or left hand end of the display surface.



✕ Do not align the line with both sides of the photo.



✕ Do not align the line with both sides of the photo.

5-3-1 Green Gradation Line: Layout Example A (line and photo positioned separately)

These are examples of layouts where the line and the photo are positioned separately. Design according to the shape of the object, with the examples on the right as reference.

The digital master data must be used in actual designs to reproduce the colors accurately according to the respective standards.

Examples















Incorrect examples



✕ No margin is set on either end.



✕ The line is not used with another component.



✕ Do not change the direction of the gradation.



✕ Do not use the line at a different angle.



✕ Do not adopt a width that exceeds the regulations.

5-3-1 Green Gradation Line: Layout Example B (line positioned along width/length of the photo)

These are examples of layouts where the line is positioned along the length or width of the photo. Design according to the shape of the object, with the examples on the right as reference.

The digital master data must be used in actual designs to reproduce the colors accurately according to the respective standards.

Examples








Example of a PPT cover page











Incorrect examples



✕ Do not match the length of the line with the photo.
(This does not apply to videos and other media in which the line and the photo can move separately.)



✕ The line is not used with another component.



✕ Do not change the direction of the gradation.



✕ Do not use the line at a different angle.




✕ Do not adopt a width that exceeds the regulations.

5-3-1 Green Gradation Line: Layout Example C (line positioned on top of the photo)

These are examples of layouts where the line is positioned on top of the photo. Design according to the shape of the object, with the examples on the right as reference.

The digital master data must be used in actual designs to reproduce the colors accurately according to the respective standards.

Examples



Incorrect examples



- The line is not aligned with the edge of the photo.
- The line is not used with another component.
- Do not change the direction of the gradation.
- Do not use the line at a different angle.
- Do not adopt a width that exceeds the regulations.

5-3-2 Green Graphic Element

The Green Graphic Element supports Fujifilm by using Fujifilm Advanced Green and Communication Red to convey a sharp image of the Fujifilm Group's dynamism and commitment to advanced technology.

In general, the Green Graphic Element is used with the corporate brand logo. The Green Graphic Element is a design used only on signs and some company items such as employee passes and vehicles. When used on signs, the length and width of the Green Graphic Element should be adjusted to match the proportions of the sign. Types with adjustable heights of other basic units are also used for the gradation part.

Examples

The values indicate the ratio of the narrow side to the long side.

1:1



1:1.5



1:1.5



1:2



1:3



1:4



1:5



Vertical arrangement of the corporate brand logo and standard unit



Variations





5-3-3 Categories of Use: Brand Elements

The table on the right lists the categories for using the Green Gradation Line.

Please visit the Q&A page on the "Fujifilm Group Brand Guidelines" portal site should you have any difficulty in determining the correct category.

For the details of each item, please refer to "6. Applications."

[Symbols and remarks in the table]
○: Required
×: Unusable
Optional: Usable

Category	Item	Green Gradation Line	Green Graphic Element
Signboard	Company sign, door plate, signboard *1	×	○
Corporate items	Company flag, employee pass, vehicle *2	×	Optional
Publicity	Announcement template *3	○	×
	Integrated report	○	×
	Sustainability report	○	×
	Company guide	○	×
Office supplies	Business card, envelopes, letterhead, forms	×	×
Product-related supplies	Product, packaging	×	×
	User's guide, manual	×	×
Publicity materials, promotional items	Product catalog, flyer *3	○	×
	Presentation materials *3	○	×
	Exhibition *4	○	×
	Advertisements	Optional	×
	Posters, POP materials	Optional	×
	Gifts	Optional	×
	Virtual backgrounds	Optional	×
	Final cut of videos	×	×
Websites	Official websites/microsites	○	×
	Website ad banners	Optional	×
Social media	Profile images	×	×
	Cover images/posted images	Optional	×

*1: For details on corporate building signs, nameplates, and signboards, please refer to "6-1 Corporate Building Signs, Nameplates, Signboards".
*2: For vehicles, attaching the green graphic elements is optional. For details, please refer to "6-2 Vehicles".
*3: For announcements, product catalogs and flyers, and presentation materials, please download and use the default template from the Brand Guidelines portal site.
*4: For exhibitions, please check the exhibition guidelines.