

Request for quotation — motorised zip screen for a condo balcony

Bangkok condominium, unit 639 (6th floor, ≈ 16 m above ground). Prepared 2026-09-30. Contact: Will Norris, wbnorris@gmail.com.


What I want

One outdoor **zip screen** (cassette + side zip guides), **motorised with a solar-strip motor** (battery motor charged by a thin solar strip; no mains wiring on the balcony). It closes the opening between the pony wall and the concrete ledge above it. Please quote **supply and installation**.

Site conditions

- Faces **due west**: strong afternoon sun and heat; monsoon rain; squall gusts on the 6th floor.
- Goal: cut heat and glare and keep rain and wind out, while keeping some view.
- Screen closes on the **pony wall cap** (bottom bar seals on it). The cassette goes **under the concrete ledge**, flush with the outer face of the pony wall.

Drawings (not to scale for print — dimensions in cm)



Dimensions

Measured by owner	Value
Clear opening width (between the two side walls)	268 cm
Opening height: pony-wall cap up to underside of concrete ledge	111 cm
Pony wall height (from the balcony floor)	111 cm
Pony wall thickness	10 cm
Concrete ledge above the opening	35 cm deep (front to back), ≈ 64 cm tall
Balcony floor is lower than the interior floor	7 cm
Balcony width / depth	280 cm / 202 cm (guest-room wall to outer edge of pony wall)
South side of the opening	full wall, 202 cm deep
North side of the opening	10 cm wall stub

Everything above is measured by the owner, not by a surveyor. Please measure on site before quoting the final size.

Specification to quote against

Item	Requested
Order size	about 267 × 111 cm overall, cassette included, to be confirmed by your site measure
Cassette	aluminium, about 10 × 10 cm, fixed under the ledge; if you need more room, tell me the size (the ledge is 35 cm deep)
Guides	zip guides on both side walls, about 5 cm wide; the north wall is only 10 cm deep, so please advise on fixing
Fabric	outdoor screen fabric, about 3–5 % openness, light exterior colour; UV and mildew resistant. Please show samples
Wind	test report (EN 13561 or equivalent) with the tested size , and the maximum wind at which it is safe to leave down
Motor and power	battery tubular motor with solar strip on the west face of the cassette, plus a charging port (USB/DC) as a backup for cloudy weeks
Control	RF remote; optional phone or smart-home bridge; optional wind/sun sensor (tell me if it needs its own power)
Finish	outdoor powder coat; stainless fasteners
Installation	anchors into concrete; work at height; site visit for measure; how many days; who is responsible for any damage

Questions for every shop

1. Which brand and model? Made in Thailand or imported (from where)? Lead time?
2. Wind rating: which standard and what test size? Does it cover about 2.7 m wide?
3. Solar strip: how many watts, on what battery (chemistry, Wh)? **What temperature is the battery rated for?**
The cassette sits in direct afternoon sun. How many open/close cycles per day between charges? How long is the battery expected to last, and can it be replaced?
4. Is there a mains or USB way to charge it in the rainy season?
5. Warranty in years for the frame, fabric, motor, battery and solar strip. Who services it, and how fast?
6. Do you need approval from the condo's juristic person? Can you supply drawings and a colour chip for that?
7. What is included in the price: measure, delivery, installation, remote, sensor, VAT, payment terms?

Comparison sheet (fill in per shop)

	Shop A	Shop B	Shop C
Shop / contact			
Brand, model, made in			
Supply price			
Install price			
VAT included?			
Lead time			
Wind class + test size			
Fabric, openness, colour			
Solar Wp / battery Wh / temp			
Charging backup?			
Warranty (frame / fabric / motor / battery)			
Notes			

Bring or take photos: the opening from inside and outside; both side walls; the pony-wall cap along its length; the underside of the ledge.

ขอใบเสนอราคา — ม่านซีปสกรีนมอเตอร์ สำหรับระเบียงคอนโด

คอนโดมิเนียม กรุงเทพฯ ห้อง 639 (ชั้น 6 สูงจากพื้นดินประมาณ 16 ม.) จัดทำ 2026-09-30 ผู้ติดต่อ: Will Norris, wbnorris@gmail.com


สิ่งที่ต้องการ

ม่านม้วนภายนอกแบบ **ซีปสกรีน** (กล่องม่าน + รางซีปด้านข้าง) ใช้ **มอเตอร์พลังงานแสงอาทิตย์แบบแถบโซลาร์** (มอเตอร์แบตเตอรี่ ชาร์จด้วยแผงโซลาร์แบบแถบบาง ไม่ต้องเดินสายไฟที่ระเบียง) ปิดช่องเปิดระหว่างผนังติดกับคานคอนกรีตด้านบน ขอราคา **รวมค่าของและค่าติดตั้ง**

สภาพหน้างาน

- ระเบียงหันไปทาง **ทิศตะวันตก**: แดดบ่ายแรงและร้อน ฝนช่วงมรสุม ลมกระโชกที่ชั้น 6
- เป้าหมาย: ลดความร้อนและแสงจ้า กันฝนและลม แต่ยังมองเห็นวิวได้บ้าง
- ม่านลงมาปิดที่ **ขอบบนผนังเตี้ย** (แถบล่างเก็บขอบกับผนัง) กล่องม่านติดตั้ง **ใต้คานคอนกรีต** ให้ชิดผิวนอกของผนังเตี้ย

แบบ (หน่วย ซม.)



ขนาด

ขนาดที่เจ้าของวัดเอง	ค่า
ความกว้างช่องเปิด (ระหว่างผนังสองข้าง)	268 ซม.
ความสูงช่องเปิด: จากขอบบนผนังเตี้ย ถึงใต้คานคอนกรีต	111 ซม.
ความสูงผนังเตี้ย (จากพื้นระเบียง)	111 ซม.
ความหนาผนังเตี้ย	10 ซม.
คานคอนกรีตเหนือช่องเปิด	ลึก 35 ซม. (หน้า-หลัง) สูงประมาณ 64 ซม.
พื้นระเบียงต่ำกว่าพื้นห้อง	7 ซม.
ระเบียง กว้าง / ลึก	280 ซม. / 202 ซม. (จากผนังห้องนอนถึงขอบนอกผนังเตี้ย)
ด้านใต้ของช่องเปิด	ผนังเต็ม ลึก 202 ซม.
ด้านเหนือของช่องเปิด	ผนังหนา 10 ซม.

ขนาดทั้งหมดวัดโดยเจ้าของ ไม่ใช่ผู้สำรวจ กรุณาวัดหน้างานจริงก่อนเสนอราคาสุดท้าย

รายละเอียดที่ขอเสนอราคา

รายการ	ที่ต้องการ
ขนาดสั่งทำ	ประมาณ 267 × 111 ซม. รวมกล่องม่าน ขอให้ยื่นยื่นหลังวัดหน้างาน
กล่องม่าน	อลูมิเนียม ประมาณ 10 × 10 ซม. ยึดใต้คาน หากต้องการพื้นที่มากกว่านี้ให้แจ้งขนาด (คานลึก 35 ซม.)
รางขับ	ติดผนังสองข้าง กว้างประมาณ 5 ซม. ผนังด้านเหนือลึกเพียง 10 ซม. ขอคำแนะนำการยึด
ผ้า	ผ้าสกรีนภายนอก เปิดโปร่งประมาณ 3-5 % สีอ่อนด้านนอก ทนแสง UV และเชื้อรา ขอดูตัวอย่างผ้า
ความทนลม	รายงานทดสอบ (EN 13561 หรือเทียบเท่า) พร้อมขนาดที่ทดสอบ และความเร็วลมสูงสุดที่ปล่อยม่านลงได้อย่างปลอดภัย
มอเตอร์และพลังงาน	มอเตอร์แบตเตอรี่ พร้อม แผงโซลาร์แบบแถบ ที่ด้านตะวันตกของกล่องม่าน และช่องชาร์จสำรอง (USB/DC) สำหรับช่วงที่ฟ้าปิด
การควบคุม	รีโมท RF ทางเลือกควบคุมผ่านมือถือ/สมาร์ทโฮม และเซ็นเซอร์ลม/แดด (แจ้งด้วยหากเซ็นเซอร์ต้องใช้ไฟแยก)
งานสี	พ่นสีฝุ่นสำหรับภายนอก นี้อสแตนเลส
การติดตั้ง	ยึดเข้าคอนกรีต ทำงานที่สูง มีการเข้าวัดหน้างาน ใช้ที่วัน และใครรับผิดชอบหากเกิดความเสียหาย

คำถามสำหรับทุกร้าน

- ยี่ห้อและรุ่นอะไร ผลิตในไทยหรือนำเข้า (จากที่ไหน) ระยะเวลาผลิต?
- ค่าความทนลมตามมาตรฐานอะไร ทดสอบที่ขนาดเท่าไร ครอบคลุมความกว้างประมาณ 2.7 ม. หรือไม่?
- แผงโซลาร์กี่วัตต์ แบตเตอรี่ชนิดและความจุ (Wh) เท่าไร **แบตเตอรี่กักอุณหภูมิได้สูงสุดเท่าไร** (กล่องม่านโดนแดดบ่ายตรงๆ) เปิด-ปิด ได้วันละกี่รอบระหว่างการชาร์จ แบตอยู่ได้กี่ปี เปลี่ยนได้หรือไม่?
- มีทางชาร์จด้วยไฟบ้านหรือ USB ในหน้าฝนหรือไม่?
- รับประกันกี่ปี: โครง ผ้า มอเตอร์ แบตเตอรี่ แผงโซลาร์ ใครดูแลหลังการขาย และตอบสนองเร็วแค่ไหน?
- ต้องขออนุญาตนิติบุคคลอาคารชุดหรือไม่ ร้านช่วยทำแบบและแผ่นสีตัวอย่างให้ได้หรือไม่?
- ราคารวมอะไรบ้าง: วัดหน้างาน ค่าขนส่ง ค่าติดตั้ง รีโมท เซ็นเซอร์ VAT เชื้อนไขการชำระเงิน?

Notes for the owner (not for handing out)

- **Condo approval.** Check with the juristic person before ordering: exterior changes on a 6th-floor west façade are often restricted (colour, visibility from outside, fixings into common concrete).
- **Thai text** was drafted by an AI assistant. Have a Thai speaker check the technical terms before handing it over.
- **Assumptions still open:** the cassette is assumed flush with the outer face of the pony wall, with the ledge overhanging the balcony side. The opening is assumed flush to the south wall, with the 12 cm difference between the 280 cm balcony and 268 cm opening made up of the 10 cm north stub plus slack.
- **Ledge height ≈ 64 cm** is approximate and does not change the quote, but the soffit level does. Measure the soffit level at both ends.
- **Leads found by web search (not vetted):** Watana Motor (awnings, roller blinds, motors), Ocean New Design (outdoor roll blinds), PP Canvas (outdoor roll blinds, "All season" range), Hunter Douglas Thailand (Bangkok; premium). XIOMOO publishes a list of roller-blind manufacturers in Thailand. Also try searching Thai terms: ม่านซิปสกรีน, ม่านม้วนภายนอก, กันสาดแนวตั้ง.

Sources: [Watana Motor](#) · [PP Canvas](#) · [XIOMOO, roller-blind manufacturers in Thailand](#) · [Somfy Sunea 40 Solar io \(example of the solar motor concept\)](#) · [Bandalux Z-Box Solar \(example\)](#).

Design and plan: docs/plans/2026-09-30-condo-balcony-shade.md. Source of this file: docs/rfq/2026-09-30-639-balcony-zip-screen-rfq.html; the PDF is printed from it with headless Chrome.