

Leather coral: export survival

BEFORE



AFTER




Thickened polyps to preserve their end caps during export.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Flowerpot coral: export survival

BEFORE



AFTER




Thickened crown tentacles to retain their end caps.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Giant clam: shell ribs

BEFORE



AFTER




Thickened shell ribs so more of their faces survive export.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Mushroom coral: export survival

BEFORE



AFTER



Thickened the ridges to retain their faces during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Cup coral: export survival

BEFORE



AFTER



Thickened polyp tentacles to retain their faces during export.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Zoanthids: export survival

BEFORE



AFTER




Thickened the tentacle tips so their faces survive export.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Giant clam: export survival

BEFORE



AFTER



Reshaped the mantle markings so their faces survive export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Boxfish: export survival

BEFORE



AFTER



Reshaped small markings to retain their faces during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Humbug: export survival

BEFORE



AFTER




Reshaped small markings to retain their faces during export.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Hermit crab: export survival

BEFORE



AFTER



Adjusted the body, shell lip and legs to retain their faces during export.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Guard crab: claws

BEFORE



AFTER




Adjusted claw proportions to retain their faces during export.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Shrimp: eyes

BEFORE



AFTER



Replaced tiny subdivided eyes with surfaces that survive export.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Guard crab: eyes

BEFORE



AFTER




Replaced tiny subdivided eyes with surfaces that survive export.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Sea fan: export survival

BEFORE



AFTER




Thickened cross-branches to retain their end caps during export.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Worm crown: export survival

BEFORE



AFTER




Extended the outer radioles to retain their triangles during export.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Feather star: export survival

BEFORE



AFTER




Thickened pinnules to preserve their end caps during export.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Shrimp: export survival

BEFORE



AFTER



Thickened fine legs and antennae to preserve more faces during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Guard crab: export survival

BEFORE



AFTER




Thickened fine legs and pincers to preserve more faces during export.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Sea fan: branch tips

BEFORE



AFTER



Added split tips along the outer branches.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Humbug: face and fins

BEFORE



AFTER




Added eye rings, pupils, mouth markings and layered pectoral fins.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Boxfish: tail and mouth

BEFORE



AFTER




Rounded the tail fan and added a projecting snout and mouth.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Encrusting sponge

BEFORE



AFTER




Added a gently uneven surface to the formerly flat crust.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Reef rock mass

BEFORE



AFTER




Added finer ledges and deeper irregular lobes; preview is before voxel remeshing.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Cup coral

BEFORE



AFTER



Added an oral disc and radiating tentacles.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Zoanthid colony

BEFORE



AFTER




Added tentacles around each polyp disc.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Scroll coral

BEFORE



AFTER




Added asymmetry, deeper curls and ruffled edges to the plates.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Cauliflower coral

BEFORE



AFTER



Added irregular secondary branchlets to the colony tips.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Christmas tree worm

BEFORE



AFTER




Added individual radioles to each crown tier.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Feather star

BEFORE



AFTER




Added closely spaced pinnules along the arms.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Giant clam

BEFORE



AFTER




Added pale markings to the blue mantle.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Leather coral

BEFORE



AFTER




Replaced the smooth cap with a scalloped crown and projecting polyps.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Mushroom coral

BEFORE



AFTER




Replaced the smooth disc with a scalloped surface and radial ridges.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Flowerpot coral

BEFORE



AFTER




Replaced oval polyp tips with radiating tentacle crowns.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Table coral

BEFORE



AFTER



Replaced the solid plate with branching supports and an irregular crown.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Boulder coral

BEFORE



AFTER




Added smooth, irregular growth contours and additional surface geometry.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Sea fan

BEFORE



AFTER




Replaced the sparse tree shape with radial branches and cross-branches.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Barrel sponge

BEFORE



AFTER




Added uneven, bulging wall rings and an irregular lip.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Nudibranch

BEFORE



AFTER




Added a dark mantle, pale ridges and yellow-tipped tubercles.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Coral guard crab

BEFORE



AFTER




Added eyes and separate pincer shapes.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Banded coral shrimp

BEFORE



AFTER




Added eyes, pincer details and a tail fan.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Hermit crab

BEFORE



AFTER




Added shell whorls and a pale lip.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Juvenile boxfish

BEFORE



AFTER




Added fuller pectoral and anal fins and a mouth detail.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Humbug damselfish

BEFORE



AFTER




Added a forked tail and dorsal, anal and pectoral fins.


Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Boxfish: independent fins

BEFORE / NEUTRAL



AFTER / POSED




Neutral bind pose and an example fin pose.


Exported mesh and reference deformation; plain swatches, not in-game textures or lighting.

Giant clam: valves and mantle

BEFORE / NEUTRAL



AFTER / POSED




Neutral open pose and an example closed pose.

Exported mesh and reference deformation; plain swatches, not in-game textures or lighting.

Feather dusters: new crowns

BEFORE / NEUTRAL

AFTER / POSED




New crowns at rest and retracted; these animals were absent before this refinement.


Exported mesh and reference deformation; plain swatches, not in-game textures or lighting.

Flowerpot coral: polyp sway

BEFORE / NEUTRAL



AFTER / POSED




Neutral coral and an example of the polyps swaying.


Exported mesh and reference deformation; plain swatches, not in-game textures or lighting.

Leather coral: deflation

BEFORE / NEUTRAL



AFTER / POSED




Neutral coral and an example deflated pose.


Exported mesh and reference deformation; plain swatches, not in-game textures or lighting.

Leather coral: restore original polyp detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL




Restored the recorded original 0.010 polyp radius from the export workaround (0.013).


Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Leather coral: in-game close-up review

REALISTIC



ANIME



Pixel captures use temporary camera/player placement with the rebuilt production mesh and textures.

The slim purple polyps are visible on the pink leather coral; its neighbors and the boxfish overlap the view.

These are after captures in the two styles; the previous page shows the source-mesh before/after comparison.