Leather coral: export survival

BEFORE



AFTER



Thickened polyps to preserve their end caps during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Flowerpot coral: export survival

BEFORE



AFTER



Thickened crown tentacles to retain their end caps.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Giant clam: shell ribs

BEFORE



AFTER



Thickened shell ribs so more of their faces survive export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Mushroom coral: export survival

BEFORE



AFTER



Thickened the ridges to retain their faces during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Cup coral: export survival

BEFORE

AFTER

Thickened polyp tentacles to retain their faces during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Zoanthids: export survival

BEFORE

AFTER



Thickened the tentacle tips so their faces survive export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Giant clam: export survival

BEFORE



AFTER



Reshaped the mantle markings so their faces survive export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Boxfish: export survival

BEFORE

AFTER

Reshaped small markings to retain their faces during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Humbug: export survival

BEFORE

AFTER

Reshaped small markings to retain their faces during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Hermit crab: export survival

BEFORE



AFTER



Adjusted the body, shell lip and legs to retain their faces during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Guard crab: claws

BEFORE

AFTER



Adjusted claw proportions to retain their faces during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Shrimp: eyes

BEFORE



AFTER



Replaced tiny subdivided eyes with surfaces that survive export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Guard crab: eyes

BEFORE

AFTER



Replaced tiny subdivided eyes with surfaces that survive export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Sea fan: export survival

BEFORE



AFTER



Thickened cross-branches to retain their end caps during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Worm crown: export survival

BEFORE



AFTER



Extended the outer radioles to retain their triangles during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Feather star: export survival

BEFORE



AFTER



Thickened pinnules to preserve their end caps during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Shrimp: export survival

BEFORE



AFTER



Thickened fine legs and antennae to preserve more faces during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Guard crab: export survival

BEFORE

AFTER

Thickened fine legs and pincers to preserve more faces during export.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Sea fan: branch tips

BEFORE



AFTER



Added split tips along the outer branches.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Humbug: face and fins

BEFORE

AFTER

Added eye rings, pupils, mouth markings and layered pectoral fins.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Boxfish: tail and mouth

BEFORE



AFTER

Rounded the tail fan and added a projecting snout and mouth.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Encrusting sponge

BEFORE



AFTER

Added a gently uneven surface to the formerly flat crust.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Reef rock mass

BEFORE



AFTER



Added finer ledges and deeper irregular lobes; preview is before voxel remeshing.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Cup coral

BEFORE



AFTER

Added an oral disc and radiating tentacles.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Zoanthid colony

BEFORE

AFTER

Added tentacles around each polyp disc.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Scroll coral

BEFORE



AFTER

Added asymmetry, deeper curls and ruffled edges to the plates.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Cauliflower coral

BEFORE



AFTER



Added irregular secondary branchlets to the colony tips.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Christmas tree worm

BEFORE

AFTER



Added individual radioles to each crown tier.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Feather star

BEFORE



AFTER



Added closely spaced pinnules along the arms.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Giant clam

BEFORE



AFTER



Added pale markings to the blue mantle.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Leather coral

BEFORE



AFTER



Replaced the smooth cap with a scalloped crown and projecting polyps.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Mushroom coral

BEFORE



AFTER



Replaced the smooth disc with a scalloped surface and radial ridges.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Flowerpot coral

BEFORE



AFTER



Replaced oval polyp tips with radiating tentacle crowns.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Table coral

BEFORE



AFTER



Replaced the solid plate with branching supports and an irregular crown.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Boulder coral

BEFORE

AFTER

Added smooth, irregular growth contours and additional surface geometry.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Sea fan

BEFORE



AFTER



Replaced the sparse tree shape with radial branches and cross-branches.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Barrel sponge

BEFORE



AFTER



Added uneven, bulging wall rings and an irregular lip.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Nudibranch

BEFORE



AFTER



Added a dark mantle, pale ridges and yellow-tipped tubercles.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Coral guard crab

BEFORE



AFTER

Added eyes and separate pincer shapes.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Banded coral shrimp

BEFORE



AFTER



Added eyes, pincer details and a tail fan.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Hermit crab

BEFORE



AFTER



Added shell whorls and a pale lip.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Juvenile boxfish

BEFORE



AFTER



Added fuller pectoral and anal fins and a mouth detail.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Humbug damselfish

BEFORE



AFTER

Added a forked tail and dorsal, anal and pectoral fins.

Before: source before the recorded refinement. After: source immediately after it. Blender model previews use simple color swatches, not the game atlas or in-tank lighting; framing is adjusted per model. No game rebuild was performed.

Boxfish: independent fins

BEFORE / NEUTRAL



AFTER / POSED



Neutral bind pose and an example fin pose.

Exported mesh and reference deformation; plain swatches, not in-game textures or lighting.

Giant clam: valves and mantle

BEFORE / NEUTRAL



AFTER / POSED



Neutral open pose and an example closed pose.

Exported mesh and reference deformation; plain swatches, not in-game textures or lighting.

Feather dusters: new crowns

BEFORE / NEUTRAL

AFTER / POSED



New crowns at rest and retracted; these animals were absent before this refinement.

Exported mesh and reference deformation; plain swatches, not in-game textures or lighting.

Flowerpot coral: polyp sway

BEFORE / NEUTRAL



AFTER / POSED



Neutral coral and an example of the polyps swaying.

Exported mesh and reference deformation; plain swatches, not in-game textures or lighting.

Leather coral: deflation

BEFORE / NEUTRAL



AFTER / POSED



Neutral coral and an example deflated pose.

Exported mesh and reference deformation; plain swatches, not in-game textures or lighting.

Leather coral: restore original polyp detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the recorded original 0.010 polyp radius from the export workaround (0.013).

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Leather coral: in-game close-up review

REALISTIC



ANIME



Pixel captures use temporary camera/player placement with the rebuilt production mesh and textures.

The slim purple polyps are visible on the pink leather coral; its neighbors and the boxfish overlap the view.

These are after captures in the two styles; the previous page shows the source-mesh before/after comparison.

Flowerpot coral: restore original tentacle detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the recorded original 0.010 tentacle radius from the export workaround (0.013).

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Giant clam: restore original shell ribs

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the recorded original 0.008 rib radius from the export workaround (0.013).

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Mushroom coral: restore original detail

BEFORE: THICKENED

AFTER: ORIGINAL DETAIL

Restored the recorded original .010 detail radius from the export workaround (0.013).

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Cup coral: restore original detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the recorded original .009 detail radius from the export workaround (0.013).

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Zoanthids: restore original detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL

Restored the recorded original .009 detail radius from the export workaround (0.013).

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Feather star: restore original detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the recorded original .007 detail radius from the export workaround (0.013).

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Sea fan cross branches: restore original detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the recorded original .009 recorded dimensions.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Sea fan split branches: restore original detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the recorded original .009 recorded dimensions.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Giant clam: soften shell silhouette

BEFORE: SHARP SHELL



AFTER: SOFTER SHELL



Added shell contour samples and softened alternating scallops; kept ten ribs per valve.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Giant clam mantle: restore original detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the recorded dimensions and geometry from before the export workaround.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Boxfish markings: restore original detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the original marking sizes and polygon shapes before the export workaround.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Humbug markings: restore original detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the original marking sizes and polygon shapes before the export workaround.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Guard crab eyes: restore original detail

BEFORE: THICKENED

AFTER: ORIGINAL DETAIL

Restored the recorded dimensions and geometry from before the export workaround.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Shrimp eyes: restore original detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the recorded dimensions and geometry from before the export workaround.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Guard crab claws: restore original detail

BEFORE: THICKENED

AFTER: ORIGINAL DETAIL

Restored the recorded dimensions and geometry from before the export workaround.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Hermit crab: restore original detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the recorded dimensions and geometry from before the export workaround.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Shrimp legs and antennae: restore original detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the recorded dimensions and geometry from before the export workaround.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Guard crab legs and pincers: restore original detail

BEFORE: THICKENED

AFTER: ORIGINAL DETAIL



Restored the recorded dimensions and geometry from before the export workaround.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Worm radioles: restore original detail

BEFORE: THICKENED



AFTER: ORIGINAL DETAIL



Restored the recorded original original recorded dimensions.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Final restoration: Pixel textured close-up review — flowerpot

REALISTIC

ANIME

Diagnostic camera; restored crowns are visible. Faceting and texture stretching remain.

Final restoration: Pixel textured close-up review — closed clam

REALISTIC: BEFORE

REALISTIC: AFTER

The revised shell edge is smoother; shell shading remains flat and gray.

Final restoration: Pixel textured close-up review — closed clam, anime

ANIME: AFTER



Diagnostic fish placement triggers closure; no matching earlier anime close-up is available.

Flowerpot coral: refine base and stalk surfaces

BEFORE: COARSE SURFACE



AFTER: FINER SURFACE



Increased base and stalk segments; preserved the original tentacle dimensions and rig.

Source-mesh comparison with simple swatches; textured, lit in-game review remains pending.

Giant clam: dedicated shell texture

BEFORE: SAND TEXTURE



AFTER: SHELL TEXTURE



Replaced the generic sand mapping with a dedicated, ribbed shell texture.

Textured source-mesh comparison; textured, lit in-game review remains pending.

Flowerpot coral: texture projection

BEFORE: SINGLE PROJECTION



AFTER: AXIS PROJECTION



Compare the original world projection with the new face-oriented atlas mapping.

Textured source comparison; textured, lit in-game review remains pending.

Giant clam: anime game texture comparison

BEFORE: SAND TEXTURE



AFTER: SHELL TEXTURE



Actual Pixel captures: the shell now has visible striped color variation.

Diagnostic camera and fish placement; both views use the game atlas and lighting.

Flowerpot: anime game surface comparison

BEFORE: OLD SURFACE

AFTER: NEW SURFACE



Actual Pixel captures: smoother base and more coherent flowerpot pattern.

Diagnostic camera and fish placement; both views use the game atlas and lighting.

Branching coral: anime outline comparison

BEFORE: WIDE HULL

AFTER: NARROW HULL



Actual Pixel captures: reduced black hull artifacts on the branching coral.

Diagnostic camera and fish placement; both views use the game atlas and lighting.

Flowerpot: realistic game surface comparison

BEFORE: OLD SURFACE

AFTER: NEW SURFACE

Actual Pixel captures: smoother base and more coherent flowerpot pattern.

Diagnostic camera and fish placement; both views use the game atlas and lighting.

Giant clam: realistic game texture comparison

BEFORE: SAND TEXTURE

AFTER: SHELL TEXTURE

Actual Pixel captures: the shell now has visible striped color variation.

Diagnostic camera and fish placement; both views use the game atlas and lighting.

Shrimp cleaning: placement

BEFORE

AFTER



The shrimp moved through the fish; raising their cleaning position places them on its back.

Pixel gameplay, realistic style: controlled delayed arrival; the after view is a diagnostic build.

Other fish orientations and the anime style still need gameplay review.

Guard crab: host coral placement

BEFORE



AFTER



The crab was behind its host and inside rock; the new position places it on the front branches.

Pixel diagnostic views use different camera positions; both preserve the reef and host coral.

The after view uses a temporary diagnostic build; the gameplay camera remains unchanged.