## FIN 591: Homework #3

Due on Wednesday, April 11, 2018

Wanbae Park

## Problem 1

a. Since the final payoff of P is 1, using continuous-time version stochastic discount factor,  $P_t(\tau)$  is derived as follows.

$$P_{t}(\tau) = E_{t} \left[ \frac{U_{c}(C_{t+\tau,t+\tau})}{U_{c}(C_{t},t)} \times 1 \right]$$

$$= E_{t} \left[ \frac{e^{-\phi(t+\tau)}C_{t+\tau}^{\gamma-1}}{e^{\phi t}C_{t}^{\gamma-1}} \right]$$

$$= E_{t} \left[ e^{-\phi\tau} \frac{C_{t+\tau}^{\gamma-1}}{C_{t}^{\gamma-1}} \right]$$
(1)

b. From  $P_t(\tau) = \mathbb{E}_t \left[ \frac{e^{-\phi(t+\tau)}C_{t+\tau}^{\gamma-1}}{e^{\phi t}C_t^{\gamma-1}} \right]$ , we can find that process  $M_t$  is equal to  $e^{-\phi t}C_t^{\gamma-1}$ . Therefore, using Ito's lemma, dynamics of  $M_t$  can be derived as equation (2).

$$dM_{t} = -\phi e^{-\phi t} C^{\gamma - 1} dt + e^{-\phi t} (\gamma - 1) C^{\gamma - 2} C[(\mu_{c} - \lambda k) dt + \sigma_{c} dZ_{c}]$$

$$+ \frac{1}{2} e^{-\phi t} (\gamma - 1) (\gamma - 2) C^{2} C^{\gamma - 3} \sigma_{c}^{2} dt + [e^{-\phi t} (YC)^{\gamma - 1} - e^{-\phi t} C^{\gamma - 1}] dq$$

$$= [-\phi + (\gamma - 1) (\mu_{c} - \lambda k) + \frac{1}{2} (\gamma - 1) (\gamma - 2) \sigma_{c}^{2}] M dt + (\gamma - 1) \sigma_{c} M dZ_{c} + (Y^{\gamma - 1} - 1) M dq$$
(2)

c. Since  $E\left[\frac{dM}{M}\right] = -rdt$ , the following equation holds.

$$r = -E\left[\frac{dM}{M}\right]$$

$$= \phi - (\gamma - 1)(\mu_c - \lambda k) - \frac{1}{2}(\gamma - 1)(\gamma - 2)\sigma_c^2 - \lambda E[e^{(\gamma - 1)\log Y} - 1]$$

$$= \phi - (\gamma - 1)(\mu_c - \lambda k) - \frac{1}{2}(\gamma - 1)(\gamma - 2)\sigma_c^2 - \lambda(e^{(\gamma - 1)\alpha + \frac{1}{2}(\gamma - 1)^2\delta^2} - 1)$$
(3)

Since  $\mu_c, k, \lambda$  are constant, instantaneous risk free rate is constant.

d.

## Problem 2

a. Considering the process of risky asset price, intertemporal budget constraint is derived as follows.

$$dW = \omega \frac{dS}{S} + (1 - \omega)rdt$$

$$= (\omega(\mu - \lambda k - r)W + rW)dt + \sigma WdZ + \omega(Y - 1)Wdq$$
(4)

b. Investors maximize  $E_0[\int_0^T e^{-\phi t}u(C_t)dt]$ , subject to  $dW = (\omega(\mu - \lambda k - r)W + rW)dt + \sigma W dZ + \omega(Y - 1)W dq$ . Let  $J(W,s) = \max_{c,\omega} E_s[\int_0^T e^{-\phi t}u(c_t)dt]$ . Then the following equation follows.

$$J(W,0) = \max_{c,\omega} E_0 \left[ \int_0^{\Delta t} e^{-\phi t} u(c_t) dt + J(W, \Delta t) \right]$$

$$= \max_{c,\omega} E_0[u(c_0) \Delta t + J(W,0) + J_W(\omega(\mu - \lambda k - r)W + rW) \Delta t + \frac{1}{2} \sigma^2 J_{WW} \Delta t + (J(\omega(Y - 1)W,0) - J(W,0)) dq]$$
(5)

Letting  $\Delta t \to 0$ , equation (5) becomes equation (6)

$$0 = u(c_0) + J_W(\omega(\mu - \lambda k - r)W + rW) + \frac{1}{2}\sigma^2 J_{WW} + \lambda(J(\omega(Y - 1)W, 0) - J(W, 0))$$
 (6)

c.