


Visualizing Matrix Multiplication


Thinking about \mathbb{R}^2 (the xy -plane)

Points in \mathbb{R}^2 are represented by ordered pairs



Points can also be represented by column vectors.



A 2×2 matrix defines a transformation of \mathbb{R}^2



$$\begin{bmatrix} 1 \\ 2 \end{bmatrix} \rightarrow A \begin{bmatrix} 1 \\ 2 \end{bmatrix} = \begin{bmatrix} 2 & 1 \\ 3 & 0 \end{bmatrix} \begin{bmatrix} 1 \\ 2 \end{bmatrix} = \begin{bmatrix} 4 \\ 3 \end{bmatrix}$$

$$\begin{bmatrix} 1 \\ 1 \end{bmatrix} \rightarrow A \begin{bmatrix} 1 \\ 1 \end{bmatrix} = \begin{bmatrix} 2 & 1 \\ 3 & 0 \end{bmatrix} \begin{bmatrix} 1 \\ 1 \end{bmatrix} = \begin{bmatrix} 3 \\ 3 \end{bmatrix}$$

$$\begin{bmatrix} 2 & 1 \\ 3 & 0 \end{bmatrix}$$





$$\begin{bmatrix} 2 & 1 \\ 3 & 0 \end{bmatrix} \begin{bmatrix} 0 \\ 1 \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \end{bmatrix}$$

$$\begin{bmatrix} 2 & 1 \\ 3 & 0 \end{bmatrix} \begin{bmatrix} 1 \\ 0 \end{bmatrix} = \begin{bmatrix} 2 \\ 3 \end{bmatrix}$$

$$\begin{bmatrix} 2 & 1 \\ 3 & 0 \end{bmatrix} \begin{bmatrix} 1 \\ 0 \end{bmatrix} = \begin{bmatrix} 2 \\ 3 \end{bmatrix}$$

$$\begin{bmatrix} 2 & 1 \\ 3 & 0 \end{bmatrix} \begin{bmatrix} 0 \\ 1 \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \end{bmatrix}$$



Quest: Find the matrix representing rotation by θ radians counter-clockwise

In general, transformations will look like $\begin{bmatrix} a & b \\ c & d \end{bmatrix}$

$$\begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} 1 \\ 0 \end{bmatrix} = \begin{bmatrix} a \\ c \end{bmatrix}$$

$$\begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} 0 \\ 1 \end{bmatrix} = \begin{bmatrix} b \\ d \end{bmatrix}$$

$$\begin{bmatrix} a \\ c \end{bmatrix} = \begin{bmatrix} \cos \theta \\ \sin \theta \end{bmatrix}$$

$$\begin{bmatrix} b \\ d \end{bmatrix} = \begin{bmatrix} -\sin \theta \\ \cos \theta \end{bmatrix}$$


$$a = \cos \theta \quad c = \sin \theta \quad b = -\sin \theta \quad d = \cos \theta$$

My super cool rotation matrix buddy!

Counter-clockwise rotation is represented by
the 2×2 matrix $\begin{bmatrix} \cos\theta & -\sin\theta \\ \sin\theta & \cos\theta \end{bmatrix}$

Ex:

$$\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix}$$




$$\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix} \begin{bmatrix} 1 \\ 0 \end{bmatrix} = \begin{bmatrix} 0 \\ 1 \end{bmatrix}$$

$$\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix} \begin{bmatrix} 0 \\ 1 \end{bmatrix} = \begin{bmatrix} -1 \\ 0 \end{bmatrix}$$

Reflections:

$$\begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix}$$



$$\begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} 1 \\ 0 \end{bmatrix} = \begin{bmatrix} -1 \\ 0 \end{bmatrix}$$

$$\begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} 0 \\ 1 \end{bmatrix} = \begin{bmatrix} 0 \\ 1 \end{bmatrix}$$

$$\begin{bmatrix} a \\ c \end{bmatrix} = \begin{bmatrix} -1 \\ 0 \end{bmatrix}$$

$$\begin{bmatrix} b \\ d \end{bmatrix} = \begin{bmatrix} 0 \\ 1 \end{bmatrix}$$

$$a = -1, b = 0, c = 0, d = 1$$

Reflection across x-axis

$$\begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$$

Reflection across y-axis

$$\begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix}$$



More generally we can reflect across any line passing through the origin!

$$\begin{bmatrix} \frac{1-m^2}{1+m^2} & \frac{2m}{1+m^2} \\ \frac{2m}{1+m^2} & -\frac{1-m^2}{1+m^2} \end{bmatrix}$$

reflects across $y=mx$



Ex: $m=1$ $y=x$

$$\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$$



Stretching or Shrinking

$$\begin{bmatrix} 2 & 0 \\ 0 & 0 \end{bmatrix}$$



$$\begin{bmatrix} 0 & 0 \\ 0 & 1/2 \end{bmatrix}$$



General stretch/shrink

$$\begin{bmatrix} k_1 & 0 \\ 0 & k_2 \end{bmatrix}$$


Shear

vertical shear by k :

$$\begin{bmatrix} 1 & 0 \\ k & 1 \end{bmatrix}$$


horizontal shear by k :

$$\begin{bmatrix} 1 & k \\ 0 & 1 \end{bmatrix}$$




Products of Transformation

$$\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix}$$



$$\begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix}$$



Combined transformation is:

$$\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$$



NOTICE

$$\begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix} \begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix} = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix} \quad !!!$$

reflection rotation

Theorem: If we do a transformation rep. by a matrix A , followed by another transformation represented by B , the combined transformation is represented by BA .

Remember: $AB \neq BA$



$$\begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix} \begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix} = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$$

$$\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix} \begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix} = \begin{bmatrix} 0 & -1 \\ -1 & 0 \end{bmatrix}$$

