Marvel Heroes Omega Achievement Locale Tool 2026.03.09

- **About this software:**

This is a tool for processing the achievement message files of MHServerEMU, designed to assist in creating multiple locale file.

The achievement file format supports 9 Locales; currently only English and Russian are built in.
Functions include: exporting Locales, importing Locales, deleting Locales, and verifying the integrity of Locale files (.Json).

- Free to distribute/use. This software has not been extensively tested, and compatibility and reliability are not guaranteed.

- Developed using Python, with assistance from ChatGPT.

- This program has currently only been tested on Windows 10 x64 Cht edition and works normally.

- All English message content was completed with ChatGPT + Gemini. (Yes, I'm an English illiterate :)

- Thanks to the MHServerEMU project, and thanks to the supporters of the project .
  https://github.com/Crypto137/MHServerEmu
  https://discord.com/invite/hjR8Bj52t3

Contents:

. About MHO Achievement Files

0. Start

1. Select Achievement File

2. Export Locale File

3. Import Locale File

4. Delete Locale

5. Convert Old Format Files to Locale Files


```
==== MHServerEMU 成就語言工具 2026-03-09 ====
        1. 選擇成就檔
        2. 匯出語言檔
        3. 匯入語言檔
        4. 刪除語言
        5. 舊格式檔轉語言檔
        6. 離開

        請選擇功能(1~6):
```

```
==== MHServerEMU Achievement locale Tool 2026-03-09 ====
        1. Select achievement file
        2. Export locale file
        3. Import locale file
        4. Delete locale
        5. Convert old format file to locale file
        6. Exit

        Please select a function (1~6):
```

Marvel Heroes Omega Achievement Locale Tool 2026.03.09

● . About MHO Achievement Message Files

MHO's achievement message files are provided by the server and do not exist in the game client itself.

- Therefore, online players don't need to worry about this; only offline players and server hosts need to pay attention.

- MHServerEMU's achievement message files, up to version 0.7 Stable, use the same format as the game client's eng.achievements.string file. This is not a text file and cannot be edited directly; each Locale has its own separate file.

- Version 0.8 stable switched to AchievementStringMap.json, which is a text file, as shown in the image.
Each message string contains three fields: Message ID, Locale, and Message String.
All Locales are consolidated in this file, with English as the base Locale, which must exist. The message strings in the achievement file are sorted by ID, but changing the order of the strings does not affect functionality.

AchievementStringMap.json uses Unicode escape encoding;
for example, the blue part "\u0027" represents a single quote '.

In version 0.81 stable, the AchievementStringMap achievement file added "_00_MainPatch" along with four optional sub-achievement files. The IDs in these four optional achievement files partially overlap with those in AchievementStringMap.json, and in the game, they will override the original messages. Additionally, Unicode escape encoding was removed.

If you are interested in modifying MHO's game Locales, the achievement message files are an easy place to start.

- In version 0.8 stable, the two achievement message files are located in \GameFolder\MHServerEMU\Data\Game\Achievements, as shown by the blue blocks in the image.
Four optional achievement message files are located in the \Achievements\Off\ folder. These optional achievement files, along with AchievementInfoMap, must be moved to the \Achievements\ folder to take effect.

Two main achievement message files:
AchievementStringMap.json
AchievementStringMap_00_MainPatch.json

Four optional achievement message files:
AchievementStringMap_02_Party.json
AchievementStringMap_03_Restore.json
AchievementStringMap_04_Seasonal.json
AchievementStringMap_05_Collection.json

StringMap files must be placed together with the InfoMap file of the same name.



Marvel Heroes Omega Achievement Locale Tool 2026.03.09

● **0. Start**

- This tool consists of only one file, MHO_Achi_Locale_tool.exe,
  which must be placed together with the related AchievementInfoMap*.json files when used.

- The program supports a bilingual interface (Trad Chinese/English), automatically selecting based on the Windows Language version,
  or specified via a parameter: "MHO_Achi_Locale_tool.exe [parameter]", 0=English, >0=Chinese.

- If necessary, an achs_Import_error.log file will be generated to record errors during Locale import operations,
  with new errors added at the top.

- Version Support: Supports multiple AchievementStringMap*.json files from version 0.81.

- Before importing/exporting files, existing target files are automatically backed up,
  e.g., AchievementStringMap_00_MainPatch.0308_205103.json.

- Supports converting Locale files from the sister program MHO Localemaster
  (???.achs_String_Terms.json / ???.achs_String_Texts.json) to version 0.81 format.

- When reading JSON files, the program automatically checks whether the JSON format is correct and lists any abnormalities,
  showing only the first error found each time.

- The multilingual workflow of this program is as follows:

1. Select the AchievementStringMap*.json file to work on.

2. Choose a Locale as a template (usually English) and export it as the target Locale, e.g., AchievementStringMap.zh_tw.json.
   The target file will contain only one Locale, and all "Locale" fields are automatically changed to the target Locale,
   e.g., from "en_us" to "zh_tw".

3. Translate the target Locale file yourself or have AI translate the entire file.
   Be careful not to modify the text control codes #purplecard# and #/purplecard#.

4. Import the translated target Locale into the corresponding AchievementStringMap*.json file. If the Locale already exists,
   it will be overwritten.

5. This completes the process of adding a new Locale.

6. Functions for "Delete Locale" and "Convert Old Format Files" are also available.

Marvel Heroes Omega Achievement Locale Tool 2026.03.09

● 1. Select Achievement File

In version 0.81 of MHServerEMU, there are multiple AchievementStringMap*.json files. This function is used to select the target achievement file.
It is also recommended to perform this action first each time the program is run.

Step 1:
After selection, a list of supported achievement files will be displayed.
 	
Pick one. Even if you entered this by mistake, you still have to choose one before you can leave...
 	
The selection at this point is only a pre-selection and will not take effect immediately.
	``
	---- Feature 1: Select AchiFile - AchievementStringMap*.json ----
	> Selected achievement file: AchievementStringMap.json
	
	  1. AchievementStringMap.json
	  2. AchievementStringMap_00_MainPatch.json
	  3. AchievementStringMap_02_Party.json
	  4. AchievementStringMap_03_Restore.json
	  5. AchievementStringMap_04_Seasonal.json
	  6. AchievementStringMap_05_Collection.json
	
	1. Pre-select an achievement file to work on (1-6):
	``

Step 2:
After pre-selection, the program will check whether the file exists,
and whether it is a valid JSON file.
 	
It will then display the list of Locales contained in the file.
 	
At this point, you will confirm whether to switch to using this file.
If any issue is detected, an error will be shown and the program will return to the main menu.
 	
The "Confirm Execution" options are Yes / No / Back / Quit.
	``
	---- Feature 1: Select AchiFile - AchievementStringMap*.json ----
	> Selected achievement file: AchievementStringMap.json
	
	  1. AchievementStringMap.json
	  2. AchievementStringMap_00_MainPatch.json
	  3. AchievementStringMap_02_Party.json
	  4. AchievementStringMap_03_Restore.json
	  5. AchievementStringMap_04_Seasonal.json
	  6. AchievementStringMap_05_Collection.json
	
	1. Pre-select an achievement file to work on (1-6): 2
	> Pre-selected file: AchievementStringMap_00_MainPatch.json
	> Existing locales: en_us, ru_ru, zh_tw
	
	2. Confirm to proceed? (Y/N/B/Q):
	``

Marvel Heroes Omega Achievement Locale Tool 2026.03.09

● 2. Export Locale File

This function exports a selected Locale from the current achievement file as a template (usually English) to a target Locale, for example: AchievementStringMap.zh_tw.json.

The target file will contain only the target Locale, and all 'Locale' fields will be automatically changed to the target Locale, for example from "en_us" to "zh_tw".

Steps 1 and 2: Select an existing Locale and a target Locale. The existing Locale must match one of the available Locales; otherwise, an error will occur and the program will return to the main menu. The "Confirm Execution" options are Yes / No / Back / Quit.	```---- Feature 2: Exporting locale File from AchievementStringMap_00_MainPatch.json ---- > Existing locales: en_us, ru_ru, zh_tw 1. Select existing locale: 1.en_us 2.fr_fr 3.de_de 4.pt_br 5.ru_ru 6.es_mx 7.zh_tw 8.ja_jp 9.ko_kr (1~9): 5 > Template locale: ru_ru 2. Select export locale: 1.en_us 2.fr_fr 3.de_de 4.pt_br 5.ru_ru 6.es_mx 7.zh_tw 8.ja_jp 9.ko_kr (1~9): 8 > Export locale: ja_jp 3. Confirm to proceed? (Y/N/B/Q):``` **Step 3:** Confirmation completed. A corresponding achievement Locale file will be generated, for example: AchievementStringMap_00_MainPatch.ja_jp.json	```---- Feature 2: Exporting locale File from AchievementStringMap_00_MainPatch.json ---- > Existing locales: en_us, ru_ru, zh_tw 1. Select existing locale: 1.en_us 2.fr_fr 3.de_de 4.pt_br 5.ru_ru 6.es_mx 7.zh_tw 8.ja_jp 9.ko_kr (1~9): 5 > Template locale: ru_ru 2. Select export locale: 1.en_us 2.fr_fr 3.de_de 4.pt_br 5.ru_ru 6.es_mx 7.zh_tw 8.ja_jp 9.ko_kr (1~9): 8 > Export locale: ja_jp 3. Confirm to proceed? (Y/N/B/Q): y > Export locale file: AchievementStringMap_00_MainPatch.ja_jp.json > Task finished successfully. --- Please press [Enter] to continue ---``` **Step 3:** Confirmation completed. A corresponding achievement Locale file will be generated, for example: AchievementStringMap_00_MainPatch.ja_jp.json

● 3. Import Locale File

This function imports an edited achievement Locale file into the achievement file. If the Locale already exists, it will be overwritten.

Step 1: Based on the edited achievement Locale file, first select the target achievement file. Then select the "Locale" according to the achievement Locale file, and import that Locale file into the achievement file.	```---- Feature 3: Importing locale Files into AchievementStringMap_00_MainPatch.json ---- > Existing locales: en_us, ru_ru, zh_tw 1. Select import locale: 1.en_us 2.fr_fr 3.de_de 4.pt_br 5.ru_ru 6.es_mx 7.zh_tw 8.ja_jp 9.ko_kr (1~9): 8 > Import locale file: AchievementStringMap_00_MainPatch.ja_jp.json 2. Confirm to proceed? (Y/N/B/Q):``` **Step 2:** Confirmation completed. The execution result will be displayed.	```---- Feature 3: Importing locale Files into AchievementStringMap_00_MainPatch.json ---- > Existing locales: en_us, ru_ru, zh_tw 1. Select import locale: 1.en_us 2.fr_fr 3.de_de 4.pt_br 5.ru_ru 6.es_mx 7.zh_tw 8.ja_jp 9.ko_kr (1~9): 8 > Import locale file: AchievementStringMap_00_MainPatch.ja_jp.json 2. Confirm to proceed? (Y/N/B/Q): y > Achievement file: AchievementStringMap_00_MainPatch.json > Import locale: ja_jp > Task finished successfully. --- Please press [Enter] to continue ---``` **Step 2:** Confirmation completed. The execution result will be displayed.

● 4. Delete Locale

This function selects a Locale from the achievement file and removes it.

Step 1: First select the target achievement file. Then, in this function, choose the "Locale" to be removed. (en_us English must exist, so it cannot be selected)	```---- Feature 4: Removing locale from AchievementStringMap_00_MainPatch.json ---- > Existing locales: en_us, ru_ru, zh_tw, ja_jp 1. Select locale to delete: 2.fr_fr 3.de_de 4.pt_br 5.ru_ru 6.es_mx 7.zh_tw 8.ja_jp 9.ko_kr (2~9): 8 > Delete locale: ja_jp 2. Confirm to proceed? (Y/N/B/Q): ▂``` 
Step 2: Confirmation completed. The execution result will be displayed.	```---- Feature 4: Removing locale from AchievementStringMap_00_MainPatch.json ---- > Existing locales: en_us, ru_ru, zh_tw, ja_jp 1. Select locale to delete: 2.fr_fr 3.de_de 4.pt_br 5.ru_ru 6.es_mx 7.zh_tw 8.ja_jp 9.ko_kr (2~9): 8 > Delete locale: ja_jp 2. Confirm to proceed? (Y/N/B/Q): y > Achievement file: AchievementStringMap_00_MainPatch.json > Task finished successfully. --- Please press [Enter] to continue ---▂``` 

● 5. Convert Old Format to Locale File

This function converts the achievement Locale files generated by MHO Localemaster (???.achs_String_Terms.json / ???.achs_String_Texts.json) into the version 0.81 format.

Step 1: Select the Locale of the old-format file.	```---- Feature 5: Convert legacy format ???.achs_String_Texts.json ---- 1. Select legacy file format: 1.eng 2.fra 3.deu 4.por 5.rus 6.spa 7.chi 8.jpn 9.kor (1~9):7 > Legacy file: chi.achs_String_Texts.json > & chi.achs_String_Terms.json 2. Confirm to proceed? (Y/N/B/Q): ▂``` 
Step 2: Confirmation completed. The execution result will be displayed.	```---- Feature 5: Convert legacy format ???.achs_String_Texts.json ---- 1. Select legacy file format: 1.eng 2.fra 3.deu 4.por 5.rus 6.spa 7.chi 8.jpn 9.kor (1~9):7 > Legacy file: chi.achs_String_Texts.json > & chi.achs_String_Terms.json 2. Confirm to proceed? (Y/N/B/Q): y > Export locale: AchievementStringMap.zh_tw.json > Conversion complete. Records: 6820 --- Please press [Enter] to continue ---▂``` 