Let's get started.

# Part I Sequences and Series

To make sense of Riemann sums, we will first study sequences and series.

### Chapter 1

## Sequences

#### 1.1 Introduction

Intuitively, a sequence is a list of numbers. More formally, a **sequence**  $\{a_n\}_{n\geq m}$  is the list of numbers  $a_m, a_{m+1}, a_{m+2}, \ldots$ 

**Example 1.1.1 A Sequence.** The sequence  $\{a_n\}_{n\geq 2}$  where  $a_n=3n-4$  is the sequence below:

$$2, 5, 8, 11, 14, 17, \dots$$

We might more often describe that sequence by declaring that  $a_n = 3n - 4$  for  $n \ge 2$ 

Activity 1.1.1 List the first five terms of the sequences below.

- (a)  $a_n = n \text{ for } n \ge 0$
- **(b)**  $b_n = -2n 1$  for  $n \ge 2$
- (c)  $c_n = \frac{2n+1}{n}$  for  $n \ge 1$
- (d)  $d_n = \left(\frac{2}{3}\right)^n$  for  $n \ge 0$
- (e)  $e_n = (-1)^n \text{ for } n \ge 0$

A **closed form** for a sequence  $a_m, a_{m+1}, \ldots$  is an explicit formula for the sequence.

**Example 1.1.2 Closed Form.** A closed form for the sequence 2, 4, 6, 8, ... is  $a_n = 2n$  for  $n \ge 1$ .

Another closed form for the same sequence is  $a_n = 2(n-1)$  for  $n \ge 0$ 

Activity 1.1.2 Determine a closed form expression for the sequences below. That is, write each as  $a_n =$  something,  $n \ge m$ . (You get to choose m.) There are many (many!) correct expressions.

- (a)  $2, 5, 8, 11, 14, \dots$
- **(b)**  $-3, 6, -12, 24, -48, \dots$
- (c)  $\frac{2}{3}, \frac{4}{5}, \frac{6}{7}, \frac{8}{9}, \frac{10}{11}, \dots$
- (d)  $-1, 1, -1, 1, -1, \dots$
- (e)  $1, 2, 1, 4, 1, 6, 1, 8, \dots$

SEQUENCES

5

#### 1.2 Convergence

For us, the most important feature of a sequence will be whether or not it converges, and, in the case of convergence, what it converges to. The definition of convergence should look familiar:

A sequence  $a_n$  converges to the real number L if given any  $\varepsilon > 0$  there is an integer N so that whenever  $n \geq N$ ,  $|a_n - L| < \varepsilon$ . That is, if  $a_n$  is always close to L when n is big, then  $a_n$  converges to L. We write this in the usual way:  $\lim_{n \to \infty} a_n = L$ . Otherwise, the sequence **diverges**.

If  $a_n$  is a sequence and for any M>0 there is an integer N so that whenever  $n\geq N, a_n>M$ , then we say  $a_n$  diverges to infinity and write  $\lim_{n\to\infty}a_n=\infty$ . If  $a_n$  is a sequence and for any M<0 there is an integer N so that whenever  $n\geq N, a_n< M$ , then we say  $a_n$  diverges to negative infinity and write  $\lim_{n\to\infty}a_n=-\infty$ .

**Example 1.2.1** 
$$\lim_{n \to \infty} 3n - 4 = \infty$$
 and  $\lim_{n \to \infty} \frac{3n - 4}{2n + 1} = \frac{3}{2}$ .

Activity 1.2.1 For each of the sequences on the previous page, determine which converge and which do not. In case of convergence, determine the limit. In case of divergence, determine which diverge to infinity, which diverge to negative infinity, and which simply diverge.

**Activity 1.2.2** Compute the limit as n goes to  $\infty$  of the sequences below. Most of the usual rules for computing limits of functions apply in the context of sequences.

(a) 
$$a_n = \frac{1}{n}, n \ge 1$$

**(b)** 
$$b_n = \frac{3n-4}{1-4n}, n \ge 0$$

(c) 
$$c_n = (\frac{3}{4})^n, n \ge 0$$

(d) 
$$d_n = \frac{1}{n} - \frac{1}{n-1}, n \ge 2$$

(e) 
$$e_n = \sin(\pi n), n > 0$$

**Activity 1.2.3** Give an example of a sequence  $a_n$  and a continuous, non-zero function f so that the sequence  $a_n$  diverges, but the sequence  $f(a_n)$  converges. Show that both  $a_n$  and  $f(a_n)$  have the stated properties.

**Activity 1.2.4** Create a sequence  $a_n$  so that  $0 \le a_n \le 3$  for all n, and  $a_n$  is **increasing** in the sense that  $a_n \le a_{n+1}$  for all n. Show that your sequence has the required properties. Does your sequence converge?

**Activity 1.2.5** Create a sequence  $a_n$  so that  $1 \le a_n \le 4$  for all n, and  $a_n$  is **decreasing** in the sense that  $a_n \ge a_{n+1}$  for all n. Show that your sequence has the required properties. Does your sequence converge?

**Activity 1.2.6** Create a sequence  $a_n$  so that  $2 \le a_n \le 3$  for all n, and  $a_n$  diverges. Is  $a_n$  increasing? Decreasing?

**Activity 1.2.7** Is it true that if  $a_n \leq b_n$  for all n, and  $b_n$  is convergent, then  $a_n$  is also convergent? If so, explain why. If not, give an example to show this.

**Activity 1.2.8** Is it true that if  $a_n \ge b_n$  for all n, and  $b_n$  is divergent, then  $a_n$  is also divergent? If so, explain why. If not, give an example to show this.

# Part II

Integration

SEQUENCES 7

This worksheet discusses material from section 1.1 of your book. We begin with some friendly review.

## Chapter 2

# Riemann Sums

Recall that the definite integral of f on the closed interval [a,b] is

$$\int_{a}^{b} f(x) dx = \lim_{n \to \infty} \sum_{i=1}^{n} f(x_i) \Delta x$$

where  $\Delta x = \frac{b-a}{n}$  and  $x_i = a + i\Delta x$  for  $i = 1, \dots, n$ . This definite integral represents the area under the curve f from a to b.

# Chapter 3

# One Tricky Integral

$$\int_0^\pi \sin(x) \ dx$$