Zenith: Learning a Financial Reasoning Pipeline from Daily Experience

The Lab, Oracle and Evolve system

Will Cook*

Development report, 12 October 2026

Abstract

Zenith is a financial reasoning system built around repeated experience. A historical trading day's available feeds enter Lab, an inspectable reasoning graph that produces a cited forecast or an explicit no-call. After the forecast horizon, Oracle compares the frozen attempt with later observations and investigates which earlier evidence could have supported a better decision. Evolve uses that comparison to propose a transferable change to the reasoning pipeline; a reviewed successor then faces later days. The learning object is the pipeline's instructions, context, skills and eventually structure. The current implementation retains the original full Lab and Oracle, source-bound agent handoffs, output contracts and versioned policies in a standalone source checkout. A pinned ten-stock public source supplies 695 adjacent daily pairs with prices, dated headlines and announcement titles. Completed native episodes demonstrate forecasts, later scoring and a reviewed change reaching a subsequent Lab. The tested revisions have not established a financial learning advantage. A paid component intervention on two later historical issues changed the NEWS analysis but left all downstream quantiles identical between arms; a direct forecaster matched on the first issue. This distinguishes changes in an intermediate explanation from changes in numerical belief. A separate constructed experiment isolates interpretation, selection and numerical forecasting. It scores the whole original universe, retaining unselected names at a declared fallback. Among twelve supplied procedures, bounded search finds a combination that improves later synthetic loss, while strictly improving single-edit search stops at zero forecasts. Removing the predictive term makes zero forecasts the selected rule. This known-world example demonstrates an interaction between reasoning components and the update procedure; it is neither language-model discovery nor market evidence. The financial question remains whether reviewed changes improve later reasoning and forecasts beyond an unchanged pipeline and simple references.

1 The system we want to learn

The design starts from the job a financial reasoner should repeatedly perform: inspect the available information, explain a view, make commitments, confront what happens and improve the procedure. Historical data supplies many dated instances of that job.

*AI agents researched, implemented and drafted this work under Will Cook's direction. Recorded source material and execution evidence delimit its claims.

It should preserve the shape of the intended live inputs rather than determine an unrelated research task simply because a benchmark is convenient to score.

Lab, Oracle and Evolve implement three distinct responsibilities. Lab commits using the information available at the issue time. Oracle receives both that frozen attempt and later evidence. Evolve decides whether the experience justifies a change that can be used without future information on a subsequent attempt. The investigator may be the lead agent or a worker given a fixed prompt and the same bound evidence. A scheduled chat is not required by the algorithm; it is one possible execution service.

Here, learning initially means changing durable reasoning procedures and context policies, not updating the underlying language model's weights. Useful changes might make a miner recover the last comparable disclosure, require a synthesis node to confront a contrary observation, or make a forecaster disclose how it converted a qualitative view into a target price. Graph changes are a broader development option. One short skill update is the first implemented daily transition, not a permanent limit on the programme.

The central distinction is between improving a historical answer and improving the procedure that produces later answers. A hindsight explanation may expose a missed earlier signal, but it may also depend entirely on information that arrived afterward. That difference must survive into the proposed lesson.

The operator's generation analogy comes from AlphaGo Zero: experience generated by a current system informs an improved policy, which supports subsequent experience [27]. Here the policy is a reasoning procedure, and its candidate version is compared with the incumbent on the same later market situations. This is a design analogy, not an implementation of neural self-play or tree search. Market outcomes must come from external observations; replaying a historical date cannot create a new independent market realization.

2 One native graph, three stages

The standalone checkout contains the existing loader, executor, authored node JSON, contracts and policy machinery. It does not depend on the parent workspace's kernel, Task Ledger, private dossiers or interactive Station. The physical registry has 71 nodes across all retained mission families. The daily path executes the full 28-node Lab and 31-node Oracle; it does not substitute the earlier three-node price-only experiment.

The original engine assembles prompts, validates dependency order and accepts reasoning responses through its native importer. A missing response creates a pending packet; it is not successful reasoning. The daily controller advances only after the preceding mission is complete. Lab output remains fixed while Oracle examines it. Rejected responses, failed provider attempts and uncertain cost reservations remain part of the record.

The temporal handoff between versions is not a cycle inside a single forward graph. The first Lab cannot acquire Oracle's later inputs through an ordinary edge. Oracle keeps the original issue anchor and the later target time; Evolve's successor is used only on the next eligible issue. Historical replay still does not simulate the wall-clock time

Stage	Evidence and work	Persistent result
Snapshot	Completed prices and eligible news at one trading-day boundary	Immutable feeds, clocks, source hashes and missingness
Lab	Two mining passes, cross-lane synthesis, CP1 thesis, CP2 forecasts and integrity review	Frozen predictions, supporting trace and validation results
Oracle	Original attempt, original evidence and separate later observations	Reconciliation, hindsight brief, critique and ideal CP2
Evolve	Bound Lab/Oracle pair and current policy	Reviewed no-change decision or versioned candidate
Later Lab	A later snapshot and selected policy	New forecasts whose behavior can be assessed

Table 1: The daily loop. Completion of a stage and quality of its reasoning are separate facts.

required to obtain and review real closing data. A live system needs a corresponding execution delay.

2.1 A prediction can be tested before its cause is known

The original causal thesis contract prevented a forecast when a dominant market force was unresolved. That is appropriate for rejecting a fabricated causal explanation, but it also prevented testing a separately declared empirical mapping. The explicit `EMPIRICAL` branch now permits that test alongside the existing causal and abstention modes.

The first implemented operator is deliberately a price-only control. For each declared stock, it averages the last five daily simple returns, multiplies the mean by a frozen scale and clips the result at a declared magnitude cap. Multiplying the last observed price by one plus that return gives the next-close target. The full graph still processes the available news; that text does not silently enter this formula. Thus the control tests execution and parameter transfer, not the incremental value of news or complex reasoning.

CP1 declares the input citations, target set, history length, scale and cap; the engine recomputes the result from the original source history and checks consecutive XNYS dates, issuer identity and the next-session horizon. The Director cannot alter that rule after CP1. Oracle also retains its parameters and numeric forecast rather than replacing them with a hindsight optimum. The status remains explicitly unvalidated. Richer empirical operators require their own declared input mapping; this initial rule is not a general financial model or a restriction on future development.

3 Historical feeds that fit the actual system

The richer daily adapter reconnects the acquired TraderHarness archive to the original full graph [5, 15]. Five pinned tables provide daily OHLCV, announcement titles and PDF links, entity-templated news headlines, corporate actions and CSI300 history for

ten stocks fixed using 2021 turnover. The adapter reuses the source loader and timestamp/selection rules without invoking the separate five-session study's label builder. Full article bodies and announcement PDFs are not supplied. Financial facts remain excluded because revision history and accounting definitions are unresolved.

The target is the next session's raw CNY closing quote. Twenty historical gross-wealth bars are separately rebased context, never that quote. Only already ex-dated, announcement-eligible actions enter this context; pending future terms from the final archive are excluded. XSHG is a common-session proxy for the Shanghai/Shenzhen panel. Text stops at the observed close, while reconstructed packet availability is one minute later. Oracle therefore cannot explain the close using a headline from that extra minute. The next forecast targets the actual next close; Evolve maturity retains the later availability timestamp. These rules do not certify source vintages or executable trading returns.

The longer development adapter uses three JSON files from InvestorBench [18, 20]. The pinned MSFT, HON and JNJ files share all 291 XNYS sessions from 12 March 2020 through 6 May 2021. They contain 3,636, 444 and 910 news summaries respectively. Our source audit finds no missing shared price sessions; all three symbols have news on 196 dates. These counts describe the selected files, not reproduced benchmark performance.

A snapshot contains twenty observed scalar prices per symbol and the preceding seven calendar days of complete upstream summaries. Summary date buckets lack publication and capture clocks, so the adapter assumes availability at midnight in New York on the following calendar day and excludes the current date. It excludes all filing summaries because their availability is unestablished. This is a reconstructed development stream: the lag does not prove historical availability, issuer relevance, adjustment vintage or immunity to model memory. The source repository's MIT license also does not independently establish rights to redistribute every publisher-derived item. Public code supplies the pins and adapter; downloaded text remains in local storage.

The initial adapter uses the original AA price and article files in FNSPID, pinned to source revision `4054842` [11]. For each selected XNYS session it emits the last 20 completed daily price bars and full eligible article bodies from the preceding seven calendar days. The source is a practical starting slice: two small files, approximately 8.66 MB together. It does not supply a complete multi-asset research universe.

STOCK and NEWS contain observations. ETF, MACRO, POLYMARKET, CALCULATOR and STOCKGRID retain their native artifact names but explicitly contain no supplied observations. Their absence limits support; it is not an economic event. A market article discussing macro conditions does not become an independently observed macro series. Preserving these distinctions permits the full graph to run while making the cost of sparse coverage visible.

Source admission uses original publication strings rather than blindly trusting upstream preprocessing. For example, a January article marked 17:51 EST is 22:51 UTC and must not enter that day's 21:00 UTC close snapshot. The inspected upstream converter shifted that offset in the wrong direction. Literal `Text=0` is missing text, not neutral news. Invalid or conflicting clocks are excluded and counted. The adapter retains origi-

nal body hashes and stable evidence identifiers; an AA filename does not establish that every article concerns Alcoa specifically.

The Jan16,17,18 2024 snapshots contain 1,7,7 eligible article bodies, respectively. Jan18 has no fresh article in this slice; repeated context is not new evidence. Source prices use `Close` consistently. Corporate-action vintages, original capture times and later article revisions are unverified. Filtering a publisher clock alone cannot establish complete point-in-time integrity. Modern language models may also remember historical events [13].

Other data candidates remain available for investigation. An inspected FinMultiTime article slice had body/date/URL mismatches and was not admitted to this replay; that observation does not invalidate separately sourced price or filing tables [30]. Data acquisition remains explicit. The public code does not redistribute these article bodies.

A richer candidate, the public Herculean database, contains 2,656 price rows, 3,888 news summaries and 73 filing excerpts; its eight issuers share 332 XNYS dates [16]. A fixed inspection of the earliest three MSFT dates found two temporal counterexamples. News row 2432, dated 2 December 2024, reports $77.7 billion revenue and $3.72 EPS matching Microsoft's October 2025 release. Row 2433, dated 3 December 2024, explicitly describes FY2026 Q2 and $81.3 billion revenue announced in January 2026 [22, 23]. A one-day lag cannot repair future-year content. These rows justify quarantining this news source, not an estimate of its global contamination rate or rejection of every price and filing record. The pinned file hash, queries and row identities are in `docs/herculean-audit.json`.

4 Oracle: outcome, explanation and earlier opportunity

Oracle first asks a mechanical question: what happened to each declared target over its declared horizon? Exact later observations score the frozen forecast. It then asks interpretive questions: which original claims were supported, which information was missed, what appeared only afterward, and which proposed causes remain uncertain? A correct direction does not validate the explanation that accompanied it.

An ideal historical answer is useful only when its earlier citations are actually available at the earlier boundary. Later reporting may direct the investigation toward a neglected earlier signal, but it cannot itself become a Lab citation. A surprising event with no earlier support should remain an unforecastable or uncertain component rather than an instruction that earlier miners ought to have discovered the future. Outcome-only and richer hindsight teachers are distinct experimental conditions, related to learning with privileged information [28].

A useful teacher must also be able to report no evidenced error. The native contracts now distinguish a cited Lab abstention, an unexplained realized move and a review that finds no concrete earlier mistake. CP1 locks the forward decision mode; an abstained CP2 has no predictions. Oracle retains observed price changes without creating prediction errors or a hit rate. Its explicit no-findings review must name the alternatives examined and the limits of its evidence. None of these outcomes proves optimality. They permit Evolve to retain a procedure instead of accumulating invented lessons.

Abstention is different from a forecast centred at zero. The implemented `JUDGMENTAL` branch records return quantiles $q_{.1}, q_{.5}, q_{.9}$, their original evidence identifiers and a numerical rationale. Its central target is the observed price times $(1+q_{.5})$: a median, not a mean return. Zero is a valid median with a nonzero uncertainty interval. The Director and Oracle must preserve the entire forecast and its cited source identities; validators also require the next actual exchange close and matching truth date, currency and price basis. No identified market cause is required.

For realized simple return y, each quantile receives the unscaled pinball loss $\ell_p(y,q) = \max\{p(y-q),(p-1)(y-q)\}$. We average over $p \in \{.1,.5,.9\}$, using the standard consistent quantile score [14]. Coverage and width of $[q_{.1}, q_{.9}]$ are additional diagnostics. Three quantiles do not specify a full distribution, and high interval coverage alone does not establish calibration. These scores reach the existing Oracle and feedback reports; they do not silently replace the cohort's declared selection objective.

4.1 Selection is part of the forecast decision

If Lab selects a subset of the available companies, prediction accuracy on that subset is only a conditional score. Selecting fewer easy cases can lower it without improving the overall decision. The risk–coverage distinction is standard in selective prediction [12]; here we use a declared fallback to make the unselected cases explicit.

Freeze a universe U, a selection $S \subseteq U$, forecasts f_i for selected names and fallback forecasts b_i for the others. For later outcomes y_i, the implemented full-universe loss is

$$\frac{1}{|U|}\left(\sum_{i\in S}\ell(f_i,y_i)+\sum_{\substack{i\in U\\ i\notin S}}\ell(b_i,y_i)\right).$$

The evaluator reports selected-only loss and coverage alongside this quantity, then weights issue dates equally. It supports squared error for mean forecasts and absolute error for medians. Missing truth anywhere leaves the panel pending. With a zero-return fallback, selecting nothing obtains the reference loss, not zero error. This additive evaluator does not change the existing native cohort's admission or objective.

When an experiment freezes shadow forecasts for every name, it can also compare the chosen subset with uniform selection of the same size, holding those forecasts fixed. A further score finds the best realized loss reduction from choosing up to the declared budget. This is a hindsight bound: neither it nor a missed large move establishes earlier predictability. Without the shadow forecasts, these ranking comparisons remain unknown. Their computation must be counted in the experiment's resource cost.

4.2 An intermediate claim is not yet a price effect

Financial interpretation must also distinguish familiar facts from changes. For example, Salesforce's May 2023 release preserved annual revenue guidance while raising non-GAAP operating-margin guidance [25, 26]. That supports a profitability revision, not a revenue revision or an assertion about analyst surprise. Adobe's June release raised some annual targets while lowering a segment revenue range [1–3]. These supporting

cases test a recurring reasoning skill; they are not the selected replacement for the daily system.

The remaining price effect is a further question. A public announcement may already be reflected in the price at which a decision could be executed. Headline-return work motivates separating observed response from later predictability [21]. Economic relationships can motivate indirect transmission [9]; shared words alone do not establish one.

5 Evolve: reviewed transitions between versions

The existing Evolve runner exports its fixed analysis instructions, original Lab CP2 and Oracle quartet with source bindings. The daily controller adds a small response contract: diagnosis, uncertainty, proposed later test, exact source quotations, and either one Lab skill change or an explicit no-change decision. The lead agent can perform this review directly. A worker receives the same packet and returns the same shape.

Import checks the packet identity, reconstructs source bindings, resolves each quoted JSON field against its original artifact, validates the permitted node and compiles a native reasoning policy. It retains rejected attempts. An accepted candidate is a new policy file; the next day's Lab freezes that file in its execution manifest. The original policy and dossiers remain available. Repeated continuation reads recheck the decision and candidate instead of trusting a success label alone.

These checks establish provenance, structure and an explicit review decision. They cannot establish that a quoted fact supports the proposed generalization. The reviewing agent's identity is a disclosure, not authenticated expertise. No-change is a legitimate outcome when the episode supplies no convincing lesson. The transition is development adoption for later testing, not promotion to a proven live trading policy.

TextGrad and GEPA provide relevant precedents for textual feedback and reflective prompt search [4, 35]; Trace and multi-stage instruction optimization motivate inspecting intermediate computations [8, 24]. Financial agent systems provide precedents for layered memory and persistent guidance [33, 34]. Zenith uses these sources to sharpen its own explicit transition and controls. It does not claim that implementing a loop establishes a new optimization method or inherits their reported results.

5.1 A constructed test of the update procedure

To examine the hard step between diagnosis and useful change, we implemented a small deterministic analogue beside the native graph. It has three parameterized operations: interpret company disclosures, map the interpretation to a return, and select two of eight names. Consider profit of 100 last year, prior guidance of 180 and new guidance of 150. Growth is positive, but the guidance revision is negative. The synthetic generator makes returns depend on that revision, with shared and company noise. Missing prior guidance stays unknown and receives a zero forecast. In a market, this comparison would still need an independently supported mapping to the remaining price response.

The supplied bank has two comparison rules, two ranking rules and three scales, including zero. Sixty-four synthetic dates select one of these twelve procedures. The next 32 accept it only if its full-universe squared loss beats the incumbent by 10%; the last 64

measure the frozen choice. Evolve is finite search in this example. Its bounded change, fixed evaluation and retained attempts follow the practical pattern of autoresearch [19]. No model is invoked, and the generator and correct rule are deliberately known. Thus the experiment isolates the mechanism rather than testing autonomous discovery or an independently hidden market process.

Constructed condition	Initial	Zero fallback	Selected
Guidance signal	0.009324797	0.000295698	0.000166406
Noise only	0.008959609	0.000041172	0.000041172

Table 2: Later full-universe mean squared return loss, seed 1729. Every unselected name receives the frozen fallback. These are constructed operator results, not native Lab, language-model or financial performance.

The signal case selects comparison with prior guidance, ranking by absolute forecast and scale 0.08. Its later loss is 43.7% below the fallback. The noise-only control selects scale zero. More revealingly, greedy search over strictly improving single edits stops at zero even in the signal case. Once scale is zero, changing the comparison or rank has no effect; restoring a positive scale under the wrong comparison makes forecasts worse. Joint search crosses this plateau. Ranking stronger signals under a miscalibrated mapping can also increase loss. These examples show why an operation's measured value depends on its neighbors and why a neutral intervention cannot establish its irrelevance. They motivate bounded coupled proposals and later tests, not causal blame from one forecast miss. The standalone commands, all trial losses and source bindings are in `docs/learning-design.md` and its linked receipt.

6 What has actually executed

The two-issue sequence used the three-equity InvestorBench snapshots at the 24 and 27 July 2020 closes, with outcomes at the 27 and 28 July closes. Both Labs completed all 28 nodes and both Oracles all 31, using 64 accepted primary-agent reasoning responses in total. No prior-run responses were replayed and no paid provider calls were made. One Oracle response used prose in an enum field; it was rejected, retained and corrected. This was a disclosed historical development sequence, not an independent evaluation of an automated provider.

The initial rule used five returns, scale 0.25, cap 0.02 and all three stocks. After its error exceeded persistence, Evolve proposed halving only the scale. The reviewed addon appears in the next Lab's actual Decide prompt, and its frozen numerical forecasts use scale 0.125. The agent then inspected the next outcomes. Table 3 reports the resulting errors.

The first issue had one correct direction; the second had two. The changed rule beat persistence on the second issue but lost to the unchanged rule. Shrinkage helped the wrong-direction HON forecast and reduced useful magnitude for both correct directions. These are three correlated assets on each of only two dates. The second Evolve review made no further change and selected no winner. Its no-change receipt preserves

Issue → outcome	Native scale	Native	Unchanged	Persistence
24 → 27 July	0.25	0.98649	0.98649	0.93047
27 → 28 July	0.125	0.62531	0.59575	0.65488

Table 3: Mean absolute error in percentage points of return: $100\,|\widehat{P} - P_{\text{later}}|/P_{\text{issue}}$, averaged across the three stocks. Unchanged scale 0.25 and persistence are deterministic arithmetic controls on the same inputs, not separately executed native arms.

experimental lineage, not a promotion of the current candidate. No generation-retention command was run. The source-bound receipt, `docs/empirical-pilot-receipt.json`, includes the forecasts, outcomes, reviews and successor prompt binding.

This is an actual feedback-to-procedure transition with a negative comparison. It establishes neither useful news inference nor an advantage of the full graph over the transparent formula. Executing a larger cohort of the same formula through many reasoning nodes would not by itself address those gaps.

6.1 The richer native daily episode

The TraderHarness source supports 696 complete 21-session price windows and 695 adjacent next-close pairs from 22 February 2023 through 31 December 2025. This is source coverage, not forecast performance or a declared evaluation split. The input-selected 27 April 2023 training episode supplied ten stocks, 19 headlines and two announcement titles to Lab. The 28 April snapshot supplied later quotes and 22 text items. All 28 Lab and 31 Oracle nodes completed with 32 accepted primary-agent responses and one retained syntax correction.

Lab compared reported growth with earlier issuer guidance, distinguished a financing proposal from known dilution, and rejected fund/issuer and supplier/buyer confusions. It issued an explicit no-call. Oracle compared all ten quotes without manufacturing a hit rate or a hindsight target. Later text tagged to `002594` referred to an electronics-named entity, prompting an explicit claim-owner, corporate-entity and listing check in the reviewed NEWS candidate. An external audit subsequently matched its 154.85% growth figure to the filing of BYD Electronic, HKEX stock code 285 [6]. That external source did not enter native grounding. The candidate codifies behavior already partly present; later benefit is unknown. The receipt is `docs/traderharness-native-receipt.json`. No generation selection or new paid provider call occurred.

6.2 Numerical forecasts and a later instruction comparison

On the TraderHarness data [5], the 28 April 2023 snapshot supplied 21 prices per stock and 22 text items. Lab froze ten judgmental forecasts for the next XSHG close, 4 May: eight zero medians and small negative medians for Ganfeng Lithium and LONGi. All 28 Lab and 31 Oracle nodes completed. The numerical adjustments were uncalibrated judgments; missing expectations and price responses already observed limited their

interpretation. A frozen reference used each stock's twenty prior returns' median and inclusive, linearly interpolated 10th and 90th percentiles.

Lab's median error beat persistence but lost to that historical reference; its wider intervals covered every outcome while scoring worse (Table 4). Evolve's reviewed candidate therefore asked Lab to state its historical reference and every evidence-based adjustment, without widening tails merely because a feed was absent. The source-bound record is `docs/judgmental-pilot-receipt.json`.

The later 5 May snapshot tested that instruction against its predecessor, with identical retrieval in both arms. The same primary agent deliberately shared ten newly authored upstream responses through Orient, then completed both 28-node Labs and froze their forecasts before inspecting 8 May truth. The original instruction produced zero medians; the revised instruction retained all historical quantiles, including ten negative medians, with no news adjustments. Eight stocks rose. The revised forecast had greater median and pinball loss, while tail endpoints and coverage were identical.

Issue	Forecast	MAE	Pinball	Coverage	Width
28 Apr	Lab judgment	1.1985	0.3954	10/10	5.8700
	History	1.1592	0.3536	8/10	4.2198
	Zero return	1.2685	—	—	—
5 May	Original instruction	1.2413	0.4557	7/10	4.1743
	Revised (= history)	1.5597	0.5087	7/10	4.1743

Table 4: Ten stocks per issue, next-session raw closing returns. Median MAE, mean three-quantile pinball loss and interval width are in percentage points; smaller loss is better. Coverage counts outcomes in the nominal 80% interval. The May original medians equal zero-return predictions. April controls are arithmetic; May arms completed the graph, but formal admission failed as described in the text. These are exposed development diagnostics.

A baseline target-identity correction consumed a 22nd response against its frozen allowance of 21. The cohort rejected that arm; the limit and rejection were retained. Thus the May numbers describe frozen forecasts, not an accepted generation comparison. The revised arm's 31-node Oracle preserved all original quantiles. A lead-agent review of the fixed Evolve packet recommended no further change; it was not imported as a bridge or daily controller completion. The public diagnostic and exact losses are in `docs/judgmental-matchoff-receipt.json`.

This example separates reporting a reference from selecting a predictive rule. Neither day establishes the better default. The shared author, shared upstream analysis, correlated targets and historical exposure prevent an independent performance claim. No numerical text contribution was present in the revised forecast. Later comparisons must retain such no-adjustment cases and test text-conditioned estimates against both price references and a direct reasoner on the same inputs.

Oracle also revealed a concrete input defect. COSCO's 10 April headline projecting first-quarter profit of RMB6.933 billion and a 74.91% annual decline in the pinned source [5] was absent from the 28 April Lab input. It appeared in later retrieval only after a matching results headline triggered the prior-period selector. The source timestamp made the earlier guidance eligible at issue time; its omission was a retrieval failure, not unavailable future information. A new optional source profile retains at most two latest distinct issuer profit-period claims within 187 days, with original timestamps. Rebuilding the original issue snapshot recovered that one item and left quotes unchanged. This is a verified source-selection repair, not a new performance result. It remains separate from the forecasting candidate so a later comparison can distinguish a better input packet from a better reasoning instruction.

6.3 A paid intervention on NEWS interpretation

We next tested a bounded part of the same daily job using the pinned TraderHarness inputs [5, 15]. A NEWS component used the original node instruction and its issuer-identity addon; the challenger added a rule to compare new profit results with earlier same-issuer, same-period guidance. A common downstream forecaster received the identical raw input in both arms, the respective NEWS output and the price-history quantile control. It could retain that control or make an evidence-conditioned adjustment. This was a component assay, not a completed native Lab or a structural replacement for it.

The two issues were selected from their available text before opening later prices. At the 3 August 2023 close, issuer 600519's H1 profit was 35.98 billion CNY versus earlier guidance of approximately 35.6 billion, about 1.07% higher. At the 30 August close, issuer 601919's H1 profit decline of 74.46% essentially matched its prior warning of approximately 74.47% [5]. Both packets followed a full trading session after the results publication. Title-level accounting comparability remained incomplete, and issuer guidance did not establish analyst consensus.

A preliminary component check on 20 July was excluded from measurement. DeepSeek V4.1 Flash through the pinned DeepInfra endpoint completed all eleven attempts without retries: two pilot calls, five 3 August calls including a direct forecaster, and four 30 August calls. Reported cost was USD 0.0251692728. The original shared ledger and its 128-attempt limit were preserved. Both arms on both dates were sealed before any target-price scoring; the same instruction was fixed before both dates, with no tuning between them.

The challenger included both current and prior numerical claims in each focus result tuple; the baseline placed the figures in separate tuples, although its August result did state that actual profit confirmed guidance. The challenger still omitted the prior source identifier from the comparison tuple and did not calculate the requested numerical delta. Unsupported market explanations persisted in both arms. Structural acceptance therefore did not establish correct execution of the intended reasoning operation.

More decisively, every $q_{.1}, q_{.5}, q_{.9}$ was identical between arms for all ten stocks on both dates. The direct forecaster also matched on 3 August. All five measured forecasts retained the supplied historical quantiles rounded to four decimal places. On 3 August,

mean median absolute error and mean pinball loss were 0.49243 and 0.20877 percentage points; on 30 August they were 0.77740 and 0.27635. The exact price-history controls yielded 0.49406/0.20905 and 0.77722/0.27622 respectively. These tiny differences reflect rounding. The existing quantile score remains the evaluation rule [14]. Full forecasts, identities, provider costs and recomputed losses are retained in `docs/guidance-intervention-receipt.json`.

The lead-agent recommendation is no change; no native Evolve execution is claimed. This fixed intervention partially changed the intermediate analysis without changing numerical forecasts. It does not establish that news is uninformative: control anchoring, unsuccessful use of the intermediate analysis and weak residual next-session signal remain different hypotheses. There was one response per arm, two input-selected historical dates, correlated stocks and possible model exposure. No policy, calibration or general performance claim follows. The next experiment must distinguish faithful intermediate reasoning, numerical sensitivity and later forecast benefit; forcing a nonzero reaction would not solve that problem.

6.4 Earlier development evidence

A paid full-graph development attempt using DeepSeek V4.1 Flash stopped at CP1 after 17 of 28 Lab nodes and 11 reasoning calls. Its responses confused artifact names with valid evidence identifiers, misstated numerical facts and turned missing lanes into market narrative. The attempt and its accounting remain preserved; it is not counted as a completed prediction.

A separate primary-agent attempt completed all 28 Lab nodes through 21 native reasoning imports. Its paired Oracle completed all 31 nodes through 11 accepted reasoning imports. The original forecast was down from approximately $27.87 to $27.50; the later close was approximately $27.18, producing absolute price error of $0.32. Direction was correct. Semantic review remained red because an observed trend did not establish a forward causal mechanism. This is one exposed, manually reasoned development episode, not a performance estimate for the failed paid model or the wider system.

The primary review proposed that the director distinguish the measured pattern, proposed mechanism and numerical target rule, and avoid increasing causal confidence after one directional hit. A following-day Lab was prepared with that policy but has no completed successor forecast. The newer daily controller makes the same kind of review and transition repeatable. Native hydration and synthetic transition tests establish its wiring; they do not supply additional historical forecast results. The original episode is recorded in `docs/daily-replay-receipt.json`.

A second development case used the three-equity InvestorBench snapshot at the 1 July 2020 close and later prices from 2 July. The earlier packet contained 73 summaries; inspection separated reported operating facts from summary sentiment, duplicate reports and indirect company mentions. It did not establish a supported next-session directional thesis. The old contracts nevertheless required a dominant cause and forecast, and Oracle later required a nonempty critique. These were engineering defects exposed by the pilot, not learned market discoveries.

The explicit abstention, unresolved-cause and no-findings branches permit the full native loop to represent this case honestly. The final execution completed 28 Lab and 31 Oracle nodes with 21 and 11 accepted response imports. Twenty-nine answers were exact reuses from the preceding development attempts; three Oracle responses were newly authored under the repaired contracts. The record is a contract replay, not 32 independent model samples or an untouched assessment. MSFT, HON and JNJ scalar prices rose approximately 0.7621, 0.6315 and 0.4203 percent. No prediction loss or hit rate exists because Lab abstained. Oracle retained the no-call and Evolve recorded a reviewed no-change decision. The source-bound receipt is `docs/abstention-receipt.json`. Neither this review nor the contract repair establishes a financial edge.

Earlier A-share numerical and text controls remain useful negative development evidence [5, 15]. On 33 exposed dates, raw mean squared errors were 0.00141850 and 0.00148344 versus a zero-relative-return reference of 0.00109518. Chronological scaling produced 0.00108729 and 0.00108654. The design followed earlier aggregate inspection; the small differences do not establish an LLM or incremental text advantage. Their retained diagnosis concerns forecast magnitude, not completion of the full daily learning loop.

7 The next useful experiment

The immediate objective is competent repeated execution with enough genuine information for the reasoning job. The newly admitted longer panel now supports this work, alongside review of missing and stale evidence and a model that consistently meets the existing contracts. Increasing the number of agents does not repair a weak source packet or an unsupported target rule.

The implemented generation adapter freezes a reviewed challenger and the exact policy that produced its teacher episode, using the existing native cohort executor and feedback evaluator. Both run the full Lab on identical later snapshots and target support with the same disclosed model identity. The selection loss is mean issue-level mean target-price relative error. Its improvement margin is declared before execution. Complete support and at least twenty issue dates are required; these are decision gates, not significance guarantees. An abstention is a retained terminal attempt with missing forecast coverage, never a zero-loss success; this gate therefore cannot select an abstaining strategy. A selective strategy would require a separately declared comparison using an objective such as the full-universe loss above. A twenty-date two-version comparison requires 840 reasoning responses before retries, which makes base competence a practical prerequisite.

A separately reviewed retention receipt binds the comparison, selected policy and final truth cutoff. The challenger is retained only if it clears the declared margin; otherwise the incumbent remains. The next generation's first issue must follow that cutoff. Historical development remains exposed, even when these chronology and provenance checks pass. No such generation comparison has yet completed; synthetic retention tests establish the control boundary only.

Once the base works, compare an unchanged pipeline with a pipeline that receives reviewed updates, on identical later snapshots and target support. Preserve all attempts

and separate source failure, invalid output, abstention, forecast error and reasoning quality. Include simple price references and a strong direct reasoner before attributing benefit to graph complexity. Numerical calibration, experience retrieval and learned procedures need separate controls. Repeated selection on the same history creates optimism [7, 10, 31]; later untouched and prospective episodes are stronger evidence than another explanation of an inspected result.

The supplied temporal forecasting paper motivates combining time-series context and text [32]; explanatory prose still needs a fidelity test. Cross-stock semantic work suggests candidate relationships to verify [17]. Financial-network forecasting motivates numerical and narrative analogs, but its targets differ from stock returns [29]. Their ideas can improve source selection and diagnostic questions without turning their benchmarks into Zenith's objective.

A trading claim would additionally require an executable entry rule, delays, positions, overlapping exposures, distributions and costs. Neither the one-day manual replay nor the supporting A-share labels establish profitability. The current deliverable is a self-contained implementation of the original learning loop and an auditable place to improve it. Whether its changes produce better later financial reasoning remains the research question.

Reproduction. Start with `README.md` and `docs/daily-replay.md`. The source checkout supports editable installation on macOS/Linux; wheel and Windows distribution are not verified. `zenith daily init` freezes the daily inputs; `zenith daily next` exposes the next actual native task; `zenith import-response` validates Lab/Oracle answers; `zenith daily review` records the reviewed Evolve decision. `zenith daily matchoff` freezes a native comparison and `zenith daily retain` records its reviewed selection; the next initializer consumes `--retention`. See `docs/generations.md`. No command in this controller purchases inference or starts a separate chat. Datasets are reacquired by pinned source identity. Historical execution custody remains local where source rights prevent bundling full inputs and transcripts. `paper/README.md` maps the evidence and limitations.

References

[1] Adobe. Adobe Reports Record Q4 and Fiscal 2022 Revenue, 2022. URL https://www.adobe.com/cc-shared/assets/investor-relations/pdfs/a2343eivfp98u.pdf. Issuer release, 2022-12-15; annual guidance tables.

[2] Adobe. Adobe Reports Record Revenue in Q2 Fiscal 2023, 2023. URL https://www.adobe.com/cc-shared/assets/investor-relations/pdfs/au5y5egrth7y.pdf. Issuer release, 2023-06-15; annual guidance tables.

[3] Adobe. Adobe Reports Record Revenue in Q1 Fiscal 2023, 2023. URL https://www.adobe.com/cc-shared/assets/investor-relations/pdfs/ayu784645yet.pdf. Issuer release, 2023-03-15; annual guidance tables.

[4] Lakshya A Agrawal, Shangyin Tan, Dilara Soylu, Noah Ziems, Rishi Khare, Krista Opsahl-Ong, Arnav Singhvi, Herumb Shandilya, Michael J Ryan, Meng Jiang, Christopher Potts, Koushik Sen, Alexandros G. Dimakis, Ion Stoica, Dan Klein, Matei Zaharia, and Omar Khattab. GEPA: Reflective Prompt Evolution Can Outperform Reinforcement Learn-

ing. arXiv:2507.19457v2, 2025. URL https://arxiv.org/abs/2507.19457v2. Version read: 2507.19457v2.

[5] ANTICH. TraderHarness A-share 5-Year Market Dataset, 2026. URL https://huggingface.co/datasets/ANTICH/traderharness-ashare-5y/tree/3bf5151ab3e94851bb09dd8ade815563c44b15a6. Dataset revision 3bf5151; original text and prices retained locally.

[6] BYD Electronic (International) Company Limited. Unaudited Results for the Three Months Ended 31 March 2023, 2023. URL https://www1.hkexnews.hk/listedco/listconews/sehk/2023/0427/2023042702913.pdf. 27 April; HKEX stock code 285. External identity audit, not added to the frozen native input.

[7] Gavin C. Cawley and Nicola L. C. Talbot. On Over-fitting in Model Selection and Subsequent Selection Bias in Performance Evaluation. *Journal of Machine Learning Research*, 11 (70):2079–2107, 2010. URL https://www.jmlr.org/papers/v11/cawley10a.html.

[8] Ching-An Cheng, Allen Nie, and Adith Swaminathan. Trace is the Next AutoDiff: Generative Optimization with Rich Feedback, Execution Traces, and LLMs. arXiv:2406.16218v2, 2024. URL https://arxiv.org/abs/2406.16218v2. Version read: 2406.16218v2.

[9] Lauren Cohen and Andrea Frazzini. Economic Links and Predictable Returns. *The Journal of Finance*, 63(4):1977–2011, 2008. doi: 10.1111/j.1540-6261.2008.01379.x. URL https://doi.org/10.1111/j.1540-6261.2008.01379.x.

[10] Cynthia Dwork, Vitaly Feldman, Moritz Hardt, Toniann Pitassi, Omer Reingold, and Aaron Roth. Generalization in Adaptive Data Analysis and Holdout Reuse. arXiv:1506.02629v2, 2015. URL https://arxiv.org/abs/1506.02629v2. Version read: 1506.02629v2.

[11] FNSPID contributors. FNSPID original AA news and price CSV source snapshot, 2025. URL https://github.com/Zdong104/FNSPID_Financial_News_Dataset/tree/4054842ec476953b30ee874d4b7e8eea786a21fa. Commit 4054842ec476953b30ee874d4b7e8eea786a21fa; original news and stock-price files under data_processor, inspected 12 October 2026. Dataset adaptation, not reproduction of reported model scores.

[12] Yonatan Geifman and Ran El-Yaniv. SelectiveNet: A deep neural network with an integrated reject option. In *Proceedings of the 36th International Conference on Machine Learning*, volume 97 of *Proceedings of Machine Learning Research*, pages 2151–2159, 2019. URL https://proceedings.mlr.press/v97/geifman19a.html.

[13] Paul Glasserman and Caden Lin. Assessing Look-Ahead Bias in Stock Return Predictions Generated By GPT Sentiment Analysis. arXiv:2309.17322v1, 2023. URL https://arxiv.org/abs/2309.17322v1. Version read: 2309.17322v1.

[14] Tilmann Gneiting and Adrian E. Raftery. Strictly proper scoring rules, prediction, and estimation. *Journal of the American Statistical Association*, 102(477):359–378, 2007. doi: 10.1198/016214506000001437.

[15] HephaestLab. TraderHarness: A Contamination-Resistant Environment for Autonomous Trading Agents, 2026. URL https://github.com/HephaestLab/TraderHarness/tree/3e18369da5a2060f9c65b27c2a63f99edd93e167. Software v1.1.0, 19 July 2026; source commit 3e18369. The title is not a contamination guarantee for this study.

[16] Herculean contributors. Public trading-analysis database source snapshot, 2026. URL https://github.com/xueqingpeng/trading-analysis/tree/7e4e9cf82a6affd77124e0e17ec9b915719eff9f. Commit 7e4e9cf82a6affd77124e0e17ec9b915719eff9f; env.duckdb inspected 12 October 2026.

Source inspection, not reproduced benchmark performance.

[17] Yikuan Huang, Zheqi Fan, Kaiqi Hu, and Yifan Ye. Cross-Stock Predictability via LLM-Augmented Semantic Networks. arXiv:2604.19476v2, 2026. URL https://arxiv.org/abs/2604.19476v2. Version 2, 26 April 2026; methodological comparison, not a reproduced result.

[18] InvestorBench contributors. INVESTOR-BENCH public data source snapshot, 2025. URL https://github.com/felis33/INVESTOR-BENCH/tree/87e0f7bc83baf7d89fbdc1a51f92458f8d4ee11a. Commit 87e0f7bc83baf7d89fbdc1a51f92458f8d4ee11a; data/msft.json, data/hon.json and data/jnj.json, inspected 12 October 2026.

[19] Andrej Karpathy. autoresearch, 2026. URL https://github.com/karpathy/autoresearch/tree/228791fb499afffb54b46200aca536f79142f117. Source and program.md inspected at commit 228791fb499afffb54b46200aca536f79142f117. Used for the bounded edit, evaluate and keep/discard pattern; GPU training code not reused.

[20] Haohang Li, Yupeng Cao, Yangyang Yu, Shashidhar Reddy Javaji, Zhiyang Deng, Yueru He, Yuechen Jiang, Zining Zhu, K. P. Subbalakshmi, Jimin Huang, Lingfei Qian, Xueqing Peng, Jordan W. Suchow, and Qianqian Xie. INVESTORBENCH: A benchmark for financial decision-making tasks with LLM-based agent. In *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics* (*Volume 1: Long Papers*), pages 2509–2525. Association for Computational Linguistics, 2025. doi: 10.18653/v1/2025.acl-long.126. URL https://aclanthology.org/2025.acl-long.126/.

[21] Alejandro Lopez-Lira and Yuehua Tang. Can ChatGPT Forecast Stock Price Movements? Return Predictability and Large Language Models. arXiv:2304.07619v6, 2023. URL https://arxiv.org/abs/2304.07619v6. Version read: 2304.07619v6; original submission 2023.

[22] Microsoft. Microsoft Cloud and AI Strength Drives First Quarter Results, 2025. URL https://www.microsoft.com/en-us/Investor/earnings/FY-2026-Q1/press-release-webcast. Issuer release, 29 October 2025; quarter ending 30 September 2025.

[23] Microsoft. Microsoft Cloud and AI Strength Drives Second Quarter Results, 2026. URL https://www.microsoft.com/en-us/Investor/earnings/FY-2026-Q2/press-release-webcast. Issuer release, 28 January 2026; quarter ending 31 December 2025.

[24] Krista Opsahl-Ong, Michael J Ryan, Josh Purtell, David Broman, Christopher Potts, Matei Zaharia, and Omar Khattab. Optimizing Instructions and Demonstrations for Multi-Stage Language Model Programs. arXiv:2406.11695v2, 2024. URL https://arxiv.org/abs/2406.11695v2. Version read: 2406.11695v2.

[25] Salesforce. Salesforce Announces Strong Fourth Quarter and Full Fiscal 2023 Results, 2023. URL https://www.salesforce.com/news/press-releases/2023/03/01/q4-fy23-results-update/?bc=OTH. Issuer release, 2023-03-01; annual guidance tables.

[26] Salesforce. Salesforce Announces Strong First Quarter Fiscal 2024 Results, 2023. URL https://www.salesforce.com/news/press-releases/2023/05/31/fy24-q1-earnings/. Issuer release, 2023-05-31; annual guidance tables.

[27] David Silver and Demis Hassabis. AlphaGo Zero: Starting from Scratch, 2017. URL https://deepmind.google/blog/alphago-zero-starting-from-scratch/. DeepMind, 18 October 2017. Primary account of the self-play and policy-improvement cycle; used here as a design analogy.

[28] Vladimir Vapnik and Rauf Izmailov. Learning using privileged information: Similarity control and knowledge transfer. *Journal of Machine Learning Research*, 16(61):2023–2049, 2015. URL https://jmlr.org/papers/v16/vapnik15b.html.

[29] Mini Han Wang and Ying Yeung. Large language model-driven time-series forecasting of financial network indicators. *Frontiers in Artificial Intelligence*, 9:1722121, 2026. doi: 10.3389/frai.2026.1722121. URL https://www.frontiersin.org/journals/artificial-intelligence/articles/10.3389/frai.2026.1722121/full.

[30] Wenyan0110. Multimodal Dataset for Financial Time-Series Forecasting: S&P 500 Time Series, n.d. URL https://huggingface.co/datasets/Wenyan0110/Multimodal-Dataset-Image_Text_Table_TimeSeries-for-Financial-Time-Series-Forecasting/tree/72d4e97b9acb92651949b8efb22c55676ff633ff. Dataset snapshot 72d4e97, accessed 12 October 2026; historical OHLC adjustment vintage unverified.

[31] Halbert White. A Reality Check for Data Snooping. *Econometrica*, 68(5):1097–1126, 2000. doi: 10.1111/1468-0262.00152. URL https://bashtage.github.io/kevinsheppard.com/files/teaching/mfe/advanced-econometrics/White.pdf.

[32] Xinli Yu, Zheng Chen, Yuan Ling, Shujing Dong, Zongyi Liu, and Yanbin Lu. Temporal Data Meets LLM—Explainable Financial Time Series Forecasting. arXiv:2306.11025v1, 2023. URL https://arxiv.org/abs/2306.11025v1. Version 1, 19 June 2023; printed ACM metadata contains template placeholders.

[33] Yangyang Yu, Haohang Li, Zhi Chen, Yuechen Jiang, Yang Li, Denghui Zhang, Rong Liu, Jordan W. Suchow, and Khaldoun Khashanah. FinMem: A Performance-Enhanced LLM Trading Agent with Layered Memory and Character Design. arXiv:2311.13743v2, 2023. URL https://arxiv.org/abs/2311.13743v2.

[34] Yangyang Yu, Zhiyuan Yao, Haohang Li, Zhiyang Deng, Yupeng Cao, Zhi Chen, Jordan W. Suchow, Rong Liu, Zhenyu Cui, Zhaozhuo Xu, Denghui Zhang, Koduvayur Subbalakshmi, Guojun Xiong, Yueru He, Jimin Huang, Dong Li, and Qianqian Xie. FinCon: A Synthesized LLM Multi-Agent System with Conceptual Verbal Reinforcement for Enhanced Financial Decision Making. arXiv:2407.06567v3, 2024. URL https://arxiv.org/abs/2407.06567v3. Version read: 2407.06567v3.

[35] Mert Yuksekgonul, Federico Bianchi, Joseph Boen, Sheng Liu, Zhi Huang, Carlos Guestrin, and James Zou. TextGrad: Automatic "Differentiation" via Text. arXiv:2406.07496v1, 2024. URL https://arxiv.org/abs/2406.07496v1. Version read: 2406.07496v1.