

Basis SMEFTsim_top (EFT SMEFT)

Basis used in the **SMEFTsim_top** UFO models, version 3.0.0 or later. Implements Warsaw basis with $U(2)^3$ flavor symmetry in the quarks sector and $U(1)^3$ in the leptons sector. Q, t, b are left- and right-handed 3rd gen quarks, q, u, d are the left- and right-handed quark fields containing only the first two generations, and transforming as $U(2)$ -flavor doublets. ℓ, e are left- and right-handed lepton fields. Y_u, Y_d are the 2x2 Yukawas of up and down quarks in the first two generations, defined by $L_{SM} \supset \bar{d} Y_d H^\dagger q$ and analogously for the others. Spurions connecting the first two generations with the 3rd are absent. In the UFO models, both Y_u and Y_d are assumed diagonal at the scale of evaluation, and the CKM is taken to be the unit matrix. Flavor indices are indicated with p, r, s, t with Einstein conventions on repeated indices. They run over 1,2 for quarks. This basis definition corresponds to a fixed **LambdaSMEFT=1e+3** in the UFO models. Notation and conventions can vary compared to the Warsaw basis paper, see arXiv:2012.11343 for all definitions.

Sectors

The effective Lagrangian is defined as

$$\mathcal{L}_{\text{eff}} = -\mathcal{H}_{\text{eff}} = \sum_{O_i=O_i^\dagger} C_i O_i + \sum_{O_i \neq O_i^\dagger} (C_i O_i + C_i^* O_i^\dagger).$$

dB=de=dmu=dtau=0

WC name	Operator	Type
cG	$f^{ABC} G_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu} / \text{TeV}^2$	R
cGtil	$f^{ABC} \tilde{G}_\mu^{A\nu} G_\nu^{B\rho} G_\rho^{C\mu} / \text{TeV}^2$	R
cW	$\varepsilon^{IJK} W_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu} / \text{TeV}^2$	R
cWtil	$\varepsilon^{IJK} \tilde{W}_\mu^{I\nu} W_\nu^{J\rho} W_\rho^{K\mu} / \text{TeV}^2$	R
cH	$(H^\dagger H)^3 / \text{TeV}^2$	R
cHbox	$(H^\dagger H) \square (H^\dagger H) / \text{TeV}^2$	R
cHDD	$(D_\mu H^\dagger H) (H^\dagger D^\mu H) / \text{TeV}^2$	R
cHG	$G_{\mu\nu}^A G^{A\mu\nu} H^\dagger H / \text{TeV}^2$	R
cHGtil	$\tilde{G}_{\mu\nu}^A G^{A\mu\nu} H^\dagger H / \text{TeV}^2$	R
cHW	$W_{\mu\nu}^I W^{I\mu\nu} H^\dagger H / \text{TeV}^2$	R
cHWtil	$\tilde{W}_{\mu\nu}^I W^{I\mu\nu} H^\dagger H / \text{TeV}^2$	R
cHB	$B_{\mu\nu} B^{\mu\nu} H^\dagger H / \text{TeV}^2$	R
cHBtil	$\tilde{B}_{\mu\nu} B^{\mu\nu} H^\dagger H / \text{TeV}^2$	R
cHWB	$B_{\mu\nu} W^{I\mu\nu} H^\dagger \sigma^I H / \text{TeV}^2$	R
cHWBtil	$B_{\mu\nu} \tilde{W}^{I\mu\nu} H^\dagger \sigma^I H / \text{TeV}^2$	R
ceHRe11	$(\bar{\ell}_1 H e_1) (H^\dagger H) / \text{TeV}^2 + \text{h.c.}$	R
ceHRe22	$(\bar{\ell}_2 H e_2) (H^\dagger H) / \text{TeV}^2 + \text{h.c.}$	R

WC name	Operator	Type
ceHRe33	$(\bar{\ell}_3 H e_3)(H^\dagger H)/\text{TeV}^2 + \text{h.c.}$	R
ceHIm11	$i(\bar{\ell}_1 H e_1)(H^\dagger H)/\text{TeV}^2 + \text{h.c.}$	R
ceHIm22	$i(\bar{\ell}_2 H e_2)(H^\dagger H)/\text{TeV}^2 + \text{h.c.}$	R
ceHIm33	$i(\bar{\ell}_3 H e_3)(H^\dagger H)/\text{TeV}^2 + \text{h.c.}$	R
cuHRe	$(Y_u^\dagger)_{pr}(\bar{q}_p \tilde{H} u_r)(H^\dagger H)/\text{TeV}^2 + \text{h.c.}$	R
cuHIm	$i(Y_u^\dagger)_{pr}(\bar{q}_p \tilde{H} u_r)(H^\dagger H)/\text{TeV}^2 + \text{h.c.}$	R
ctHRe	$(\bar{Q} \tilde{H} t)(H^\dagger H)/\text{TeV}^2 + \text{h.c.}$	R
ctHIm	$i(\bar{Q} \tilde{H} t)(H^\dagger H)/\text{TeV}^2 + \text{h.c.}$	R
cdHRe	$(Y_d^\dagger)_{pr}(\bar{q}_p H d_r)(H^\dagger H)/\text{TeV}^2 + \text{h.c.}$	R
cdHIm	$i(Y_d^\dagger)_{pr}(\bar{q}_p H d_r)(H^\dagger H)/\text{TeV}^2 + \text{h.c.}$	R
cbHRe	$(\bar{Q} H b)(H^\dagger H)/\text{TeV}^2 + \text{h.c.}$	R
cbHIm	$i(\bar{Q} H b)(H^\dagger H)/\text{TeV}^2 + \text{h.c.}$	R
ceWRe11	$(\bar{\ell}_1 \sigma^I H \sigma^{\mu\nu} e_1) W_{\mu\nu}^I / \text{TeV}^2 + \text{h.c.}$	R
ceWRe22	$(\bar{\ell}_2 \sigma^I H \sigma^{\mu\nu} e_2) W_{\mu\nu}^I / \text{TeV}^2 + \text{h.c.}$	R
ceWRe33	$(\bar{\ell}_3 \sigma^I H \sigma^{\mu\nu} e_3) W_{\mu\nu}^I / \text{TeV}^2 + \text{h.c.}$	R
ceWIm11	$i(\bar{\ell}_1 \sigma^I H \sigma^{\mu\nu} e_1) W_{\mu\nu}^I / \text{TeV}^2 + \text{h.c.}$	R
ceWIm22	$i(\bar{\ell}_2 \sigma^I H \sigma^{\mu\nu} e_2) W_{\mu\nu}^I / \text{TeV}^2 + \text{h.c.}$	R
ceWIm33	$i(\bar{\ell}_3 \sigma^I H \sigma^{\mu\nu} e_3) W_{\mu\nu}^I / \text{TeV}^2 + \text{h.c.}$	R
ceBRe11	$(\bar{\ell}_1 H \sigma^{\mu\nu} e_1) B_{\mu\nu} / \text{TeV}^2 + \text{h.c.}$	R
ceBRe22	$(\bar{\ell}_2 H \sigma^{\mu\nu} e_2) B_{\mu\nu} / \text{TeV}^2 + \text{h.c.}$	R
ceBRe33	$(\bar{\ell}_3 H \sigma^{\mu\nu} e_3) B_{\mu\nu} / \text{TeV}^2 + \text{h.c.}$	R
ceBIm11	$i(\bar{\ell}_1 H \sigma^{\mu\nu} e_1) B_{\mu\nu} / \text{TeV}^2 + \text{h.c.}$	R
ceBIm22	$i(\bar{\ell}_2 H \sigma^{\mu\nu} e_2) B_{\mu\nu} / \text{TeV}^2 + \text{h.c.}$	R
ceBIm33	$i(\bar{\ell}_3 H \sigma^{\mu\nu} e_3) B_{\mu\nu} / \text{TeV}^2 + \text{h.c.}$	R
cuGRe	$(Y_u^\dagger)_{pr}(\bar{q}_p \tilde{H} \sigma^{\mu\nu} T^A u_r) G_{\mu\nu}^A / \text{TeV}^2 + \text{h.c.}$	R
cuGIm	$i(Y_u^\dagger)_{pr}(\bar{q}_p \tilde{H} \sigma^{\mu\nu} T^A u_r) G_{\mu\nu}^A / \text{TeV}^2 + \text{h.c.}$	R
ctGRe	$(\bar{Q} \tilde{H} \sigma^{\mu\nu} T^A t) G_{\mu\nu}^A / \text{TeV}^2 + \text{h.c.}$	R
ctGIm	$i(\bar{Q} \tilde{H} \sigma^{\mu\nu} T^A t) G_{\mu\nu}^A / \text{TeV}^2 + \text{h.c.}$	R
cuWRe	$(Y_u^\dagger)_{pr}(\bar{q}_p \sigma^I \tilde{H} \sigma^{\mu\nu} u_r) W_{\mu\nu}^I / \text{TeV}^2 + \text{h.c.}$	R
cuWIm	$i(Y_u^\dagger)_{pr}(\bar{q}_p \sigma^I \tilde{H} \sigma^{\mu\nu} u_r) W_{\mu\nu}^I / \text{TeV}^2 + \text{h.c.}$	R
ctWRe	$(\bar{Q} \sigma^I \tilde{H} \sigma^{\mu\nu} t) W_{\mu\nu}^I / \text{TeV}^2 + \text{h.c.}$	R
ctWIm	$i(\bar{Q} \sigma^I \tilde{H} \sigma^{\mu\nu} t) W_{\mu\nu}^I / \text{TeV}^2 + \text{h.c.}$	R
cuBRe	$(Y_u^\dagger)_{pr}(\bar{q}_p \tilde{H} \sigma^{\mu\nu} u_r) B_{\mu\nu} / \text{TeV}^2 + \text{h.c.}$	R
cuBIm	$i(Y_u^\dagger)_{pr}(\bar{q}_p \tilde{H} \sigma^{\mu\nu} u_r) B_{\mu\nu} / \text{TeV}^2 + \text{h.c.}$	R
ctBRe	$(\bar{Q} \tilde{H} \sigma^{\mu\nu} t) B_{\mu\nu} / \text{TeV}^2 + \text{h.c.}$	R
ctBIm	$i(\bar{Q} \tilde{H} \sigma^{\mu\nu} t) B_{\mu\nu} / \text{TeV}^2 + \text{h.c.}$	R
cdGRe	$(Y_d^\dagger)_{pr}(\bar{q}_p H \sigma^{\mu\nu} T^A d_r) G_{\mu\nu}^A / \text{TeV}^2 + \text{h.c.}$	R
cdGIm	$i(Y_d^\dagger)_{pr}(\bar{q}_p H \sigma^{\mu\nu} T^A d_r) G_{\mu\nu}^A / \text{TeV}^2 + \text{h.c.}$	R
cbGRe	$(\bar{Q} H \sigma^{\mu\nu} T^A b) G_{\mu\nu}^A / \text{TeV}^2 + \text{h.c.}$	R
cbGIm	$i(\bar{Q} H \sigma^{\mu\nu} T^A b) G_{\mu\nu}^A / \text{TeV}^2 + \text{h.c.}$	R
cdWRe	$(Y_d^\dagger)_{pr}(\bar{q}_p \sigma^I H \sigma^{\mu\nu} d_r) W_{\mu\nu}^I / \text{TeV}^2 + \text{h.c.}$	R

WC name	Operator	Type
cdWIm	$i(Y_d^\dagger)_{pr}(\bar{q}_p\sigma^I H\sigma^{\mu\nu}d_r)W_{\mu\nu}^I/\text{TeV}^2 + \text{h.c.}$	R
cbWRe	$(\bar{Q}\sigma^I H\sigma^{\mu\nu}b)W_{\mu\nu}^I/\text{TeV}^2 + \text{h.c.}$	R
cbWIm	$i(\bar{Q}\sigma^I H\sigma^{\mu\nu}b)W_{\mu\nu}^I/\text{TeV}^2 + \text{h.c.}$	R
cdBRe	$(Y_d^\dagger)_{pr}(\bar{q}_p H\sigma^{\mu\nu}d_r)B_{\mu\nu}/\text{TeV}^2 + \text{h.c.}$	R
cdBIm	$i(Y_d^\dagger)_{pr}(\bar{q}_p H\sigma^{\mu\nu}d_r)B_{\mu\nu}/\text{TeV}^2 + \text{h.c.}$	R
cbBRe	$(\bar{Q}H\sigma^{\mu\nu}b)B_{\mu\nu}/\text{TeV}^2 + \text{h.c.}$	R
cbBIm	$i(\bar{Q}H\sigma^{\mu\nu}b)B_{\mu\nu}/\text{TeV}^2 + \text{h.c.}$	R
ch1111	$(H^\dagger i\overleftrightarrow{D}_\mu H)(\bar{\ell}_1\gamma^\mu\ell_1)/\text{TeV}^2$	R
ch1122	$(H^\dagger i\overleftrightarrow{D}_\mu H)(\bar{\ell}_2\gamma^\mu\ell_2)/\text{TeV}^2$	R
ch1133	$(H^\dagger i\overleftrightarrow{D}_\mu H)(\bar{\ell}_3\gamma^\mu\ell_3)/\text{TeV}^2$	R
ch1311	$(H^\dagger i\overleftrightarrow{D}_\mu^I H)(\bar{\ell}_1\gamma^\mu\sigma^I\ell_1)/\text{TeV}^2$	R
ch1322	$(H^\dagger i\overleftrightarrow{D}_\mu^I H)(\bar{\ell}_2\gamma^\mu\sigma^I\ell_2)/\text{TeV}^2$	R
ch1333	$(H^\dagger i\overleftrightarrow{D}_\mu^I H)(\bar{\ell}_3\gamma^\mu\sigma^I\ell_3)/\text{TeV}^2$	R
chj1	$(H^\dagger i\overleftrightarrow{D}_\mu H)(\bar{q}_p\gamma^\mu q_p)/\text{TeV}^2$	R
chj3	$(H^\dagger i\overleftrightarrow{D}_\mu^I H)(\bar{q}_p\gamma^\mu\sigma^I q_p)/\text{TeV}^2$	R
chQ1	$(H^\dagger i\overleftrightarrow{D}_\mu H)(\bar{Q}\gamma^\mu Q)/\text{TeV}^2$	R
chQ3	$(H^\dagger i\overleftrightarrow{D}_\mu^I H)(\bar{Q}\gamma^\mu\sigma^I Q)/\text{TeV}^2$	R
che11	$(H^\dagger i\overleftrightarrow{D}_\mu H)(\bar{e}_1\gamma^\mu e_1)/\text{TeV}^2$	R
che22	$(H^\dagger i\overleftrightarrow{D}_\mu H)(\bar{e}_2\gamma^\mu e_2)/\text{TeV}^2$	R
che33	$(H^\dagger i\overleftrightarrow{D}_\mu H)(\bar{e}_3\gamma^\mu e_3)/\text{TeV}^2$	R
chu	$(H^\dagger i\overleftrightarrow{D}_\mu H)(\bar{u}_p\gamma^\mu u_p)/\text{TeV}^2$	R
cht	$(H^\dagger i\overleftrightarrow{D}_\mu^I H)(\bar{t}\gamma^\mu t)/\text{TeV}^2$	R
chd	$(H^\dagger i\overleftrightarrow{D}_\mu H)(\bar{d}_p\gamma^\mu d_p)/\text{TeV}^2$	R
chbq	$(H^\dagger i\overleftrightarrow{D}_\mu H)(\bar{b}\gamma^\mu b)/\text{TeV}^2$	R
chudRe	$(Y_u Y_d^\dagger)_{pr}(\tilde{H}^\dagger iD_\mu H)(\bar{u}_p\gamma^\mu d_r)/\text{TeV}^2 + \text{h.c.}$	R
chudIm	$i(Y_u Y_d^\dagger)_{pr}(\tilde{H}^\dagger iD_\mu H)(\bar{u}_p\gamma^\mu d_r)/\text{TeV}^2 + \text{h.c.}$	R
chtbRe	$(\tilde{H}^\dagger iD_\mu H)(\bar{t}\gamma^\mu b)/\text{TeV}^2 + \text{h.c.}$	R
chtbIm	$i(\tilde{H}^\dagger iD_\mu H)(\bar{t}\gamma^\mu b)/\text{TeV}^2 + \text{h.c.}$	R
cl11111	$(\bar{\ell}_1\gamma_\mu\ell_1)(\bar{\ell}_1\gamma^\mu\ell_1)/\text{TeV}^2$	R
cl12222	$(\bar{\ell}_2\gamma_\mu\ell_2)(\bar{\ell}_2\gamma^\mu\ell_2)/\text{TeV}^2$	R
cl13333	$(\bar{\ell}_3\gamma_\mu\ell_3)(\bar{\ell}_3\gamma^\mu\ell_3)/\text{TeV}^2$	R
cl11122	$(\bar{\ell}_1\gamma_\mu\ell_1)(\bar{\ell}_2\gamma^\mu\ell_2)/\text{TeV}^2$	R
cl11133	$(\bar{\ell}_1\gamma_\mu\ell_1)(\bar{\ell}_3\gamma^\mu\ell_3)/\text{TeV}^2$	R
cl12233	$(\bar{\ell}_2\gamma_\mu\ell_2)(\bar{\ell}_3\gamma^\mu\ell_3)/\text{TeV}^2$	R
cl11221	$(\bar{\ell}_1\gamma_\mu\ell_2)(\bar{\ell}_2\gamma^\mu\ell_1)/\text{TeV}^2$	R
cl11331	$(\bar{\ell}_1\gamma_\mu\ell_3)(\bar{\ell}_3\gamma^\mu\ell_1)/\text{TeV}^2$	R
cl12332	$(\bar{\ell}_2\gamma_\mu\ell_3)(\bar{\ell}_3\gamma^\mu\ell_2)/\text{TeV}^2$	R
clj111	$(\bar{\ell}_1\gamma_\mu\ell_1)(\bar{q}_r\gamma^\mu q_r)/\text{TeV}^2$	R
clj122	$(\bar{\ell}_2\gamma_\mu\ell_2)(\bar{q}_r\gamma^\mu q_r)/\text{TeV}^2$	R

WC name	Operator	Type
clj133	$(\bar{\ell}_3 \gamma_\mu \ell_3)(\bar{q}_r \gamma^\mu q_r)/\text{TeV}^2$	R
clj311	$(\bar{\ell}_1 \gamma_\mu \sigma^I \ell_1)(\bar{q}_r \gamma^\mu \sigma^I q_r)/\text{TeV}^2$	R
clj322	$(\bar{\ell}_2 \gamma_\mu \sigma^I \ell_2)(\bar{q}_r \gamma^\mu \sigma^I q_r)/\text{TeV}^2$	R
clj333	$(\bar{\ell}_3 \gamma_\mu \sigma^I \ell_3)(\bar{q}_r \gamma^\mu \sigma^I q_r)/\text{TeV}^2$	R
cQl111	$(\bar{Q} \gamma_\mu Q)(\bar{\ell}_1 \gamma^\mu \ell_1)/\text{TeV}^2$	R
cQl122	$(\bar{Q} \gamma_\mu Q)(\bar{\ell}_2 \gamma^\mu \ell_2)/\text{TeV}^2$	R
cQl133	$(\bar{Q} \gamma_\mu Q)(\bar{\ell}_3 \gamma^\mu \ell_3)/\text{TeV}^2$	R
cQl311	$(\bar{Q} \gamma_\mu \sigma^I Q)(\bar{\ell}_1 \gamma^\mu \sigma^I \ell_1)/\text{TeV}^2$	R
cQl322	$(\bar{Q} \gamma_\mu \sigma^I Q)(\bar{\ell}_2 \gamma^\mu \sigma^I \ell_2)/\text{TeV}^2$	R
cQl333	$(\bar{Q} \gamma_\mu \sigma^I Q)(\bar{\ell}_3 \gamma^\mu \sigma^I \ell_3)/\text{TeV}^2$	R
cjj11	$(\bar{q}_p \gamma_\mu q_p)(\bar{q}_r \gamma^\mu q_r)/\text{TeV}^2$	R
cjj18	$(\bar{q}_p \gamma_\mu T^A q_p)(\bar{q}_r \gamma^\mu T^A q_r)/\text{TeV}^2$	R
cjj31	$(\bar{q}_p \gamma_\mu \sigma^I q_p)(\bar{q}_r \gamma^\mu \sigma^I q_r)/\text{TeV}^2$	R
cjj38	$(\bar{q}_p \gamma_\mu \sigma^I T^A q_p)(\bar{q}_r \gamma^\mu \sigma^I T^A q_r)/\text{TeV}^2$	R
cQQ1	$(\bar{Q} \gamma_\mu Q)(\bar{Q} \gamma^\mu Q)/\text{TeV}^2$	R
cQQ8	$(\bar{Q} \gamma_\mu T^A Q)(\bar{Q} \gamma^\mu T^A Q)/\text{TeV}^2$	R
cQj11	$(\bar{Q} \gamma_\mu Q)(\bar{q}_p \gamma^\mu q_p)/\text{TeV}^2$	R
cQj18	$(\bar{Q} \gamma_\mu T^A Q)(\bar{q}_p \gamma^\mu T^A q_p)/\text{TeV}^2$	R
cQj31	$(\bar{Q} \gamma_\mu \sigma^I Q)(\bar{q}_p \gamma^\mu \sigma^I q_p)/\text{TeV}^2$	R
cQj38	$(\bar{Q} \gamma_\mu \sigma^I T^A Q)(\bar{q}_p \gamma^\mu \sigma^I T^A q_p)/\text{TeV}^2$	R
cee1111	$(\bar{e}_1 \gamma_\mu e_1)(\bar{e}_1 \gamma^\mu e_1)/\text{TeV}^2$	R
cee2222	$(\bar{e}_2 \gamma_\mu e_2)(\bar{e}_2 \gamma^\mu e_2)/\text{TeV}^2$	R
cee3333	$(\bar{e}_3 \gamma_\mu e_3)(\bar{e}_3 \gamma^\mu e_3)/\text{TeV}^2$	R
cee1122	$(\bar{e}_1 \gamma_\mu e_1)(\bar{e}_2 \gamma^\mu e_2)/\text{TeV}^2$	R
cee1133	$(\bar{e}_1 \gamma_\mu e_1)(\bar{e}_3 \gamma^\mu e_3)/\text{TeV}^2$	R
cee2233	$(\bar{e}_2 \gamma_\mu e_2)(\bar{e}_3 \gamma^\mu e_3)/\text{TeV}^2$	R
cuu1	$(\bar{u}_p \gamma_\mu u_p)(\bar{u}_r \gamma^\mu u_r)/\text{TeV}^2$	R
cuu8	$(\bar{u}_p \gamma_\mu T^A u_p)(\bar{u}_r \gamma^\mu T^A u_r)/\text{TeV}^2$	R
ctt	$(\bar{t} \gamma_\mu t)(\bar{t} \gamma^\mu t)/\text{TeV}^2$	R
ctu1	$(\bar{t} \gamma_\mu t)(\bar{u}_p \gamma^\mu u_p)/\text{TeV}^2$	R
ctu8	$(\bar{t} \gamma_\mu T^A t)(\bar{u}_p \gamma^\mu T^A u_p)/\text{TeV}^2$	R
cdd1	$(\bar{d}_p \gamma_\mu d_p)(\bar{d}_r \gamma^\mu d_r)/\text{TeV}^2$	R
cdd8	$(\bar{d}_p \gamma_\mu T^A d_p)(\bar{d}_r \gamma^\mu T^A d_r)/\text{TeV}^2$	R
cbb	$(\bar{b} \gamma_\mu b)(\bar{b} \gamma^\mu b)/\text{TeV}^2$	R
cbd1	$(\bar{b} \gamma_\mu b)(\bar{d}_p \gamma^\mu d_p)/\text{TeV}^2$	R
cbd8	$(\bar{b} \gamma_\mu T^A b)(\bar{d}_p \gamma^\mu T^A d_p)/\text{TeV}^2$	R
ceu11	$(\bar{e}_1 \gamma_\mu e_1)(\bar{u}_r \gamma^\mu u_r)/\text{TeV}^2$	R
ceu22	$(\bar{e}_2 \gamma_\mu e_2)(\bar{u}_r \gamma^\mu u_r)/\text{TeV}^2$	R
ceu33	$(\bar{e}_3 \gamma_\mu e_3)(\bar{u}_r \gamma^\mu u_r)/\text{TeV}^2$	R
cte11	$(\bar{e}_1 \gamma_\mu e_1)(\bar{t} \gamma^\mu t)/\text{TeV}^2$	R
cte22	$(\bar{e}_2 \gamma_\mu e_2)(\bar{t} \gamma^\mu t)/\text{TeV}^2$	R
cte33	$(\bar{e}_3 \gamma_\mu e_3)(\bar{t} \gamma^\mu t)/\text{TeV}^2$	R

WC name	Operator	Type
ced11	$(\bar{e}_1 \gamma_\mu e_1)(\bar{d}_r \gamma^\mu d_r)/\text{TeV}^2$	R
ced22	$(\bar{e}_2 \gamma_\mu e_2)(\bar{d}_r \gamma^\mu d_r)/\text{TeV}^2$	R
ced33	$(\bar{e}_3 \gamma_\mu e_3)(\bar{d}_r \gamma^\mu d_r)/\text{TeV}^2$	R
cbe11	$(\bar{e}_1 \gamma_\mu e_1)(\bar{b} \gamma^\mu b)/\text{TeV}^2$	R
cbe22	$(\bar{e}_2 \gamma_\mu e_2)(\bar{b} \gamma^\mu b)/\text{TeV}^2$	R
cbe33	$(\bar{e}_3 \gamma_\mu e_3)(\bar{b} \gamma^\mu b)/\text{TeV}^2$	R
cud1	$(\bar{u}_p \gamma_\mu u_p)(\bar{d}_r \gamma^\mu d_r)/\text{TeV}^2$	R
ctd1	$(\bar{t} \gamma_\mu t)(\bar{d}_p \gamma^\mu d_p)/\text{TeV}^2$	R
cbu1	$(\bar{u}_p \gamma_\mu u_p)(\bar{b} \gamma^\mu b)/\text{TeV}^2$	R
ctb1	$(\bar{t} \gamma_\mu t)(\bar{b} \gamma^\mu b)/\text{TeV}^2$	R
cud8	$(\bar{u}_p \gamma_\mu T^A u_p)(\bar{d}_r \gamma^\mu T^A d_r)/\text{TeV}^2$	R
ctd8	$(\bar{t} \gamma_\mu T^A t)(\bar{d}_p \gamma^\mu T^A d_p)/\text{TeV}^2$	R
cbu8	$(\bar{u}_p \gamma_\mu T^A u_p)(\bar{b} \gamma^\mu T^A b)/\text{TeV}^2$	R
ctb8	$(\bar{t} \gamma_\mu T^A t)(\bar{b} \gamma^\mu T^A b)/\text{TeV}^2$	R
cutbd1Re	$(Y_u Y_d^\dagger)_{pr}(\bar{u}_p \gamma_\mu t)(\bar{b} \gamma^\mu d_r)/\text{TeV}^2 + \text{h.c.}$	R
cutbd1Im	$i(Y_u Y_d^\dagger)_{pr}(\bar{u}_p \gamma_\mu t)(\bar{b} \gamma^\mu d_r)/\text{TeV}^2 + \text{h.c.}$	R
cutbd8Re	$(Y_u Y_d^\dagger)_{pr}(\bar{u}_p \gamma_\mu T^A t)(\bar{b} \gamma^\mu T^A d_r)/\text{TeV}^2 + \text{h.c.}$	R
cutbd8Im	$i(Y_u Y_d^\dagger)_{pr}(\bar{u}_p \gamma_\mu T^A t)(\bar{b} \gamma^\mu T^A d_r)/\text{TeV}^2 + \text{h.c.}$	R
cle1111	$(\bar{\ell}_1 \gamma_\mu \ell_1)(\bar{e}_1 \gamma^\mu e_1)/\text{TeV}^2$	R
cle2222	$(\bar{\ell}_2 \gamma_\mu \ell_2)(\bar{e}_2 \gamma^\mu e_2)/\text{TeV}^2$	R
cle3333	$(\bar{\ell}_3 \gamma_\mu \ell_3)(\bar{e}_3 \gamma^\mu e_3)/\text{TeV}^2$	R
cle1122	$(\bar{\ell}_1 \gamma_\mu \ell_1)(\bar{e}_2 \gamma^\mu e_2)/\text{TeV}^2$	R
cle1133	$(\bar{\ell}_1 \gamma_\mu \ell_1)(\bar{e}_3 \gamma^\mu e_3)/\text{TeV}^2$	R
cle2211	$(\bar{\ell}_2 \gamma_\mu \ell_2)(\bar{e}_1 \gamma^\mu e_1)/\text{TeV}^2$	R
cle2233	$(\bar{\ell}_2 \gamma_\mu \ell_2)(\bar{e}_3 \gamma^\mu e_3)/\text{TeV}^2$	R
cle3311	$(\bar{\ell}_3 \gamma_\mu \ell_3)(\bar{e}_1 \gamma^\mu e_1)/\text{TeV}^2$	R
cle3322	$(\bar{\ell}_3 \gamma_\mu \ell_3)(\bar{e}_2 \gamma^\mu e_2)/\text{TeV}^2$	R
cle1221	$(\bar{\ell}_1 \gamma_\mu \ell_2)(\bar{e}_2 \gamma^\mu e_1)/\text{TeV}^2 + \text{h.c.}$	R
cle1331	$(\bar{\ell}_1 \gamma_\mu \ell_3)(\bar{e}_3 \gamma^\mu e_1)/\text{TeV}^2 + \text{h.c.}$	R
cle2332	$(\bar{\ell}_2 \gamma_\mu \ell_3)(\bar{e}_3 \gamma^\mu e_2)/\text{TeV}^2 + \text{h.c.}$	R
clu11	$(\bar{\ell}_1 \gamma_\mu \ell_1)(\bar{u}_r \gamma^\mu u_r)/\text{TeV}^2$	R
clu22	$(\bar{\ell}_2 \gamma_\mu \ell_2)(\bar{u}_r \gamma^\mu u_r)/\text{TeV}^2$	R
clu33	$(\bar{\ell}_3 \gamma_\mu \ell_3)(\bar{u}_r \gamma^\mu u_r)/\text{TeV}^2$	R
ctl11	$(\bar{\ell}_1 \gamma_\mu \ell_1)(\bar{t} \gamma^\mu t)/\text{TeV}^2$	R
ctl22	$(\bar{\ell}_2 \gamma_\mu \ell_2)(\bar{t} \gamma^\mu t)/\text{TeV}^2$	R
ctl33	$(\bar{\ell}_3 \gamma_\mu \ell_3)(\bar{t} \gamma^\mu t)/\text{TeV}^2$	R
cld11	$(\bar{\ell}_1 \gamma_\mu \ell_1)(\bar{d}_r \gamma^\mu d_r)/\text{TeV}^2$	R
cld22	$(\bar{\ell}_2 \gamma_\mu \ell_2)(\bar{d}_r \gamma^\mu d_r)/\text{TeV}^2$	R
cld33	$(\bar{\ell}_3 \gamma_\mu \ell_3)(\bar{d}_r \gamma^\mu d_r)/\text{TeV}^2$	R
cb111	$(\bar{\ell}_1 \gamma_\mu \ell_1)(\bar{b} \gamma^\mu b)/\text{TeV}^2$	R
cb122	$(\bar{\ell}_2 \gamma_\mu \ell_2)(\bar{b} \gamma^\mu b)/\text{TeV}^2$	R
cb133	$(\bar{\ell}_3 \gamma_\mu \ell_3)(\bar{b} \gamma^\mu b)/\text{TeV}^2$	R

WC name	Operator	Type
cje11	$(\bar{q}_p \gamma_\mu q_p)(\bar{e}_1 \gamma^\mu e_1)/\text{TeV}^2$	R
cje22	$(\bar{q}_p \gamma_\mu q_p)(\bar{e}_2 \gamma^\mu e_2)/\text{TeV}^2$	R
cje33	$(\bar{q}_p \gamma_\mu q_p)(\bar{e}_3 \gamma^\mu e_3)/\text{TeV}^2$	R
cqe11	$(\bar{Q} \gamma_\mu Q)(\bar{e}_1 \gamma^\mu e_1)/\text{TeV}^2$	R
cqe22	$(\bar{Q} \gamma_\mu Q)(\bar{e}_2 \gamma^\mu e_2)/\text{TeV}^2$	R
cqe33	$(\bar{Q} \gamma_\mu Q)(\bar{e}_3 \gamma^\mu e_3)/\text{TeV}^2$	R
cju1	$(\bar{q}_p \gamma_\mu q_p)(\bar{u}_r \gamma^\mu u_r)/\text{TeV}^2$	R
cqu1	$(\bar{Q} \gamma_\mu Q)(\bar{u}_r \gamma^\mu u_r)/\text{TeV}^2$	R
ctj1	$(\bar{q}_p \gamma_\mu q_p)(\bar{t} \gamma^\mu t)/\text{TeV}^2$	R
cqt1	$(\bar{Q} \gamma_\mu Q)(\bar{t} \gamma^\mu t)/\text{TeV}^2$	R
cju8	$(\bar{q}_p \gamma_\mu T^A q_p)(\bar{u}_r \gamma^\mu T^A u_r)/\text{TeV}^2$	R
cqu8	$(\bar{Q} \gamma_\mu T^A Q)(\bar{u}_r \gamma^\mu T^A u_r)/\text{TeV}^2$	R
ctj8	$(\bar{q}_p \gamma_\mu T^A q_p)(\bar{t} \gamma^\mu T^A t)/\text{TeV}^2$	R
cqt8	$(\bar{Q} \gamma_\mu T^A Q)(\bar{t} \gamma^\mu T^A t)/\text{TeV}^2$	R
cjd1	$(\bar{q}_p \gamma_\mu q_p)(\bar{d}_r \gamma^\mu d_r)/\text{TeV}^2$	R
cqd1	$(\bar{Q} \gamma_\mu Q)(\bar{d}_r \gamma^\mu d_r)/\text{TeV}^2$	R
cbj1	$(\bar{q}_p \gamma_\mu q_p)(\bar{b} \gamma^\mu b)/\text{TeV}^2$	R
cqb1	$(\bar{Q} \gamma_\mu Q)(\bar{b} \gamma^\mu b)/\text{TeV}^2$	R
cjd8	$(\bar{q}_p \gamma_\mu T^A q_p)(\bar{d}_r \gamma^\mu T^A d_r)/\text{TeV}^2$	R
cqd8	$(\bar{Q} \gamma_\mu T^A Q)(\bar{d}_r \gamma^\mu T^A d_r)/\text{TeV}^2$	R
cbj8	$(\bar{q}_p \gamma_\mu T^A q_p)(\bar{b} \gamma^\mu T^A b)/\text{TeV}^2$	R
cqb8	$(\bar{Q} \gamma_\mu T^A Q)(\bar{b} \gamma^\mu T^A b)/\text{TeV}^2$	R
cjQtu1Re	$(Y_u^\dagger)_{pr}(\bar{q}_p \gamma_\mu Q)(\bar{t} \gamma^\mu u_r)/\text{TeV}^2 + \text{h.c.}$	R
cjQtu1Im	$i(Y_u^\dagger)_{pr}(\bar{q}_p \gamma_\mu Q)(\bar{t} \gamma^\mu u_r)/\text{TeV}^2 + \text{h.c.}$	R
cjQtu8Re	$(Y_u^\dagger)_{pr}(\bar{q}_p \gamma_\mu T^A Q)(\bar{t} \gamma^\mu T^A u_r)/\text{TeV}^2 + \text{h.c.}$	R
cjQtu8Im	$i(Y_u^\dagger)_{pr}(\bar{q}_p \gamma_\mu T^A Q)(\bar{t} \gamma^\mu T^A u_r)/\text{TeV}^2 + \text{h.c.}$	R
cjQbd1Re	$(Y_d^\dagger)_{pr}(\bar{q}_p \gamma_\mu Q)(\bar{b} \gamma^\mu d_r)/\text{TeV}^2 + \text{h.c.}$	R
cjQbd1Im	$i(Y_d^\dagger)_{pr}(\bar{q}_p \gamma_\mu Q)(\bar{b} \gamma^\mu d_r)/\text{TeV}^2 + \text{h.c.}$	R
cjQbd8Re	$(Y_d^\dagger)_{pr}(\bar{q}_p \gamma_\mu T^A Q)(\bar{b} \gamma^\mu T^A d_r)/\text{TeV}^2 + \text{h.c.}$	R
cjQbd8Im	$i(Y_d^\dagger)_{pr}(\bar{q}_p \gamma_\mu T^A Q)(\bar{b} \gamma^\mu T^A d_r)/\text{TeV}^2 + \text{h.c.}$	R
cledjRe11	$Y_{d,st}(\bar{\ell}_1^I e_1)(\bar{d}_s q_t^I)/\text{TeV}^2 + \text{h.c.}$	R
cledjRe22	$Y_{d,st}(\bar{\ell}_2^I e_2)(\bar{d}_s q_t^I)/\text{TeV}^2 + \text{h.c.}$	R
cledjRe33	$Y_{d,st}(\bar{\ell}_3^I e_3)(\bar{d}_s q_t^I)/\text{TeV}^2 + \text{h.c.}$	R
cledjIm11	$iY_{d,st}(\bar{\ell}_1^I e_1)(\bar{d}_s q_t^I)/\text{TeV}^2 + \text{h.c.}$	R
cledjIm22	$iY_{d,st}(\bar{\ell}_2^I e_2)(\bar{d}_s q_t^I)/\text{TeV}^2 + \text{h.c.}$	R
cledjIm33	$iY_{d,st}(\bar{\ell}_3^I e_3)(\bar{d}_s q_t^I)/\text{TeV}^2 + \text{h.c.}$	R
clebQRe11	$(\bar{\ell}_1^I e_1)(\bar{b} Q^I)/\text{TeV}^2 + \text{h.c.}$	R
clebQRe22	$(\bar{\ell}_2^I e_2)(\bar{b} Q^I)/\text{TeV}^2 + \text{h.c.}$	R
clebQRe33	$(\bar{\ell}_3^I e_3)(\bar{b} Q^I)/\text{TeV}^2 + \text{h.c.}$	R
clebQIm11	$i(\bar{\ell}_1^I e_1)(\bar{b} Q^I)/\text{TeV}^2 + \text{h.c.}$	R
clebQIm22	$i(\bar{\ell}_2^I e_2)(\bar{b} Q^I)/\text{TeV}^2 + \text{h.c.}$	R
clebQIm33	$i(\bar{\ell}_3^I e_3)(\bar{b} Q^I)/\text{TeV}^2 + \text{h.c.}$	R

WC name	Operator	Type
cjujd1Re	$(Y_u^\dagger)_{pr}(Y_d^\dagger)_{st}(\bar{q}_p^I u_r)(\bar{q}_s^J d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjujd1Im	$i(Y_u^\dagger)_{pr}(Y_d^\dagger)_{st}(\bar{q}_p^I u_r)(\bar{q}_s^J d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjujd11Re	$(Y_u^\dagger)_{sr}(Y_d^\dagger)_{pt}(\bar{q}_p^I u_r)(\bar{q}_s^J d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjujd11Im	$i(Y_u^\dagger)_{sr}(Y_d^\dagger)_{pt}(\bar{q}_p^I u_r)(\bar{q}_s^J d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cQtjd1Re	$(Y_d^\dagger)_{st}(\bar{Q}^I t)(\bar{q}_s^J d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cQtjd1Im	$i(Y_d^\dagger)_{st}(\bar{Q}^I t)(\bar{q}_s^J d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjuQb1Re	$(Y_u^\dagger)_{pr}(\bar{q}_p^I u_r)(\bar{Q}^J b)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjuQb1Im	$i(Y_u^\dagger)_{pr}(\bar{q}_p^I u_r)(\bar{Q}^J b)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cQujb1Re	$(Y_u^\dagger)_{sr}(\bar{Q}^I u_r)(\bar{q}_s^J b)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cQujb1Im	$i(Y_u^\dagger)_{sr}(\bar{Q}^I u_r)(\bar{q}_s^J b)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjtQd1Re	$(Y_d^\dagger)_{pt}(\bar{q}_p^I t)(\bar{Q}^J d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjtQd1Im	$i(Y_d^\dagger)_{pt}(\bar{q}_p^I t)(\bar{Q}^J d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cQtQb1Re	$(\bar{Q}^I t)(\bar{Q}^J b)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cQtQb1Im	$i(\bar{Q}^I t)(\bar{Q}^J b)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjujd8Re	$(Y_u^\dagger)_{pr}(Y_d^\dagger)_{st}(\bar{q}_p^I T^A u_r)(\bar{q}_s^J T^A d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjujd8Im	$i(Y_u^\dagger)_{pr}(Y_d^\dagger)_{st}(\bar{q}_p^I T^A u_r)(\bar{q}_s^J T^A d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjujd81Re	$(Y_u^\dagger)_{sr}(Y_d^\dagger)_{pt}(\bar{q}_p^I T^A u_r)(\bar{q}_s^J T^A d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjujd81Im	$i(Y_u^\dagger)_{sr}(Y_d^\dagger)_{pt}(\bar{q}_p^I T^A u_r)(\bar{q}_s^J T^A d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cQtjd8Re	$(Y_d^\dagger)_{st}(\bar{Q}^I T^A t)(\bar{q}_s^J T^A d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cQtjd8Im	$i(Y_d^\dagger)_{st}(\bar{Q}^I T^A t)(\bar{q}_s^J T^A d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjuQb8Re	$(Y_u^\dagger)_{pr}(\bar{q}_p^I T^A u_r)(\bar{Q}^J T^A b)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjuQb8Im	$i(Y_u^\dagger)_{pr}(\bar{q}_p^I T^A u_r)(\bar{Q}^J T^A b)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cQujb8Re	$(Y_u^\dagger)_{sr}(\bar{Q}^I T^A u_r)(\bar{q}_s^J T^A b)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cQujb8Im	$i(Y_u^\dagger)_{sr}(\bar{Q}^I T^A u_r)(\bar{q}_s^J T^A b)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjtQd8Re	$(Y_d^\dagger)_{pt}(\bar{q}_p^I T^A t)(\bar{Q}^J T^A d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cjtQd8Im	$i(Y_d^\dagger)_{pt}(\bar{q}_p^I T^A t)(\bar{Q}^J T^A d_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cQtQb8Re	$(\bar{Q}^I T^A t)(\bar{Q}^J T^A b)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cQtQb8Im	$i(\bar{Q}^I T^A t)(\bar{Q}^J T^A b)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleju1Re11	$(Y_u^\dagger)_{st}(\bar{\ell}_1^I e_1)(\bar{q}_s^J u_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleju1Re22	$(Y_u^\dagger)_{st}(\bar{\ell}_2^I e_2)(\bar{q}_s^J u_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleju1Re33	$(Y_u^\dagger)_{st}(\bar{\ell}_3^I e_3)(\bar{q}_s^J u_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleju1Im11	$i(Y_u^\dagger)_{st}(\bar{\ell}_1^I e_1)(\bar{q}_s^J u_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleju1Im22	$i(Y_u^\dagger)_{st}(\bar{\ell}_2^I e_2)(\bar{q}_s^J u_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleju1Im33	$i(Y_u^\dagger)_{st}(\bar{\ell}_3^I e_3)(\bar{q}_s^J u_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleQt1Re11	$(\bar{\ell}_1^I e_1)(\bar{Q}^J t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleQt1Re22	$(\bar{\ell}_2^I e_2)(\bar{Q}^J t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleQt1Re33	$(\bar{\ell}_3^I e_3)(\bar{Q}^J t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleQt1Im11	$i(\bar{\ell}_1^I e_1)(\bar{Q}^J t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleQt1Im22	$i(\bar{\ell}_2^I e_2)(\bar{Q}^J t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleQt1Im33	$i(\bar{\ell}_3^I e_3)(\bar{Q}^J t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleju3Re11	$(Y_u^\dagger)_{st}(\bar{\ell}_1^I \sigma_{\mu\nu} e_1)(\bar{q}_s^J \sigma^{\mu\nu} u_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R

WC name	Operator	Type
cleju3Re22	$(Y_u^\dagger)_{st}(\bar{\ell}_2^I \sigma_{\mu\nu} e_2)(\bar{q}_s^J \sigma^{\mu\nu} u_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleju3Re33	$(Y_u^\dagger)_{st}(\bar{\ell}_3^I \sigma_{\mu\nu} e_3)(\bar{q}_s^J \sigma^{\mu\nu} u_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleju3Im11	$i(Y_u^\dagger)_{st}(\bar{\ell}_1^I \sigma_{\mu\nu} e_1)(\bar{q}_s^J \sigma^{\mu\nu} u_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleju3Im22	$i(Y_u^\dagger)_{st}(\bar{\ell}_2^I \sigma_{\mu\nu} e_2)(\bar{q}_s^J \sigma^{\mu\nu} u_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleju3Im33	$i(Y_u^\dagger)_{st}(\bar{\ell}_3^I \sigma_{\mu\nu} e_3)(\bar{q}_s^J \sigma^{\mu\nu} u_t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleQt3Re11	$(\bar{\ell}_1^I \sigma_{\mu\nu} e_1)(\bar{Q}^J \sigma^{\mu\nu} t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleQt3Re22	$(\bar{\ell}_2^I \sigma_{\mu\nu} e_2)(\bar{Q}^J \sigma^{\mu\nu} t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleQt3Re33	$(\bar{\ell}_3^I \sigma_{\mu\nu} e_3)(\bar{Q}^J \sigma^{\mu\nu} t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleQt3Im11	$i(\bar{\ell}_1^I \sigma_{\mu\nu} e_1)(\bar{Q}^J \sigma^{\mu\nu} t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleQt3Im22	$i(\bar{\ell}_2^I \sigma_{\mu\nu} e_2)(\bar{Q}^J \sigma^{\mu\nu} t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R
cleQt3Im33	$i(\bar{\ell}_3^I \sigma_{\mu\nu} e_3)(\bar{Q}^J \sigma^{\mu\nu} t)\varepsilon_{IJ}/\text{TeV}^2 + \text{h.c.}$	R