

QUICK UPDATE

8 TeV–13 TeV comparisons

G. Aad et. al. [Number 6](#), Number 1

University of Glasgow

2016-11-30



University
of Glasgow | Experimental
Particle Physics

a single, big image



an animated image (compatible with Adobe Reader)

a video (compatible with Okular)



itemized list

- item
- item
 - subitem
 - subitem
 - subitem
- item
- item

enumerate list

- 1 item
- 2 item
 - 1 subitem
 - 2 subitem
 - 1 subitem
- 3 item
- 4 item

description list

A item

B item

A subitem

B subitem

A subitem

C item

D item

description list with checkmarks

✓ item

✓ item

✓ subitem

● subitem

● subitem

✓ item

✗ item

links

- URL: <http://info.cern.ch/hypertext/WWW/TheProject.html>
- hyperlink: TheProject
- hyperlink: ATL-COM-PHYS-2014-1471

mathematics

- $H^+ \rightarrow tb$
- lepton p_T and η

mathematics

Jet pull is a variable that can be constructed from particles within a jet cone.
The procedure is as follows:

- Select a pair of jets in an event.
- Build a vector sum of calorimeter cells within each jet.

$$\vec{p} = \sum_i \frac{E_T^i |r_i|}{E_T^{\text{jet}}} \vec{r}_i$$

- \vec{r}_i : position of jet cell i relative to jet centre
- E_T^i : transverse energy of cell i
- E_T^{jet} : transverse energy of jet

Each cell is assigned to the closer jet in (η, ϕ) space.

code: Python

```
import multiprocessing

def function(x):
    return x * x

if __name__ == '__main__':
    pool = multiprocessing.Pool(processes = 4)
    result = pool.apply_async(function, [10])
    print(result.get(timeout = 1))
    print(pool.map(function, range(10)))
```

code: C++

```
#include <iostream>
#include <thread>

void say_hello();

int main(int argc, char** argv){

    std::thread my_first_thread(say_hello);
    my_first_thread.join();

    return 0;
}

void say_hello(){
    std::cout << "hello from a thread" << std::endl;
}
```

code: L^AT_EX

```
\documentclass{article}

\title{Special Paper}

\author{Simon Jester}

\begin{document}

\maketitle

hello world

\end{document}
```

emoticons

- smiley: 😊
- frownie: 😞
- neutralie: 😐

centered text

some centered text

some more centered text

blocks

block 1

item
item

block 2

item
item

columns (2)

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Aenean commodo ligula eget dolor. Aenean massa. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec quam felis, ultricies nec, pellentesque eu, pretium quis, sem.

Nulla consequat massa quis enim. Donec pede justo, fringilla vel, aliquet nec, vulputate eget, arcu. In enim justo, rhoncus ut, imperdiet a, venenatis vitae, justo. Nullam dictum felis eu pede mollis pretium.

multiple columns (2)

Lore*m* ipsum dolor sit amet, consectetuer adipiscing elit. Aenean commodo ligula eget dolor. Aenean massa. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec quam felis, ultricies nec, pellentesque eu,

pretium quis, sem. Nulla consequat massa quis enim. Donec pede justo, fringilla vel, aliquet nec, vulputate eget, arcu. In enim justo, rhoncus ut, imperdiet a, venenatis vitae, justo. Nullam dictum felis eu pede mollis pretium.

multiple columns (4)

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Aenean commodo ligula eget dolor. Aenean massa. Cum sociis na-
 toque penati- bus et magnis dis parturient montes, nasce- tur ridiculus mus. Donec quam felis, ulticies nec, pel- lentesque eu,
 pretium quis, sem. Nulla consequat massa quis enim. Donec pede justo, fringilla vel, aliquet nec, vulputate eget,
 arcu. In enim justo, rhoncus ut, imperdiet a, venenatis vitae, justo. Nullam dictum felis eu pede mollis pretium.

positioning by textblock

- item 1
- item 2
- item 3


- item 1
- item 2
- item 3

- item 1
- item 2
- item 3

- item 1
- item 2
- item 3

positioning by textblock



- suppressed with respect to other Higgs modes
- $H \rightarrow b\bar{b}$ has the largest branching ratio (0.577 for m_H 125 GeV)
- irreducible background from $t\bar{t}b\bar{b}$
- other backgrounds: $t\bar{t}$ production in association with light quarks (u, d, s) or gluon jets (called $t\bar{t} + \text{light}$), and $t\bar{t} + c\bar{c}$






\sqrt{s} (TeV)	7	8	13	14
$t\bar{t}H$ ($m_H = 125$ GeV) (pb)	0.086	0.130	0.5085	0.611
$t\bar{t}$ (pb)	177	253	832	950
S/\sqrt{B}	0.00646	0.0082	0.0176	0.0198

$7 \text{ TeV} \rightarrow 13/14 \text{ TeV}: S/\sqrt{B}$ changes by factor of $\simeq 3$

8 TeV vs. 13 TeV: cutflow for $\ell + \text{jets}$





8 TeV vs. 13 TeV: cutflow for dilepton




I3PD+SV1: <https://indico.cern.ch/event/387410/contribution/9/material/slides/0.pdf>







8 TeV vs. 13 TeV: centrality



8 TeV vs. 13 TeV: JVF




8 TeV vs. 13 TeV: subleading jets p_T of e selection




p_T ratio results for training with epochs of interest


40 epochs:




100 epochs:



145 epochs:



300 epochs:



neural networks and input variables

Four neural networks with progressively increasing input information were defined, all trained through 250 epochs (training cycles). NN0 comprises only the μ -in-jet and p_T -only NN corrections, as opposed to further NN corrections.

neural network designation	input variables
NN0	no new neural network applied
NN1	E_t , SumPtTrk, Width
NN2	E_t , SumPtTrk, Width, MET
NN3	E_t , SumPtTrk, Width, MET, METPhi, JetPhi

per-event $M_{b\bar{b}}$ resolutions with use of MET direction

$M_{b\bar{b}}$ resolutions for $VH_{b\bar{b}}$ for progressively decreasing MET energy cut requirements for various neural networks, shown to 3 significant figures:

selection	events	NN0	NN1	NN2	NN3
$VH_{b\bar{b}}$	23686	0.133	0.129	0.131	0.131
$VH_{b\bar{b}} + \text{MET} < 100 \text{ GeV}$	22654	0.132	0.130	0.129	0.131
$VH_{b\bar{b}} + \text{MET} < 70 \text{ GeV}$	21094	0.131	0.128	0.129	0.129
$VH_{b\bar{b}} + \text{MET} < 40 \text{ GeV}$	15050	0.128	0.126	0.126	0.126
$VH_{b\bar{b}} + \text{MET} < 20 \text{ GeV}$	6174	0.130	0.127	0.126	0.127

per event $M_{b\bar{b}}$ resolutions with use of MET direction

Here, the physical processes are ranked according to the effectiveness of the corresponding behaviour they induce in NN3, where a greater effectiveness is taken to mean a smaller resolution value. *Caveat:* Systematic uncertainties are not given their due consideration.

selection	events	NN0	NN1	NN2	NN3
$VH_{b\bar{b}} + \text{MET} > 100 \text{ GeV}$	1032	0.121542	0.129038	0.13072	0.116975
$VH_{b\bar{b}} + \text{MET} < 40 \text{ GeV}$	15050	0.128387	0.125939	0.125637	0.125963
$VH_{b\bar{b}} + \text{MET} < 20 \text{ GeV}$	6174	0.129539	0.127454	0.126029	0.127043
$VH_{b\bar{b}} + \text{MET} < 70 \text{ GeV}$	21094	0.131248	0.128119	0.128908	0.128825
$VH_{b\bar{b}} + \text{MET} < 100 \text{ GeV}$	22654	0.132004	0.129924	0.129095	0.130467
$VH_{b\bar{b}}$	23686	0.132823	0.129032	0.131202	0.131303
$VH_{b\bar{b}} + \text{MET} > 20 \text{ GeV}$	17512	0.135974	0.13137	0.13366	0.132341
$VH_{b\bar{b}} + \text{MET} > 40 \text{ GeV}$	8636	0.140116	0.135415	0.140013	0.140551
$VH_{b\bar{b}} + \text{MET} > 70 \text{ GeV}$	2592	0.143505	0.15228	0.151469	0.155914

$m_{b\bar{b}}$ value results for training with epochs of interest

$m_{b\bar{b}}$ resolution results (Gaussian fit) for training with epochs of interest:


subset		epochs			
		40	100	145	300
	training	0.137	0.138	0.138	0.138
	training test	0.139	0.139	0.139	0.139

$m_{b\bar{b}}$ resolutions with and without MET


comparison of $m_{b\bar{b}}$ resolutions for various channels both excluding and including the MET variable with various epochs:

number of epochs		$l\nu bb$	$llbb$	$\nu\nu bb$	all
50	without MET	0.135159	0.138616	0.135159	0.137488
	with MET	0.130047	0.137266	0.136842	0.138516
	change	-3.78%	-0.97%	+1.24%	+0.75%
100	without MET	0.134537	0.138781	0.13656	0.13743
	with MET	0.129719	0.137265	0.136247	0.138948
	change	-3.58%	-1.09%	-0.22%	+1.1%
150	without MET	0.13676	0.138464	0.137943	0.13747
	with MET	0.138292	0.137261	0.137344	0.138948
	change	+1.12%	-0.87%	-0.43%	+1.07%
500	without MET	0.139041	0.139451	0.13849	0.13827
	with MET	0.139225	0.137261	0.136398	0.138948
	change	+0.13%	+1.6%	-1.51%	-0.48%

Feynman diagram





Feynman diagram with text



Nulla consequat massa quis enim.
Donec pede justo, fringilla vel, aliquet
nec, vulputate eget, arcu. In enim justo,
rhoncus ut, imperdiet a, venenatis vitae,
justo. Nullam dictum felis eu pede mol-
lis pretium.

Feynman diagrams



embedded data


The following is an embedded data file:




The following is an embedded sound file:




TTHbbLeptonic development team



analysis framework



questions?



END