

Progress Report

Project Aqueous

Number 6

School of Physics and Astronomy University of Glasgow

September 2016





a title for abstract

A brief summary of the report.

${\it a\ title\ for\ acknowledgements}$

The contributions of Number 2 and Number 1 are acknowledged.

Contents

		for acl						,																		
L	a ti	tle for																								
	1.1	Higgs	b	oso	n	\mathbf{S}							•													
2	a ti	tle for	c	ha	$\mathbf{p}^{_{1}}$	te	r	1																		
	2.1	section	n	1.																						
		2.1.1	t	in	ıe																					
		2.1.2	1	m	its																					
		2.1.3	1	ist	\mathbf{s}																					
		2.1.4	(coc	le																					
		2.1.5	i	m	ag	es																				
		2.1.6	1	ef	ere	en	сe	s																		
		2.1.7]	RC	O	T																				
		2.1.8	t	al	ole	S																				
3	a ti	tle for	fı	ut	ur	ė																				
	3.1	future	р	la	ns	a	nc	1 0	co	ns	sic	le	ra	ti	on	ıs										

Chapter 1

a title for introduction

Higgs bosons

Higgs bosons are particles that arise through electroweak symmetry breaking. A principal motivation for the Large Hadron Collider physics programme was the testing of the theory of electroweak symmetry breaking, through the observation of Higgs bosons. In July of 2012, the existence of the Higgs boson was confirmed by the ATLAS and CMS experiments. Following this discovery, further studies have been ongoing in order to examine the character of the particle.

Chapter 2

a title for chapter 1

section 1

This is content.

time

A few time representations follow:

- 2016-09-19
- 19 September 2016
- September 2016
- 143316
- 1433
- $\bullet \ \ 2016\text{-}09\text{-}19\text{T}143316$
- 2016-09-19T1433

units

- $a^b \,\mathrm{m}^2$ correct unit typesetting (manual siunitx function) (preferred for mathematics mode)
- 10 kg correct unit typesetting (siunitx)
- 10 kg incorrect unit typesetting (mathematics, textnormal)
- 10 kg incorrect unit typesetting (literally)
- $\bullet~10\,\mathrm{kgms^{-2}}$ correct unit type setting (siunitx)
- $\bullet~10^{-28}\,\mathrm{m}^2$ correct unit type setting, though very manual (siunitx)
- $a^b \, \mathrm{m}^2$ correct unit type setting, though manual (siunitx) (preferred for mathematics mode)

- $\bullet \ a^b \, m^2 dodgy,$ manual correct unit type setting (siunitx)
- $a^b \, \mathrm{m}^2 \, (\mathrm{siunitx})$

lists

This is a list:

- \bullet function,
- Job,
- \bullet JobGroup,
- \bullet Parallel Job
Processor and
- pool.

This is a checklist:

✓ item

✓ item

✓ subitem

✓ subitem

✓ subitem

 \checkmark item

x item

code

This is some code:

Reco_tf.py --inputBSFile data12.1234.RAW --outputESDFile data12.1234.ESD

parallel validation processing time for various numbers of AOD files

images

This is a figure set to a defined width:

Figure 2.1: parallel job processor: large efficiency improvement as a result of parallelisation ${\bf r}$

This is a figure set to the text width:

ratio of time for various numbers of AOD files to time for one file




Figure 2.2: parallel job processor

references

This is a reference to figure 2.2. This is a reference [1]. This is another reference [2]. This is a URL: https://github.com/wdbm/aqueous

ROOT

ROOT [3] is an object oriented data analysis framework aimed at solving data analysis challenges in high energy physics. While *ROOT* is simply a name, a possible acronym for the system could be "Rapid Object-Oriented Technology" [4]. ROOT was developed in the context of the NA49 experiment at CERN. NA49 generated data of approximately 10 TB per run. This rate of data provided a test environment for the development of ROOT, as the next generation of data analysis. ROOT features *Cling*, a C++ interpreter.

tables

input file option	description
inputHitsFile	input only
inputBSFile	RAW data (BS = ByteStream), currently input only
inputRDOFile	
inputESDFile	
inputAODFile	

output file option	description
outputRDOFile valid	if starting from Hits
outputESDFile valid	if starting from Hits, RDO or BS
outputAODFile valid	if starting from ESD or anything else upstream
outputNTUP_XXXFile	can be made from ESD or AOD, BS or RDO

Figure 2.3: Reco_tf.py usage

Chapter 3

a title for future

future plans and considerations

These are suggestions and plans for the future.




Figure 3.1: Gantt chart of work

a title for references

- [1] L. Li Tianjun, W. Xia, W. You-kai and Z. Shou-hua, Distinguishing the Color Octet Axial-Vector-like Particle for Top Quark Asymmetry via Color Flow Method at the LHC, arXiv:1306.3586 (June 2013)
- [2] W. S. McCulloch and W. Pitts, A logical calculus of the ideas immanent in nervous activity, The Bulletin of Mathematical Biophysics, 5 (4), 115–133 (1943)
- [3] ROOT: A Data Analysis Framework, URL http://root.cern.ch (November 2012)
- [4] R. Brun, Re: What does ROOT stand for?, RootTalk, URL http://root.cern.ch/root/roottalk/roottalk98/0718.html (May 1998)