



University
of Glasgow | Experimental
Particle Physics

PROGRESS REPORT

PROJECT AQUEOUS

Number 6

School of Physics and Astronomy
University of Glasgow

April 2016

a title for abstract

A brief summary of the report.

a title for acknowledgements

The contributions of Number 2 and Number 1 are acknowledged.

Contents

a title for abstract	ii
a title for acknowledgements	iii
1 a title for introduction	2
1.1 Higgs bosons	2
2 a title for chapter 1	3
2.1 section 1	3
2.1.1 time	3
2.1.2 units	3
2.1.3 lists	3
2.1.4 code	4
2.1.5 images	4
2.1.6 references	5
2.1.7 ROOT	5
2.1.8 tables	6
3 a title for future	7
3.1 future plans and considerations	7
a title for references	8

Chapter 1

a title for introduction

1.1 Higgs bosons

Higgs bosons are particles that arise through electroweak symmetry breaking. A principal motivation for the Large Hadron Collider physics programme was the testing of the theory of electroweak symmetry breaking, through the observation of Higgs bosons. In July of 2012, the existence of the Higgs boson was confirmed by the ATLAS and CMS experiments. Following this discovery, further studies have been ongoing in order to examine the character of the particle.

Chapter 2

a title for chapter 1

2.1 section 1

This is content.

2.1.1 time

A few time representations follow:

- 2016-04-28
- 28 April 2016
- April 2016
- 180434
- 1804
- 2016-04-28T180434
- 2016-04-28T1804

2.1.2 units

This is a unit: 1 kB.

2.1.3 lists

This is a list:

- function,
- Job,
- JobGroup,
- ParallelJobProcessor and
- pool.

This is a checklist:

- ✓ item
- ✓ item
 - ✓ subitem
 - ✓ subitem
 - ✓ subitem
- ✓ item
- ✗ item

2.1.4 code

This is some code:

```
Reco_tf.py --inputBSFile data12.1234.RAW --outputESDFile data12.1234.ESD
```

2.1.5 images

This is a figure set to a defined width:




Figure 2.1: parallel job processor: large efficiency improvement as a result of parallelisation

This is a figure set to the text width:




Figure 2.2: parallel job processor



2.1.6 references

This is a reference to figure 2.2. This is a reference [1]. This is another reference [2]. This is a URL: <https://github.com/wdbm/aqueous>

2.1.7 ROOT

ROOT [3] is an object oriented data analysis framework aimed at solving data analysis challenges in high energy physics. While *ROOT* is simply a name, a possible acronym for the system could be “*Rapid Object-Oriented Technology*” [4]. ROOT was developed in the context of the NA49 experiment at CERN. NA49 generated data of approximately 10 TB per run. This rate of data provided a test environment for the development of ROOT, as the next generation of data analysis. ROOT features *Cling*, a C++ interpreter.

2.1.8 tables

input file option	description
--inputHitsFile	input only
--inputBSFile	RAW data (BS = ByteStream), currently input only
--inputRDOFile	
--inputESDFile	
--inputAODFile	

output file option	description
--outputRDOFile valid	if starting from Hits
--outputESDFile valid	if starting from Hits, RDO or BS
--outputAODFile valid	if starting from ESD or anything else upstream
--outputNTUP_XXXFile	can be made from ESD or AOD, BS or RDO

Figure 2.3: Reco_tf.py usage

Chapter 3

a title for future

3.1 future plans and considerations

These are suggestions and plans for the future.




Figure 3.1: Gantt chart of work

a title for references

- [1] L. Li Tianjun, W. Xia, W. You-kai and Z. Shou-hua, *Distinguishing the Color Octet Axial-Vector-like Particle for Top Quark Asymmetry via Color Flow Method at the LHC*, arXiv:1306.3586 (June 2013)
- [2] W. S. McCulloch and W. Pitts, *A logical calculus of the ideas immanent in nervous activity*, The Bulletin of Mathematical Biophysics, 5 (4), 115–133 (1943)
- [3] *ROOT: A Data Analysis Framework*, URL <http://root.cern.ch> (November 2012)
- [4] R. Brun, *Re: What does ROOT stand for?*, RootTalk, URL <http://root.cern.ch/root/roottalk/roottalk98/0718.html> (May 1998)