



1

2

Progress Report

3

4

Project Aqueous

5

6

Number 6

7

School of Physics and Astronomy

8


University of Glasgow

9

10

April 2019

11



Abstract

13 A brief summary of the report.

Acknowledgements

15 The contributions of Number 2 and Number 1 are acknowledged.

Contents

17	Abstract	i
18	Acknowledgements	ii
19	Contents	iii
20	List of Figures	iv
21	List of Tables	v
22	Introduction	2
23	0.1 Higgs bosons	2
24	1 A title for chapter 1	3
25	1.1 Section 1	3
26	1.1.1 Time	3
27	1.1.2 Units and units typesetting	4
28	1.1.3 Mathematics	4
29	1.1.4 Lists	5
30	1.1.5 Code	6
31	1.1.6 Images	6
32	1.1.7 References	8
33	1.1.8 ROOT	9
34	1.1.9 Some paragraphs	10
35	1.1.10 tables	12

36	2 A title for future	13
37	2.1 future plans and considerations	13
38	References	15

39 List of Figures

40	1.1	Parallel job processor: large efficiency improvement as a result of parallelisation	7
41	1.3	Feynman diagram	8
42	1.2	parallel job processor	8
43	1.4	Reco_tf.py usage	12
44	2.1	Gantt chart of work	14

45 List of Tables

46 Introduction

47 0.1 Higgs bosons

48 Higgs bosons are particles that arise through electroweak symmetry breaking. A principal
49 motivation for the Large Hadron Collider physics programme was the testing of the theory
50 of electroweak symmetry breaking, through the observation of Higgs bosons. In July of
51 2012, the existence of the Higgs boson was confirmed by the ATLAS and CMS experiments.
52 Following this discovery, further studies have been ongoing in order to examine the character
53 of the particle.

54 Chapter 1

55 A title for chapter 1

56 1.1 Section 1

57 This is content.

58 1.1.1 Time

59 A few time representations follow:

- 60 • 2019-04-18
- 61 • 18 April 2019
- 62 • April 2019
- 63 • 165617
- 64 • 1656
- 65 • 2019-04-18T165617
- 66 • 2019-04-18T1656

67 1.1.2 Units and units typesetting

- 68 • $a^b \text{ m}^2$ – correct unit typesetting (manual siunitx function) (preferred for mathematics
- 69 mode, though note that the function for this is provided by aqueous [see below for
- 70 manual equivalent method not dependent on aqueous])
- 71 • 10 kg – correct unit typesetting (siunitx)
- 72 • 10 kg – incorrect unit typesetting (mathematics, textnormal)
- 73 • 10 kg – incorrect unit typesetting (literally)
- 74 • 10 kgms^{-2} – correct unit typesetting (siunitx)
- 75 • 10^{-28} m^2 – correct unit typesetting, though very manual (siunitx)
- 76 • $a^b \text{ m}^2$ – correct unit typesetting, though manual (siunitx) (preferred for mathematics
- 77 mode)
- 78 • $\text{a}^b \text{ m}^2$ – dodgy, manual correct unit typesetting (siunitx)
- 79 • $a^b \text{ m}^2$ (siunitx)
- 80 • The angle is 14° .
- 81 • The temperature is 14°C . – correct unit typesetting (siunitx)

82 1.1.3 Mathematics

83 The following is a referenced equation:

$$E = mc^2 \tag{1.1}$$

84 This is a reference to equation 1.1.

85 This is bold mathematics within non-bold mathematics: $t\bar{t}\mathbf{H}(b\bar{b})$.

86 This is bold mathematics: $\mathbf{t\bar{t}H(b\bar{b})}$.

87 1.1.4 Lists

88 This is a list:

- 89 • function,
- 90 • Job,
- 91 • JobGroup,
- 92 • ParallelJobProcessor and
- 93 • pool.

94 This is a checklist:

95 ✓ item

96 ✓ item

97 ✓ subitem

98 ✓ subitem

99 ✓ subitem

100 ✓ item

101 ✗ item

102 1.1.5 Code

103 This is some code:

104 `Reco_tf.py --inputBSFile data12.1234.RAW --outputESDFile data12.1234.ESD`

105 1.1.6 Images

106 This is a figure set to a defined width:




Figure 1.1: Parallel job processor: large efficiency improvement as a result of parallelisation

107 This is a figure set to the text width:

Figure 1.3: Feynman diagram




Figure 1.2: parallel job processor

108 Here is a Feynman diagram:

109 1.1.7 References

110 This is a reference to figure 1.2. This is a reference [1]. This is another reference [2]. This
 111 is a URL: <https://github.com/wdbm/aqueous>

1.1.8 ROOT

ROOT [3] is an object oriented data analysis framework aimed at solving data analysis challenges in high energy physics. While *ROOT* is simply a name, a possible acronym for the system could be “*Rapid Object-Oriented Technology*” [4]. ROOT was developed in the context of the NA49 experiment at CERN. NA49 generated data of approximately 10 TB per run. This rate of data provided a test environment for the development of ROOT, as the next generation of data analysis. ROOT features *Cling*, a C++ interpreter.¹

¹This is a footnote.

1.1.9 Some paragraphs

121 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut,
122 placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero,
123 nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pel-
124 lentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.
125 Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla
126 ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis
127 in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean
128 faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor
129 semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend,
130 sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

131 Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non
132 justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor
133 sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi
134 ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla.
135 Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.
136 Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus
137 mauris.

138 Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tris-
139 tique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasel-
140 lus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie
141 vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accum-
142 san nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat
143 lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non
144 enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus
145 pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis
146 eu massa.

147 Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt
148 ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea

149 dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi.
150 Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac
151 pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus
152 quis tortor vitae risus porta vehicula.

input file option	description
--inputHitsFile	input only
--inputBSFile	RAW data (BS = ByteStream), currently input only
--inputRDOFile	
--inputESDFile	
--inputAODFile	

output file option	description
--outputRDOFile valid	if starting from Hits
--outputESDFile valid	if starting from Hits, RDO or BS
--outputAODFile valid	if starting from ESD or anything else upstream
--outputNTUP_XXXFile	can be made from ESD or AOD, BS or RDO

Figure 1.4: Reco.tf.py usage

154 Chapter 2

155 A title for future

156 If we can hit that bullseye, the rest of the dominos will fall like a
house of cards. Checkmate!

Zapp Brannigan

You hear the bird's gurgling?

157 Pedro Carolino in *English As She is Spoke* (1883), a book which was
intended as a Portuguese–English phrase book, but which was
written by Carolino using dictionaries as opposed to a
comprehension of the English language, hence it is a sort of 19th
century machine translation.

158 2.1 future plans and considerations

159 These are suggestions and plans for the future.




Figure 2.1: Gantt chart of work

References

- [1] L. Li Tianjun, W. Xia, W. You-kai and Z. Shou-hua, *Distinguishing the Color Octet Axial-Vector-like Particle for Top Quark Asymmetry via Color Flow Method at the LHC* (June 2013), arXiv:1306.3586
- [2] W. S. McCulloch and W. Pitts, *A logical calculus of the ideas immanent in nervous activity*, The Bulletin of Mathematical Biophysics, 5 (4), 115–133 (1943)
- [3] *ROOT: A Data Analysis Framework* (November 2012), URL <http://root.cern.ch>
- [4] R. Brun, *Re: What does ROOT stand for?*, RootTalk (May 1998), URL <http://root.cern.ch/root/roottalk/roottalk98/0718.html>