Reconstructing the AAPR scatterplot data

William Denton

November 12, 2014

The scatterplots in the task reports are available through the AAPR portal, but not the raw data that went into constructing them. This is how I reconstructed it.

(The PDF version of this file is generated from the Org mode file that contains a mix of comment, data and code. Everything I do to reconstruct the data points is here. Running the code will reproduce what I did.)

I can't make any guarantees about the accuracy of this reconstruction, but it does look to be almost identical. Corrections and patches are welcome, but the best result would be for the AAPR Task Force to make the raw data available.

ACADEMIC POINTS

Begin with the academic scatterplots. They are all laid out exactly the same, as in Figure 1, with the chart borders and axes in the same places (except for the close-up view of LA&PS, which just makes points easier to see). They look like this:

They are all 960 px x 720 px JPEGs.

Let us assume:

- The scales on both the x- and y-axes go from 1 to 9, inclusive.
- The charts are linearly scaled on both axes.

Using a graphics program we can identify the location of the important pixels in the square bordering the plot (with (0,0) being in the upper right-hand corner of the JPEG; y increases as it goes down):

Point	xpixel	ypixel
Top left	118	40
Top right	788	40
Bottom left	118	677
Bottom right	788	677

Therefore the width of the x range is $788 - 118 = 670$ px. We know this covers the range 1–9, or 8 units of measurement, so each unit is $670/8 = 83.75$ px wide. Similarly, the width of the y range is $677 - 40 = 637$ px, so each unit is $637/8 = 79.625$ px high.

Thus we can use this formula to convert pixel values to $(Quality, Sustainability)$ values, where $1 <= Quality <= 9$ and $1 <= Sustainability <= 9$.

$$Quality = (xpixel - 118)/83.75 + 1 \quad (1)$$



Figure 1: Example academic plot

$$Sustainability = (677 - ypixel)/79.625 + 1 \quad (2)$$

We need to add one so that the scales begin at 1, not 0.

This table uses this formula to convert (xpixel, ypixel) to $(Quality, Sustainability)$ for some points of interest, rounded to two decimals:

Point	xpixel	ypixel	Quality	Sustainability
Top left	118	40	1	9
Top right	788	40	9	9
Bottom left	118	677	1	1
Bottom right	788	677	9	1
Central area top left	378	160	4.1	7.49
Central area top right	600	160	6.76	7.49
Central area bottom left	378	398	4.1	4.5
Central area bottom right	600	398	6.76	4.5
Sustainability line left	118	338	1	5.26
Sustainability line right	788	338	9	5.26
Quality line top	490	40	5.44	9
Quality line bottom	490	677	5.44	1

Hence we deduce (given our initial assumptions) that the central area covers roughly 4.1 <= $Quality$ <= 6.75 and 4.5 <= $Sustainability$ <= 7.5, and that the lines in the middle, perhaps representing acceptable threshold values, are at 5.45 for Quality and 5.25 for Sustainability.

Here are the raw pixel data and the resulting calculated rankings:

Image	Code	xpixel	ypixel	Quality	Sustainability
Education	AC0010	602	217	6.78	6.78
Education	AC0030	587	328	6.6	5.38
Education	AC0060	460	375	5.08	4.79

Image	Code	xpixel	ypixel	Quality	Sustainability
FineArts	AC0280	520	285	5.8	5.92
FineArts	AC0350	520	285	5.8	5.92
FineArts	AC0360	520	285	5.8	5.92
FineArts	AC0390	519	304	5.79	5.68
FineArts	AC0400	506	302	5.63	5.71
FineArts	AC0330	529	319	5.91	5.5
FineArts	AC0420	529	340	5.91	5.23
FineArts	AC0270	490	287	5.44	5.9
FineArts	AC0200	490	319	5.44	5.5
FineArts	AC0240	458	238	5.06	6.51
FineArts	AC0220	496	343	5.51	5.19
FineArts	AC0460	504	349	5.61	5.12
FineArts	AC0440	526	351	5.87	5.09
FineArts	AC0140	511	375	5.69	4.79
FineArts	AC0470	547	392	6.12	4.58
FineArts	AC0450	520	392	5.8	4.58
FineArts	AC0170	430	342	4.73	5.21
FineArts	AC0150	475	351	5.26	5.09
FineArts	AC0160	423	389	4.64	4.62
FineArts	AC0130	461	415	5.1	4.29
Glendon	AC0670	527	237	5.88	6.53
Glendon	AC0770	515	255	5.74	6.3
Glendon	AC0790	496	255	5.51	6.3
Glendon	AC0630	531	264	5.93	6.19
Glendon	AC0870	526	278	5.87	6.01
Glendon	AC0610	503	337	5.6	5.27
Glendon	AC0550	475	287	5.26	5.9
Glendon	AC0700	460	285	5.08	5.92
Glendon	AC0750	468	318	5.18	5.51
Glendon	AC0510	445	342	4.9	5.21
Glendon	AC0500	430	345	4.73	5.17
Glendon	AC0860	446	353	4.92	5.07
Glendon	AC0810	424	366	4.65	4.91
Glendon	AC0570	393	375	4.28	4.79
Glendon	AC0680	394	382	4.3	4.7
Glendon	AC0580	355	382	3.83	4.7
Glendon	AC0850	466	390	5.16	4.6
Glendon	AC0530	432	392	4.75	4.58
Glendon	AC0730	432	392	4.75	4.58
Glendon	AC0650	392	430	4.27	4.1
Glendon	AC0830	365	448	3.95	3.88
Glendon	AC0710	452	462	4.99	3.7
Glendon	AC0690	251	533	2.59	2.81

Continued on next page

Image	Code	xpixel	ypixel	Quality	Sustainability
Glendon	AC0590	488	352	5.42	5.08
Health	AC0920	610	50	6.87	8.87
Health	AC0980	686	113	7.78	8.08
Health	AC0990	686	113	7.78	8.08
Health	AC1060	573	167	6.43	7.41
Health	AC0930	596	192	6.71	7.09
Health	AC0940	579	191	6.5	7.1
Health	AC1130	602	216	6.78	6.79
Health	AC0960	579	218	6.5	6.76
Health	AC0950	563	217	6.31	6.78
Health	AC1120	602	239	6.78	6.5
Health	AC1000	595	237	6.7	6.53
Health	AC1030	558	264	6.25	6.19
Health	AC1010	596	280	6.71	5.99
Health	AC1020	596	280	6.71	5.99
Health	AC1070	550	324	6.16	5.43
Health	AC1050	470	224	5.2	6.69
Health	AC1100	453	222	5	6.71
Health	AC1110	453	222	5	6.71
Health	AC1080	420	389	4.61	4.62
Lassonde	AC2480	572	129	6.42	7.88
Lassonde	AC2490	572	129	6.42	7.88
Lassonde	AC2640	548	241	6.13	6.48
Lassonde	AC2520	527	278	5.88	6.01
Lassonde	AC2530	527	278	5.88	6.01
Lassonde	AC2460	528	325	5.9	5.42
Lassonde	AC2500	528	325	5.9	5.42
Lassonde	AC2510	528	325	5.9	5.42
Lassonde	AC2550	492	326	5.47	5.41
Lassonde	AC2560	496	342	5.51	5.21
Lassonde	AC2600	505	368	5.62	4.88
Lassonde	AC2610	505	368	5.62	4.88
Lassonde	AC2470	524	398	5.85	4.5
Lassonde	AC2590	490	415	5.44	4.29
Lassonde	AC2570	502	462	5.59	3.7
Laps	AC2090	490	86	5.44	8.42
Laps	AC1390	490	135	5.44	7.81
Laps	AC2230	370	270	4.01	6.11
Laps	AC2340	622	286	7.02	5.91
Laps	AC1510	473	406	5.24	4.4
Laps	AC2940	473	406	5.24	4.4
Laps	AC1320	475	414	5.26	4.3
Laps	AC1560	490	414	5.44	4.3

Continued on next page

Image	Code	xpixel	ypixel	Quality	Sustainability
Laps	AC1570	490	414	5.44	4.3
Laps	AC1440	608	351	6.85	5.09
Laps	AC1680	526	413	5.87	4.32
Laps	AC1600	550	414	6.16	4.3
Laps	AC1660	526	446	5.87	3.9
Laps	AC1260	527	454	5.88	3.8
Laps	AC2020	565	444	6.34	3.93
Laps	AC2300	467	430	5.17	4.1
Laps	AC2310	467	430	5.17	4.1
Laps	AC2040	453	429	5	4.11
Laps	AC1830	437	430	4.81	4.1
Laps	AC2250	401	414	4.38	4.3
Laps	AC1790	416	429	4.56	4.11
Laps	AC1849	416	429	4.56	4.11
Laps	AC2110	416	438	4.56	4
Laps	AC2950	421	437	4.62	4.01
Laps	AC2010	459	439	5.07	3.99
Laps	AC1280	474	455	5.25	3.79
Laps	AC1610	444	462	4.89	3.7
Laps	AC1490	452	462	4.99	3.7
Laps	AC1270	476	510	5.27	3.1
Laps	AC1760	365	409	3.95	4.37
Laps	AC2130	355	422	3.83	4.2
Laps	AC2060	379	446	4.12	3.9
Laps	AC1550	393	450	4.28	3.85
Laps	AC1850	416	478	4.56	3.5
Laps	AC1310	430	487	4.73	3.39
Laps	AC1350	398	486	4.34	3.4
Laps	AC1770	407	510	4.45	3.1
Laps	AC2150	346	486	3.72	3.4
Laps	AC2100	335	497	3.59	3.26
Laps	AC1740	303	502	3.21	3.2
Laps	AC1800	295	542	3.11	2.7
Laps	AC1820	304	542	3.22	2.7
Laps	AC2200	325	552	3.47	2.57
Laps	AC2240	354	550	3.82	2.59
Laps	AC2160	444	184	4.89	7.19
Laps	AC1480	468	206	5.18	6.92
Laps	AC1700	550	181	6.16	7.23
Laps	AC1230	557	193	6.24	7.08
Laps	AC1240	557	193	6.24	7.08
Laps	AC1710	490	207	5.44	6.9
Laps	AC2170	505	216	5.62	6.79

Continued on next page

Image	Code	xpixel	ypixel	Quality	Sustainability
Laps	AC2420	505	224	5.62	6.69
Laps	AC2430	505	224	5.62	6.69
Laps	AC1380	482	232	5.35	6.59
Laps	AC1400	490	232	5.44	6.59
Laps	AC1220	504	238	5.61	6.51
Laps	AC2180	490	262	5.44	6.21
Laps	AC1300	526	261	5.87	6.22
Laps	AC2435	452	270	4.99	6.11
Laps	AC1810	484	270	5.37	6.11
Laps	AC2190	490	278	5.44	6.01
Laps	AC1180	565	286	6.34	5.91
Laps	AC1960	467	310	5.17	5.61
Laps	AC2210	453	318	5	5.51
Laps	AC1420	430	334	4.73	5.31
Laps	AC2380	512	310	5.7	5.61
Laps	AC1200	512	326	5.7	5.41
Laps	AC1890	506	333	5.63	5.32
Laps	AC1900	526	334	5.87	5.31
Laps	AC1430	378	383	4.1	4.69
Laps	AC1355	416	350	4.56	5.11
Laps	AC2030	417	367	4.57	4.89
Laps	AC1540	431	390	4.74	4.6
Laps	AC1950	431	390	4.74	4.6
Laps	AC2090	431	390	4.74	4.6
Laps	AC1920	452	358	4.99	5.01
Laps	AC1325	454	366	5.01	4.91
Laps	AC1930	454	366	5.01	4.91
Laps	AC2120	454	366	5.01	4.91
Laps	AC1290	468	368	5.18	4.88
Laps	AC1910	468	368	5.18	4.88
Laps	AC1630	476	372	5.27	4.83
Laps	AC1540	430	390	4.73	4.6
Laps	AC1950	430	390	4.73	4.6
Laps	AC2090	430	390	4.73	4.6
Laps	AC2280	446	398	4.92	4.5
Laps	AC1780	454	398	5.01	4.5
Laps	AC1970	466	391	5.16	4.59
Laps	AC2360	466	391	5.16	4.59
Laps	AC2270	476	390	5.27	4.6
Laps	AC1980	484	390	5.37	4.6
Laps	AC2260	490	342	5.44	5.21
Laps	AC1620	490	352	5.44	5.08
Laps	AC1640	490	352	5.44	5.08

Continued on next page

Image	Code	xpixel	ypixel	Quality	Sustainability
Laps	AC1360	490	366	5.44	4.91
Laps	AC2400	490	366	5.44	4.91
Laps	AC1190	498	350	5.54	5.11
Laps	AC2290	506	351	5.63	5.09
Laps	AC2390	512	350	5.7	5.11
Laps	AC1750	549	350	6.15	5.11
Laps	AC1460	550	358	6.16	5.01
Laps	AC1470	565	352	6.34	5.08
Laps	AC1720	504	366	5.61	4.91
Laps	AC1370	512	365	5.7	4.92
Laps	AC2350	512	365	5.7	4.92
Laps	AC1450	506	374	5.63	4.81
Laps	AC1670	526	390	5.87	4.6
Misc	AC3360	406	382	4.44	4.7
Osgoode	AC2670	662	105	7.5	8.18
Osgoode	AC2690	572	297	6.42	5.77
Osgoode	AC2680	536	320	5.99	5.48
Schulich	AC2760	726	136	8.26	7.79
Schulich	AC2740	698	168	7.93	7.39
Schulich	AC2780	586	192	6.59	7.09
Schulich	AC2810	549	340	6.15	5.23
Science	AC2840	683	81	7.75	8.49
Science	AC2870	570	178	6.4	7.27
Science	AC2890	542	183	6.06	7.2
Science	AC2900	579	192	6.5	7.09
Science	AC2920	571	236	6.41	6.54
Science	AC2860	534	245	5.97	6.43
Science	AC2910	548	263	6.13	6.2
Science	AC3150	586	294	6.59	5.81
Science	AC3030	564	320	6.33	5.48
Science	AC3000	505	318	5.62	5.51
Science	AC3010	505	318	5.62	5.51
Science	AC3160	587	333	6.6	5.32
Science	AC3170	586	349	6.59	5.12
Science	AC3140	510	382	5.68	4.7
Science	AC2970	518	399	5.78	4.49
Science	AC2980	518	399	5.78	4.49
Science	AC3050	519	415	5.79	4.29
Science	AC3060	519	415	5.79	4.29
Science	AC2850	414	372	4.53	4.83
Science	AC3090	406	383	4.44	4.69
Science	AC3220	473	407	5.24	4.39
Science	AC3210	436	415	4.8	4.29

Continued on next page

Image	Code	xpixel	ypixel	Quality	Sustainability
Science	AC3070	444	414	4.89	4.3
Science	AC3080	444	414	4.89	4.3
Science	AC3200	415	439	4.55	3.99
Science	AC3110	454	452	5.01	3.83
Science	AC2990	466	462	5.16	3.7
Science	AC2830	393	439	4.28	3.99
Science	AC3120	302	464	3.2	3.68
Science	AC3190	251	440	2.59	3.98
Science	AC3020	190	597	1.86	2

A short Ruby script takes that data and generates `aapr-academic.csv`:

```
File.open("aapr-academic.csv", "w") { |f|
  f.write "Program_Code,Quality,Sustainability\n"
  table.each do |r|
    f.write "#{r[1]},#{r[4]},#{r[5]}\n"
  end
}
```

ADMINISTRATIVE POINTS

These images are also 960 px x 720 px, but the bounding box is different (see Fig 2) so we need to do fresh calculations.

Point	xpixel	ypixel
Top left	38	48
Top right	820	48
Bottom left	38	682
Bottom right	820	682

The width of the x range is $820-38 = 782$ px. Again we know this covers the range 1–9, or 8 units of measurement, so each unit is $782/8 = 97.75$ px wide. Similarly, the width of the y range is $682-48 = 634$ px, and each unit is $634/8 = 79.25$ px high.

Thus we can use this formula to convert pixel values to $(Quality, Sustainability)$ values, where $1 <= Quality <= 9$ and $1 <= Sustainability <= 9$.

$$Quality = (xpixel - 38)/97.75 + 1 \tag{3}$$

$$Sustainability = (682 - ypixel)/79.25 + 1 \tag{4}$$

We need to add one so that the scales begin at 1, not 0.

This table uses this formula to convert (xpixel, ypixel) to $(Quality, Sustainability)$ for some points of interest, rounded to two decimals:



Figure 2: Example administrative plot

Point	xpixel	ypixel	Quality	Sustainability
Top left	38	48	1	9
Top right	820	48	9	9
Bottom left	38	682	1	1
Bottom right	820	682	9	1
Central area top left	398	213	4.68	6.92
Central area top right	628	213	7.04	6.92
Central area bottom left	398	384	4.68	4.76
Central area bottom right	628	384	7.04	4.76
Sustainability line left	38	300	1	5.82
Sustainability line right	820	300	9	5.82
Quality line top	512	48	5.85	9
Quality line bottom	512	682	5.85	1

Here the Sustainability threshold is about 5.8 and the Quality threshold is 5.85. Here are the raw pixel data and the resulting calculated rankings:

Image	Code	xpixel	ypixel	Quality	Sustainability
Colleges	AD1320	622	323	7.02	5.45
Colleges	AD1330	622	323	7.02	5.45
Colleges	AD1530	581	369	6.53	4.87
Colleges	AD1380	478	390	5.3	4.6

Continued on next page

Image	Code	xpixel	ypixel	Quality	Sustainability
Colleges	AD1260	411	404	4.5	4.43
Colleges	AD1400	433	460	4.76	3.73
Colleges	AD1370	332	495	3.56	3.29
Colleges	AD1390	329	493	3.52	3.31
Csbo	AD0950	560	186	6.28	7.17
Csbo	AD1090	581	190	6.53	7.12
Csbo	AD1100	581	190	6.53	7.12
Csbo	AD1110	589	247	6.62	6.4
Csbo	AD1050	545	255	6.1	6.3
Csbo	AD1160	606	272	6.83	6.09
Csbo	AD0960	517	298	5.76	5.76
Csbo	AD1130	474	238	5.25	6.51
Csbo	AD1000	423	272	4.64	6.09
Csbo	AD1080	437	296	4.81	5.78
Csbo	AD1070	462	301	5.11	5.72
Csbo	AD0990	346	313	3.72	5.57
Csbo	AD1140	342	386	3.67	4.65
Csbo	AD1060	397	520	4.33	2.97
Csbo	AD1020	435	334	4.79	5.31
Csbo	AD0970	468	322	5.18	5.46
Csbo	AD0980	472	309	5.23	5.62
Csbo	AD1120	493	332	5.48	5.33
Csbo	AD1010	453	347	5	5.14
Csbo	AD1030	515	313	5.74	5.57
Csbo	AD0940	532	314	5.94	5.56
Csbo	AD1040	536	380	5.99	4.73
DeansOffice	AD0600	584	175	6.56	7.3
DeansOffice	AD1300	736	223	8.38	6.7
DeansOffice	AD1410	684	251	7.76	6.35
DeansOffice	AD1440	650	253	7.35	6.32
DeansOffice	AD1340	662	266	7.5	6.16
DeansOffice	AD1240	702	290	7.97	5.86
DeansOffice	AD1270	552	292	6.18	5.84
DeansOffice	AD1310	593	306	6.67	5.66
DeansOffice	AD1230	607	310	6.84	5.61
DeansOffice	AD1250	646	362	7.3	4.96
DeansOffice	AD1540	545	384	6.1	4.68
DeansOffice	AD1200	452	334	4.99	5.31
DeansOffice	AD1450	434	344	4.77	5.18
DeansOffice	AD1280	424	358	4.65	5.01
DeansOffice	AD1360	336	376	3.6	4.78
DeansOffice	AD1290	212	386	2.12	4.65
DeansOffice	AD1460	481	428	5.33	4.13

Continued on next page

Image	Code	xpixel	ypixel	Quality	Sustainability
DeansOffice	AD1210	380	528	4.13	2.87
DeansOffice	AD1430	257	612	2.66	1.82
DivOfThePresident	AD0070	584	173	6.56	7.33
DivOfThePresident	AD0100	649	219	7.34	6.75
DivOfThePresident	AD0110	576	220	6.47	6.74
DivOfThePresident	AD0090	572	220	6.42	6.74
DivOfThePresident	AD0140	403	295	4.4	5.8
DivOfThePresident	AD0130	332	357	3.56	5.02
DivOfThePresident	AD0120	232	425	2.36	4.16
DivOfThePresident	AD0150	255	441	2.64	3.96
DivOfThePresident	AD0080	189	583	1.85	2.18
Finance	AD0820	623	143	7.03	7.71
Finance	AD0760	695	204	7.89	6.94
Finance	AD0750	641	233	7.24	6.58
Finance	AD0770	615	262	6.93	6.21
Finance	AD0810	520	236	5.8	6.54
Finance	AD0780	550	247	6.16	6.4
Finance	AD0800	541	288	6.05	5.89
Finance	AD0790	599	313	6.74	5.57
Hr	AD0900	584	168	6.56	7.39
Hr	AD0910	595	282	6.7	5.96
Hr	AD0870	382	256	4.15	6.29
Hr	AD0860	463	286	5.12	5.91
Hr	AD0920	376	292	4.08	5.84
Hr	AD0840	380	304	4.13	5.68
Hr	AD0850	410	339	4.49	5.24
Hr	AD0830	392	339	4.27	5.24
Hr	AD0880	372	339	4.03	5.24
Hr	AD0890	362	370	3.91	4.86
Libraries	AD1480	571	289	6.41	5.87
Libraries	AD1470	533	315	5.96	5.55
Libraries	AD1510	489	380	5.43	4.73
Libraries	AD1500	449	316	4.95	5.53
Libraries	AD1490	312	301	3.32	5.72
Uit	AD0670	594	165	6.68	7.43
Uit	AD0710	555	217	6.22	6.78
Uit	AD0740	580	235	6.52	6.55
Uit	AD0700	525	260	5.86	6.24
Uit	AD0620	610	295	6.87	5.8
Uit	AD0680	481	288	5.33	5.89
Uit	AD0720	389	284	4.24	5.94
Uit	AD0730	415	306	4.55	5.66
Uit	AD0660	507	310	5.64	5.61

Continued on next page

Image	Code	xpixel	ypixel	Quality	Sustainability
Uit	AD0640	494	327	5.49	5.4
Uit	AD0630	415	342	4.55	5.21
Uit	AD0690	351	369	3.78	4.87
VpAdv	AD0050	542	200	6.06	6.99
VpAdv	AD0060	520	211	5.8	6.85
VpAdv	AD0020	594	215	6.68	6.8
VpAdv	AD0010	598	242	6.73	6.46
VpAdv	AD0035	480	328	5.32	5.38
Vpap	AD0400	407	454	4.45	3.8
Vpap	AD0440	393	355	4.28	5.04
Vpap	AD0390	468	370	5.18	4.86
Vpap	AD0410	498	363	5.54	4.94
Vpap	AD0460	529	233	5.91	6.58
Vpap	AD0420	586	281	6.59	5.97
Vpap	AD0480	624	233	7.04	6.58
Vpap	AD0450	647	236	7.32	6.54
Vpap	AD0430	680	233	7.71	6.58
Vpap	AD0370	716	214	8.14	6.81
Vpap	AD0160	684	186	7.76	7.17
Vpap	AD0380	629	189	7.1	7.13
Vpfa	AD1190	451	338	4.98	5.26
Vpfa	AD0930	542	334	6.06	5.31
Vpfa	AD1150	450	260	4.96	6.24
Vpfa	AD0570	564	254	6.33	6.31
Vpfa	AD0580	602	221	6.78	6.73
Vpfa	AD0590	668	228	7.57	6.64
Vpfa	AD1180	686	222	7.78	6.71
Vpfa	AD1170	646	179	7.3	7.25
Vpri	AD0560	250	260	2.58	6.24
Vpri	AD0550	703	190	7.99	7.12
Vpri	AD0500	594	225	6.68	6.68
Vpri	AD0490	586	287	6.59	5.9
Vps	AD0170	520	313	5.8	5.57
Vps	AD0180	586	296	6.59	5.78
Vps	AD0190	560	216	6.28	6.79
Vps	AD0200	462	288	5.11	5.89
Vps	AD0210	456	270	5.04	6.11
Vps	AD0220	455	246	5.02	6.41
Vps	AD0230	498	366	5.54	4.91
Vps	AD0240	599	210	6.74	6.86
Vps	AD0250	608	256	6.85	6.29
Vps	AD0260	525	282	5.86	5.96
Vps	AD0270	572	186	6.42	7.17

Continued on next page

Image	Code	xpixel	ypixel	Quality	Sustainability
Vps	AD0280	442	373	4.87	4.82
Vps	AD0290	638	271	7.21	6.1
Vps	AD0300	634	263	7.16	6.2
Vps	AD0310	630	236	7.11	6.54
Vps	AD0320	521	240	5.81	6.49
Vps	AD0331	398	362	4.34	4.96
Vps	AD0332	476	330	5.27	5.36
Vps	AD0340	489	232	5.43	6.59
Vps	AD0350	647	334	7.32	5.31

Another short Ruby script takes that data and generates `aapr-administrative.csv`:

```
File.open("aapr-administrative.csv", "w") { |f|
  f.write "Program_Code,Quality,Sustainability\n"
  table.each do |r|
    f.write "#{r[1]},#{r[4]},#{r[5]}\n"
  end
}
```

RESEARCH POINTS

There is only one research scatterplot image, also 960 px x 720 px but otherwise different from both the administrative and academic ones, so all of the above calculations need to be done with fresh pixel measurements.

Point	xpixel	ypixel
Top left	64	48
Top right	842	48
Bottom left	64	656
Bottom right	842	656

The width of the x range is $842 - 64 = 778$ px. We know this covers the range 1–9, or 8 units of measurement, so each unit is $778/8 = 97.25$ px wide. Similarly, the width of the y range is $656 - 48 = 608$ px, and each unit is $608/8 = 76$ px high.

Thus we can use this formula to convert pixel values to $(Quality, Sustainability)$ values, where $1 <= Quality <= 9$ and $1 <= Sustainability <= 9$.

$$Quality = (xpixel - 64)/97.25 + 1 \tag{5}$$

$$Sustainability = (656 - ypixel)/76 + 1 \tag{6}$$

We need to add one so that the scales begin at 1, not 0.

This table uses this formula to convert (xpixel, ypixel) to $(Quality, Sustainability)$ for some points of interest, rounded to two decimals:

Point	xpixel	ypixel	Quality	Sustainability
Top left	64	48	1	9
Top right	842	48	9	9
Bottom left	64	656	1	1
Bottom right	842	656	9	1
Sustainability line left	64	252	1	6.32
Sustainability line right	842	252	9	6.32
Quality line top	615	48	6.67	9
Quality line bottom	615	656	6.67	1

The Sustainability threshold is 6.32 and the Quality threshold is 6.67.
Here are the raw pixel data and the resulting calculated rankings:

Image	Code	xpixel	ypixel	Quality	Sustainability
Orus	AC0890	404	405	4.5	4.3
Orus	AC3320	481	246	5.29	6.39
Orus	AC1160	608	230	6.59	6.61
Orus	AC3400	520	291	5.69	5.8
Orus	AC3330	531	300	5.8	5.68
Orus	AC3250	520	314	5.69	5.5
Orus	AC3480	579	261	6.3	6.2
Orus	AC3260	579	284	6.3	5.89
Orus	AC3390	559	299	6.09	5.7
Orus	AC3460	559	329	6.09	5.3
Orus	AC3270	608	331	6.59	5.28
Orus	AC3290	606	300	6.57	5.68
Orus	AC1160	608	284	6.59	5.89
Orus	AC1170	646	285	6.98	5.88
Orus	AC3240	676	284	7.29	5.89
Orus	AC3490	666	171	7.19	7.38
Orus	AC2730	648	155	7.01	7.59
Orus	AC3450	704	117	7.58	8.09
Orus	AC3350	734	147	7.89	7.7
Orus	AC2260	804	140	8.61	7.79
Orus	AC3430	831	131	8.89	7.91

As before, a short Ruby script takes that data and generates `aapr-research.csv`:

```
File.open("aapr-research.csv", "w") { |f|
  f.write "Program_Code,Quality,Sustainability\n"
  table.each do |r|
    f.write "#{r[1]},#{r[4]},#{r[5]}\n"
  end
}
```

CREATING THE FINAL DATA FILE

Now we have three data files (`aapr-academic.csv`, `aapr-administrative.csv`, `aapr-research.csv`) which we need to combine with the program list on the AAPR site. It is an Excel spreadsheet, but I converted it to `program-list.csv`. This R script does the work, relying on the common `Program_Code` columns in all the files:

```
programs <- read.csv("program-list.csv")
academic <- read.csv("aapr-academic.csv")
academic_p <- merge(programs, academic, by.y = "Program_Code")
administrative <- read.csv("aapr-administrative.csv")
administrative_p <- merge(programs, administrative, by.y = "Program_Code")
research <- read.csv("aapr-research.csv")
research_p <- merge(programs, research, by.y = "Program_Code")
aapr <- rbind(academic_p, administrative_p, research_p)
```

As of writing, there are 409 entries in `program-list.csv` but only 399 come out in the `aapr` data frame. This needs investigating.

Finally, the following rules were applied in R to create a new `Level` column that holds whether the program is at the undergraduate (if its name begins with a B or is the JD), Master (starts with M or is the LLM) or PhD level, or Other. Then the data is written to `aapr.csv`.

```
aapr$Level = "Other" # Default
aapr[substr(aapr$Includes_Degree_Types, 1, 1) == "B",]$Level = "Undergraduate"
aapr[substr(aapr$Includes_Degree_Types, 1, 2) == "JD",]$Level = "Undergraduate"
aapr[substr(aapr$Includes_Degree_Types, 1, 1) == "M",]$Level = "Master's"
aapr[substr(aapr$Includes_Degree_Types, 1, 3) == "LLM",]$Level = "Master's"
aapr[substr(aapr$Includes_Degree_Types, 1, 1) == "P",]$Level = "PhD"
write.csv(aapr, "aapr.csv", row.names = FALSE)
```

MISSING PROGRAMS

A few programs in `program-list.csv` are missing from my output. Either they weren't included in the scatterplots or I overlooked them. If you can see these on any scatterplots, please let me know.

```
missing_codes <- setdiff(programs$Program_Code, aapr$Program_Code)
subset(programs, Program_Code %in% missing_codes, select = c(Program_Code, Faculty, Departme
```

Program_Code	Faculty	Department	Program
AC0590	Glendon	Hispanic Studies	Hispanic Studies
AC0900	Health	Faculty of Health	Global Health
AC0910	Health	Faculty of Health	Global Health
AC1840	LA&PS	Humanities	Religious Studies
AC1860	LA&PS	Humanities	US Studies
AC2080	LA&PS	Public Policy & Admin	Public Policy, Administration & La
AC2450	LA&PS	Faculty of Liberal Arts & Professional Studies	Global Labour Research Centre
AC2540	Lassonde	Electrical Engineering & Computer Science	Electrical Engineering
AC2620	Lassonde	Electrical Engineering & Computer Science	Engineering and International De
AC2630	Lassonde	Mechanical Engineering	Mechanical Engineering
AC2660	Lassonde	Mechanical Engineering	Centre for Research in Earth and S
AC2790	Schulich	Schulich School of Business	Accounting
AC2800	Schulich	Schulich School of Business	Business Analitics
AC3410	MISC - VPRI	Office of the VP Res&Innovat'n	Centre for Feminist Research
AC3500	Lassonde	Civil Engineering	Civil Engineering
AD1520	Health	Faculty of Health	Vivaria